

**THERMA TRU®**  
DOORS

FIBERGLASS & STEEL CATALOG



MANIFEST YOUR OUTER HOME



927



# Manifest your outer home.

## America's #1 fiberglass entry door.<sup>1</sup>

Thanks to decades of material science expertise, Therma-Tru® doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel and assembled in America.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.

---

## TABLE OF CONTENTS

2	Introduction
30	Patio, Storm & Vent
36	Classic Craft
100	Fiber-Classic & Smooth-Star
115	Flush-Glazed Designs
208	Steel
232	Fire Doors
236	Pulse
250	Finish Options
257	Door System Components
272	Special Quote Program
273	3'6" Width Options Chart
274	7'0" & 6'6" Height Options Charts
276	Product Details
278	Index
291	Trade Resources

<sup>1</sup>Based on 2024 market data.



# America's #1 fiberglass entry door.<sup>1</sup>


## Proudly assembled in America.

Therma-Tru offers the #1 fiberglass entry door<sup>1</sup> on the market, assembled right here in America. As your trusted domestic partner, we're committed to providing the right door for every project, supported by best-in-class lead times.

### **PROUDLY LOCAL**

#### A DOMESTIC PARTNER YOU CAN COUNT ON

Our domestic supply chain allows us to deliver consistent products and offer best-in-class lead times. When combined with our nationwide network of fabricators, distributors and local support specialists, Therma-Tru helps keep your projects on track.



### **COMPLETE SOLUTIONS**

#### THE RIGHT DOOR FOR ANY PROJECT, BACKED BY DECADES OF EXPERTISE

We have the doors your customers want — versatile, on-trend styles rooted in American craftsmanship — and the tools you need to find the perfect fit for your project.

### **PROVEN PERFORMANCE**

#### CONFIDENCE IN EVERY DOOR, IN EVERY REGION

Built on reliability and backed by comprehensive warranties, our product portfolio is tested beyond the strictest national standards for total compliance.

<sup>1</sup>Based on 2024 market data.

Note: See your Therma-Tru seller or visit [thermatru.com](https://thermatru.com) for details on limited warranties and exclusions.

The only door you'll ever need.™

**PROVEN TO PERFORM, PROTECT AND PRESERVE**

A Therma-Tru® complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. Our complete door systems are proudly Assembled in America and backed with comprehensive, industry-leading warranties.



Since we manufacture or specify every part of our complete door system, we can test every part — ensuring that each component meets our highest standards, and yours. A Therma-Tru door system **provides unmatched performance** when it matters most — for exceptional protection against water infiltration, improved energy efficiency and unparalleled durability.

### 1 FLUSH-GLAZED GLASS

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency<sup>1</sup> and superior sound dampening.

### 2 BALL-BEARING HINGES

Our ball-bearing hinges have been slam-tested to sustain daily use by a family of four for **more than 150 years**.

### 3 WEATHERSTRIPPING

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

### 4 PRESSURE-INJECTED FOAM CORE

Our fiberglass doors feature a pressure-injected foam core that offers **4X more insulation** than a wood door.<sup>2</sup>

### 5 SILL, SWEEP & CORNER PADS

When the door is closed, an enhanced seal provides elevated protection against water infiltration.

### 6 SILL PAN



<sup>1</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

<sup>2</sup>Comparison of R-values of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Homeowners want to be confident that their home is safe and secure — offer a door system that delivers continuous protection against forced entry, **providing invaluable peace of mind.**

### 1 COMPOSITE DOOR FRAME

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.<sup>1</sup>

### 2 MULTI-POINT LOCKING SYSTEM

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

### 3 FIBERGLASS DOORS

Fiberglass entry doors are tough, providing **30% more protection** against forced entry than steel.<sup>2</sup>



Learn more about a Therma-Tru complete door system.

<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details. Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

A Therma-Tru® entryway offers **exceptional beauty that withstands the test of time**. From our industry-first fiberglass — made from a proprietary blend of advanced materials — to our innovative PrismaGuard finish, our door systems are built to last.

### 1 FLUSH-GLAZED GLASS

Choose beautiful glass built directly into the door, protected by a comprehensive warranty that covers accidental glass breakage during construction or installation.

### 2 PRE-FINISHED PRISMAGUARD® DOORS

Today's homeowners expect perfection — PrismaGuard offers an **impeccable, factory-applied finish** that meets the toughest expectations.

### 3 FIBERGLASS DOORS

A durable fiberglass skin resists dents and dings, providing unsurpassed beauty for a lifetime.



# Tru-Defense: The Ultimate Protection

A Therma-Tru® door system with Tru-Defense system components provides enhanced protection against water infiltration backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider. With a Tru-Defense system, you are eligible for a reimbursement of up to \$2,500 should an issue arise.<sup>1</sup>




## **DOUBLE YOUR PEACE OF MIND**

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility.<sup>2</sup> Look for the (🏠) icon.

## How to choose a Tru-Defense® system:

### 1 SELECT ANY THERMA-TRU FIBERGLASS DOOR SLAB



### 2 CHOOSE YOUR COMPONENTS

**Door Frame**

**Composite Adjustable Sill**

**Bottom Sweep**  
(Inswing Only)

**Hinges** (Any)

**Corner Seal Pads**  
(Inswing Only)

**Weatherstrip** (Any)

**Astragal**  
(Double Doors)

**Rain Guard**  
(Outswing Only)

### 3 ADD ANY RECOMMENDED COMPONENTS FOR ENHANCED PROTECTION

**Multi-Point Locking System**  
(MPLS)

**Sill Pan**

## Tru-Defense Warranty Rider

### LEVELS OF REIMBURSEMENT

System Includes	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan) <sup>3</sup>	\$250	\$500
Latch & Deadbolt with Sill Pan <sup>3</sup>	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

<sup>1</sup>If water infiltrates solely as a result of non-conformities in the Tru-Defense door system.

<sup>2</sup>The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

<sup>3</sup>Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

# Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

## DID YOU KNOW?



On average, a home is burglarized in the U.S. **every 4 minutes.**<sup>1</sup>



More than half of home burglaries occur **during the daytime.**<sup>1</sup>

## THERMA-TRU. COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.<sup>2</sup>

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



<sup>1</sup>Source: FBI Crime Data Explorer.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>3</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.



## MATERIAL MYTHS

### Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.<sup>2</sup>
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.<sup>2</sup>
- Wood doors and steel doors may weaken over time with exposure to the elements.

## THERMA-TRU FIBERGLASS DOOR SLAB


Up to 30% more resistant to kick-ins than standard steel doors.<sup>3</sup>

Features durable construction that can withstand impact by absorbing and deflecting the force.<sup>3</sup>

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Fiberglass will not dent or rust, nor will it warp, split, crack or rot.


## THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



Pendulum Impact Test

# Energy-Efficient Options for Every Home



**Therma-Tru has options to meet ENERGY STAR® requirements in all 50 states.**

ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).


## Year-round comfort, no matter the weather.

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in **gold** starting on page 117.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.



Scan to view qualifying products.

# Advanta® Lite Frame

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



**ADVANTA**  
LITE FRAME



Four-piece design includes two interchangeable frame covers and a two-piece base frame.

Advanta lite frame clear and privacy glass includes options that meet ENERGY STAR® requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

## A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.

## AVAILABLE ENERGY STAR®-CERTIFIED GLASS OPTIONS



Reeded (XK)



Satin Etch (XE)



Chord (XC)



Chinchilla (XJ)



Rainglass (XR)



Granite (XN)



Low-E

**LIFETIME**  
LIMITED WARRANTY

Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass


**10 YEAR**  
LIMITED WARRANTY

Profiles, Traditions,  
Pulse Steel

**NEW**

## 3/4-Lite Flush-Glazed Shaker-Style Doors and Sidelites

FOR FIBER-CLASSIC® AND SMOOTH-STAR® DOORS



**Discover the full portfolio of Fiber-Classic and Smooth-Star Shaker-style doors and sidelites—crafted to complement nearly every home style.**

Capture the beautiful simplicity of Shaker style with 3/4-lite 1-panel doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance.

### AVAILABLE DOORS AND SIDELITES



<b>S7500*</b>	<b>FCM7500*</b>
26" x 6'8"	26" x 6'8"
28" x 6'8"	28" x 6'8"
210" x 6'8"	210" x 6'8"
30" x 6'8"	30" x 6'8"

<b>S7500SL</b>	<b>FCM7500SL</b>
12" x 6'8"	12" x 6'8"
14" x 6'8"	14" x 6'8"

<b>S87500*</b>	<b>FCM87500*</b>
26" x 8'0"	26" x 8'0"
28" x 8'0"	28" x 8'0"
210" x 8'0"	210" x 8'0"
30" x 8'0"	30" x 8'0"

### FLAT-PROFILE SDL BARS

Smooth  
(28.6 mm / 1.125 in.)



Grained  
(28.6 mm / 1.125 in.)



 Elevated 10" Bottom Rail  
\*Can be used with full lite sidelites.

### TRU-ADVANTAGES

- 1. On-Trend Styles:** These doors are thoughtfully designed to coordinate with a variety of architectural and decorative elements, including Craftsman, Coastal and other popular design influences.
- 2. Advanced Protection:** Composite edge stiles with Tru-Guard® composite technology work together with composite top and bottom rails and durable fiberglass door skins for extra protection from water absorption, rot, mold and wood-ingesting insects on all six sides of the door.
- 3. Low Maintenance:** Durable, long-lasting fiberglass skins won't warp, rot, dent or rust, and require very little maintenance.

### AVAILABLE GLASS OPTIONS



Satin Etch (XE)



Chord (XC)




Rainglass (XR)



Chinchilla (XJ)




Granite (XN)



Low-E

### AVAILABLE GLASS SHAPES AND SDL PATTERNS



# Open to possibilities.

Veris embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.


## VERIS™



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors





## NEW MODERN GRAIN

Designed to harmonize with your home and enhance your way of living, new Veris™ Modern Grain entryway systems blend the best of both worlds — sleek glass and aluminum with warm, true-to-wood Walnut-grained fiberglass panels.



Experience Veris.



Scan the QR code to view the complete Veris catalog.

Explore options and see it in your home with our visualizer at [veriscollection.com](https://www.veriscollection.com).



**GREEN BUILDER**  
SUSTAINABLE  
BRAND LEADER **2025**

# Together, let's make a world of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru® Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

## HELPING TAKE CARE OF OUR PLANET

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Therma-Tru is proud to be **recognized as the 2025 Brand Leader<sup>2</sup>** by *Green Builder* magazine for offering durable, well-insulated products.

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of **Yellowstone National Park**.

## BEING A GOOD NEIGHBOR

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

**Building homes** for those in need with Habitat for Humanity.

**Providing entryways** for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

**Hosting blood and donation drives** to support the American Red Cross.

## Awards

Veris entryway systems have been recognized by *Green Builder* as a cutting-edge solution that enhances energy efficiency, resilience and sustainability in homes; and by *Architizer* for quality, performance and design impact.


Veris Modern Grain entryway systems received recognition as a winner of the 2025 Product Innovation Awards, published by *Architectural Products*, for outstanding innovation.



We are proud to be an official corporate partner of Yellowstone Forever's sustainability initiative to help ensure that Yellowstone National Park remains for generations. We're proud to provide fiberglass entryways for Yellowstone Park employee housing.

# Where style meets serenity.

Today's design trends invite you to create a relaxing retreat that reflects your home's unique style. Whether you're drawn to nostalgic charm, timeless elegance or laid-back luxury, we offer the products that will help turn your home into a haven.



## MODERN HARMONY

NOSTALGIC | INDUSTRIAL | ORGANIC

Retro styles meet nature-inspired influences as Modern homes lean into lighter hues, warm wood grains and mixed textures.

### FEATURED PRODUCTS:

*Classic Craft Walnut Grain Door - CCW8905; Low-E Glass Direct Set Sidelite, Finish - Rustic Clay*



### BALANCED BLEND

CRAFTED | TEXTURAL | WELCOMING

The new Casual aesthetic features trend-forward colors and finishes in perfect harmony with elevated-but-comfortable details like vertical textures and eased edges.

#### FEATURED PRODUCTS:

*Smooth-Star Flush-Glazed Door - S82103; Clear Glass with SDLs, Finish - Onyx*



### WELL TAILORED

DECORATIVE | TRANSITIONAL | REFINED

Traditional homes blend European-inspired elements with tailored details, including mixed wood grains and a moody color palette, for a fresh take on Old World style.

#### FEATURED PRODUCTS:

*Classic Craft Mahogany Grain Door - CCM8306CAL, CCM8306CAR; Low-E Glass with SDLs, Finish - Driftwood*

# Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.


## The Classic Craft® Series Pages 36–95

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

**LIFETIME**  
LIMITED WARRANTY  
Transferable




**Fir Grain**




**Walnut Grain**



**Mahogany Grain**



**Canvas**





# Fiber-Classic® & Smooth-Star® Collections

Pages

100–201

The industry's first fiberglass door delivers the look and feel of real wood grains — or a smooth, paintable surface — with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star®

## Steel

Pages 208–231

Bring style and affordability together to create very attractive results with our steel doors.

**10 YEAR**  
LIMITED WARRANTY

Door & Glass

**5 YEAR**  
LIMITED WARRANTY

Door

**10 YEAR**  
LIMITED WARRANTY

Glass

**LIFETIME**  
LIMITED WARRANTY

Fiberglass

**10 YEAR**  
LIMITED WARRANTY

Steel

## Pulse®

Pages 236–249

A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Profiles™



Traditions



Ari



Línea



Echo

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Left Page: Classic Craft Walnut Grain Door – CCW8902L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx

# Glass Options

## DECORATIVE & SPECIALTY GLASS

A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on ENERGY STAR qualified products.



Contributes to an energy-efficient home.



## TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



## INTERNAL BLINDS

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, flush-glazed designs and Impact-rated options.

Available in **Fiber-Classic**., **Smooth-Star**., **Profiles**™ and **Traditions** doors and sidelites.

Right Page: Smooth-Star, Clear Glass with SDLs,  
Door – S6042, Finish – Alpine

## PRIVACY & TEXTURED GLASS

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles**, **Traditions** and **Pulse** doors and sidelites.

### Glass Privacy Rating Scale

Glass privacy ratings are measured on a scale of 1 to 10, with 1 being clear and 10 being the most opaque, private option.



## LOW-E GLASS

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles**, **Traditions** and **Pulse**. Look for the (☀️) icon.

## DIVIDED LITES

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles** and **Traditions**.

# Flush-Glazed Glass

for Classic Craft<sup>®</sup>, Fiber-Classic<sup>®</sup> & Smooth-Star<sup>®</sup> Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, flush-glazed glass is perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (   ) icons.



## STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



<sup>1</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

<sup>2</sup>Must be installed as part of a Thermo-Tru door system in compliance with a Thermo-Tru product approval. Check product approvals before purchasing. Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven

Left Page Bottom: Smooth-Star, Internal Blinds, Doors – S2600

28 Right Page: Smooth-Star, Granite Glass with SDLs, Door – S83400XN, Sidelites – S85225XNSL, Finish – Peregrine



## DURABLE BY DESIGN

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency<sup>1</sup> and superior sound dampening.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.<sup>1</sup>




### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50),<sup>2</sup> (ASTM-E330)

## Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 115 for details.

Tough when you need it. Beautiful always.




## Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

**1 Use the map as a guide to find out if you need product for WBDR or HVHZ.**

Always confirm building code requirements in your area before buying.<sup>1</sup>

**2 Use the icons to find available Therma-Tru® product options in this catalog.**



**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

**3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.<sup>1</sup>**

**4 Make sure the product is installed in compliance with the product approval to meet building codes.**

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

<sup>1</sup>Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.




## IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.<sup>1</sup>



### Doors

Feature a built-in 24-gauge steel plate.



### Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



### Flush-Glazed Glass

Offers clean style and an increased daylight opening.



### Glass

Features special laminated glass construction.



### Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

## OTHER CONSIDERATIONS



### Fire Doors

See pages 232–235.



### Noise Reduction Doors

See page 197.



### Elevated 10" Bottom Rail

Look for the (E) symbol.

# Hinged Patio Door Systems


Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns and let fresh air into the home.



A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components

## VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
  - Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
  - Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

### Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

## PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 96.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

# Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru® entry door systems.



<sup>1</sup>Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

<sup>2</sup>Based on average DIY skills and standard door application, widths 32"-36".


<sup>3</sup>Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.




## AVAILABLE SIZES

(Available for most inswing units.)



**Single Door System**  
Widths: 32"-36"  
Heights: 6'6", 6'8", 8'0"



**French Door System**  
Widths: 68"-73"  
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.<sup>2</sup>

## AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.<sup>3</sup>



White






Brown



Black

## AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

## WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

**LIFETIME**  
LIMITED WARRANTY

Classic Craft  
Transferable

**LIFETIME**  
LIMITED WARRANTY

Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass

**10 YEAR**  
LIMITED WARRANTY

Profiles, Traditions,  
Pulse Steel

**LIFETIME**  
LIMITED WARRANTY

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.

Classic Craft<sup>®</sup>

## An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door - CCM81519

Right Page: Classic Craft Mahogany Grain, Clear Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR







## Comprehensive warranties for peace of mind.

**LIFETIME**

LIMITED WARRANTY

Classic Craft  
Transferable

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.

**10 YEAR**

LIMITED WARRANTY

Classic Craft Finish  
Transferable


In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at [thermatru.com/warranty](http://thermatru.com/warranty).



## Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.



## Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



### ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



### DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider<sup>1</sup> to welcome more natural light into the home.



### TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



### THERMA-TRU. DOOR FRAME

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



<sup>1</sup>Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



### DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker<sup>1</sup> for added durability and better long-term performance.



### TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



### CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain<sup>®</sup> technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



### BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.<sup>1</sup>



### CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.<sup>2</sup>

## True-to-Wood Origins


Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain.  
TECHNOLOGY



### FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.




### WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



### MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



### CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.





# Decorative & Specialty Glass Designs

## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray antique glass. An ideal complement for a Transitional home design.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

## Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reeded glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber antique glass and ⑥ clear bevels.

### GLASS SHAPES




### GLASS PRIVACY RATING



Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 52 to see an example on a home.



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Augustine.

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

### GLASS SHAPES




Corresponding sidelites feature Granite glass without wrought iron.

### GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 69 to see an example on a home.



Wrought Iron

## Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

### GLASS SHAPES




Corresponding sidelites feature Hammered glass without wrought iron.

### GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 36 to see an example on a home.




Wrought Iron

# Decorative & Specialty Glass Designs *Continued*


## Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel




Brushed Nickel


## Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 5 diamond border glass.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

## Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

# Privacy & Textured Glass



## Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.



**GLASS PRIVACY RATING**



## Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



**GLASS PRIVACY RATING**



## Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.



**GLASS PRIVACY RATING**



## Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.



**GLASS PRIVACY RATING**



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.



### Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



**GLASS PRIVACY RATING**



### Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.



**GLASS PRIVACY RATING**



## Also Available:

### Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.





## Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

### Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (  ) icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (  ) icon.



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.



(107.95 mm / 4.25 in.)  
Look for the (  )  
and (  ) icons.



(139.70 mm / 5.5 in.)  
Look for the (  )  
and (  ) icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (  ) and (  ) icons.



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.

Fir Grain

Canvas

Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Top: Classic Craft Canvas, Low-E Glass with SDLs, Door - CCV960, Sidelites - CCV9020SL, Transom - 19220T, Finish - Cypress  
Right Page: Classic Craft Fir Grain, Reeded Glass with SDLs, Door - CCA2320XK, Sidelites - CCA2320XKSL, Finish - Rustic Clay

# Flush-Glazed Sticking Profiles

Flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.




**Detailed Sticking**  
Look for the (🔥) icon.



**Square Sticking (Fir Grain)**  
Look for the (💧) icon.



**Square Sticking (Mahogany Grain)**  
Look for the (💧) icon.



**Flush-Glazed Warranty Riders**  
for Construction & Installation, and Homeowners.  
See page 115 for details.



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



**Classic Craft. Fir Grain 4-Block Dentil Shelf**



**Classic Craft. Fir Grain 4-Block Dentil Shelf<sup>1</sup>**



**Classic Craft. Fir Grain 16-Block Dentil Shelf**



**Classic Craft. Canvas 4-Block Dentil Shelf**



**4-Block Dentil Shelf**  
Shown on 3'6" x 8'0" door.



**4-Block Dentil Shelf**  
Shown on 3'0" x 8'0" door.

<sup>1</sup>Pairs with 3'6" wide doors.

Top: Classic Craft Fir Grain, Arborwatch Glass, Door - CCA9100, Sidelites - CCA1423SL, Finish - Autumn Harvest; Dentil Shelf  
Right Page: Classic Craft Mahogany Grain Door - CCR205, Finish - Raven; Clavos & Strap Hinges



## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2"



1-1/4"



1"



1-3/4"



1-1/4"



1"



18"



# Full Lites



Mahogany Grain

Canvas

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

## HOMeward™



Mahogany

CCR9925  
3'0" x 6'8"



Mahogany

CCR9925SL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV9925  
3'0" x 6'8"



Canvas

CCV911SL  
 12" x 6'8"  
14" x 6'8"

## ARBORWATCH™



Mahogany

CCR1423  
3'0" x 6'8"



Mahogany

CCR1423SL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV1423  
3'0" x 6'8"



Canvas

CCV1423SL  
 12" x 6'8"  
14" x 6'8"

## AUGUSTINE™



Mahogany

CCR30027  
3'0" x 6'8"



Mahogany

CCR3400XNSL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV10027  
3'0" x 6'8"



Canvas

CCV100XNSL  
 12" x 6'8"  
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

**BORRASSA. X**



Mahogany

CCR1528  
3'0" x 6'8"



Mahogany

CCR3400XHSL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV1528  
3'0" x 6'8"



Canvas

CCV100XHSL  
12" x 6'8"  
14" x 6'8"

**PROVINCIAL.™ ◆ ◆**



Mahogany

CCR30028  
3'0" x 6'8"



Mahogany

CCR3408SL  
12" x 6'8"  
14" x 6'8"

**LONGFORD.™ ◆ ◆**



Canvas

CCV10028  
3'0" x 6'8"



Canvas

CCV108SL  
12" x 6'8"  
14" x 6'8"



Mahogany

CCR30023  
3'0" x 6'8"



Mahogany

CCR3407SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10023  
3'0" x 6'8"



Canvas

CCV103SL  
12" x 6'8"  
14" x 6'8"

**LUCERNA. ◆ ◆**




Mahogany

CCR10022  
3'0" x 6'8"



Mahogany

CCR3412SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10022  
3'0" x 6'8"



Canvas

CCV3412SL  
12" x 6'8"  
14" x 6'8"

# Full Lites


Continued



Fir Grain



Mahogany Grain



Canvas

## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

## ZAHA.



Mahogany

CCR1851  
3'0" x 6'8"



Mahogany

CCR1851SL  
 12" x 6'8"  
14" x 6'8"



Canvas


CCV1851  
3'0" x 6'8"



Canvas

CCV1851SL  
 12" x 6'8"  
14" x 6'8"

## PRIVACY & TEXTURED



Fir

CCA2300  
 3'0" x 6'8"


CCA82300  
 3'0" x 8'0"



Fir

CCA2310  
 3'0" x 6'8"


CCA82310  
 3'0" x 8'0"



Fir

CCA2320  
 3'0" x 6'8"


CCA82320  
 3'0" x 8'0"



Fir

CCA2330  
 3'0" x 6'8"

CCA82330  
 3'0" x 8'0"



Fir

CCA2340  
 3'0" x 6'8"

CCA82340  
 3'0" x 8'0"



Fir

CCA2380  
 3'0" x 6'8"

CCA82380  
 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA2350\_\*  
 3'0" x 6'8"


CCA82350\_\*  
 3'0" x 8'0"



Fir

CCA2360\_\*  
 3'0" x 6'8"

CCA82360\_\*  
 3'0" x 8'0"



Fir

CCA2370\_\*  
 3'0" x 6'8"


CCA82370\_\*  
 3'0" x 8'0"



Fir

CCA4900\_\*  
 3'0" x 6'8"


CCA84900\_\*  
 3'0" x 8'0"



Fir

CCA4910L\_\*  
 3'0" x 6'8"


CCA4910R\_\*  
 3'0" x 6'8"



Fir

CCA84910L\_\*  
 3'0" x 8'0"


CCA84910R\_\*  
 3'0" x 8'0"



Fir

CCA4920L\_\*  
 3'0" x 6'8"

CCA4920R\_\*  
 3'0" x 6'8"



Fir

CCA84920L\_\*  
 3'0" x 8'0"

CCA84920R\_\*  
 3'0" x 8'0"



Fir

CCA4930\_\*  
 3'0" x 6'8"


CCA84930\_\*  
 3'0" x 8'0"



Fir

CCA4940\_\*  
 3'0" x 6'8"

CCA84940\_\*  
 3'0" x 8'0"



Fir

CCA2400\_\*  
 3'0" x 6'8"

CCA82400\_\*  
 3'0" x 8'0"

# Full Lites

Continued



Fir Grain

## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

## PRIVACY & TEXTURED



Fir

CCA2300_SL	CCA82300_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2310_SL	CCA82310_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2320_SL	CCA82320_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"




Fir

CCA2330_SL	CCA82330_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2340_SL	CCA82340_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir


CCA2400_SL	CCA82400_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

## LOW-E




Fir

CCA2300	CCA82300
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2310	CCA82310
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA2320	CCA82320
3'0" x 6'8"	3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA2330  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA82330  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA2340  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA82340  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA2380  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA82380  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA2350  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA82350  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA2360  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA82360  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA2370  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA82370  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA4900  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA84900  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA4910L  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"


CCA4910R  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"



Fir

CCA84910L  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"

CCA84910R  
 ▲ 🔆 Ⓜ️ E  
 3'0" x 8'0"



Fir

CCA4920L  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

CCA4920R  
 ▲ 🔆 Ⓜ️  
 3'0" x 6'8"

# Full Lites

Continued

Fir Grain


Mahogany Grain

Canvas


## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Simulated Divided Lites (SDLF6)
-  Elevated 10" Bottom Rail Options


## LOW-E



Fir		Fir	
CCA84920L	CCA84920R	CCA4930	CCA84930
   	   	  	   
3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"



Fir		Fir		Fir	
CCA4940	CCA84940	CCA2400	CCA82400	CCA2300SL	CCA82300SL
  	   	 	  	  	  
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	12" x 6'8"	12" x 8'0"
				14" x 6'8"	14" x 8'0"



Fir		Fir		Fir	
CCA2310SL	CCA82310SL	CCA2320SL	CCA82320SL	CCA2330SL	CCA82330SL
  	  	  	  	  	  
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2340, Sidelite - CCA2400SL, Finish - Rustic Clay



Fir

CCA2340SL  
12" x 6'8"  
14" x 6'8"



Fir

CCA82340SL  
12" x 8'0"  
14" x 6'8"

CCA2400SL  
12" x 6'8"  
14" x 6'8"

CCA82400SL  
12" x 8'0"  
14" x 8'0"



Mahogany

CCR30020  
3'0" x 6'8"



Mahogany

CCR2025SL  
12" x 6'8"  
14" x 6'8"



Mahogany

CCR3400SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10020  
3'0" x 6'8"




Canvas

CCV950SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV100SL  
12" x 6'8"  
14" x 6'8"



**HOMEWARD™** ◆ ◆



Mahogany

CCM2801 | CCM82801  
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Mahogany

CCM9923  
 3'0" x 6'8"



Mahogany

CCR9925SL | CCR89925SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"



Canvas

CCV9922 | CCV89922  
 3'0" x 6'8" | 3'0" x 8'0"

3/4 Lites



Mahogany Grain

Canvas

**Key**

- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)



Canvas

CCV911SL | CCV8111SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

**ARBORWATCH™** ◆ ◆



Mahogany

CCM81418  
 3'0" x 8'0"



Mahogany

CCM1419  
 3'0" x 6'8"



Mahogany

CCR1423SL | CCR81423SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"



Canvas

CCV1418 | CCV81418  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1423SL | CCV81423SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

**AUGUSTINE™** ✕



Mahogany

CCM805027  
 3'0" x 8'0"



Mahogany

CCM1485  
 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany  
CCM1495  
3'0" x 6'8"

Mahogany  
CCR3400XNSL | CCR8000XNSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas  
CCV05027 | CCV805027  
3'0" x 6'8" | 3'0" x 8'0"

Canvas  
CCV100XNSL | CCV8100XNSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

**BORRASSA. X**



Mahogany  
CCM81519  
3'0" x 8'0"

Mahogany  
CCM1475  
3'0" x 6'8"

Mahogany  
CCM1465  
3'0" x 6'8"

Mahogany  
CCR3400XHSL | CCR8000XHSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas  
CCV1519 | CCV81519  
3'0" x 6'8" | 3'0" x 8'0"

**LONGFORD™** ◆ ◆



Canvas  
CCV100XHSL | CCV8100XHSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Mahogany  
CCM892  
3'0" x 8'0"

Mahogany  
CCM203  
3'0" x 6'8"

Mahogany  
CCM303  
3'0" x 6'8"

# 3/4 Lites

Continued



Mahogany Grain

Canvas

## Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDLF6)

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

## LONGFORD™ ◆ ◆




Mahogany	Mahogany		Canvas		Canvas	
CCM3303SL ▲ 12" x 6'8" 14" x 6'8"	CCR3407SL ▲ 12" x 6'8" 14" x 6'8"	CCR8007SL ▲ 12" x 8'0" 14" x 8'0"	CCV05023 3'0" x 6'8"	CCV805023 3'0" x 8'0"	CCV103SL ▲ 12" x 6'8" 14" x 6'8"	CCV8103SL ▲ 12" x 8'0" 14" x 8'0"

## LUCERNA◆ ◆



Mahogany		Mahogany		Mahogany
CCM2802 ▲ 3'0" x 6'8"	CCM82802 ▲ 3'0" x 8'0"	CCR3412SL ▲ 12" x 6'8" 14" x 6'8"	CCR8102SL ▲ 12" x 8'0" 14" x 8'0"	CCM204 3'0" x 6'8"



Mahogany	Mahogany	Canvas		Canvas	
CCM302 3'0" x 6'8"	CCM3302SL ▲ 12" x 6'8" 14" x 6'8"	CCV05022 3'0" x 6'8"	CCV805022 3'0" x 8'0"	CCV3412SL ▲ 12" x 6'8" 14" x 6'8"	CCV8102SL ▲ 12" x 8'0" 14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Chinchilla (XJ) glass.

Note: See page 277 for important product details that may help with your purchase decision.

PROVINCIAL™ ◆◆



Mahogany

CCR3408SL | CCR8008SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"



Canvas

CCV05028 | CCV805028  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV108SL | CCV8108SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

ZAHA. ◆◆



Mahogany

CCM2803 | CCM82803  
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Mahogany

CCR1851SL | CCR81851SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"



Mahogany

CCM1844  
 3'0" x 6'8"



Mahogany

CCM1842  
 3'0" x 6'8"



Mahogany

CCM1843SL  
 ▲ 12" x 6'8"  
 ▲ 14" x 6'8"



Canvas

CCV1843 | CCV81843  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1851SL | CCV81851SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

PRIVACY & TEXTURED



Mahogany

CCM2804\_\* | CCM82804\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2806\_\* | CCM82806\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2812\_\* | CCM82815\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2800\_\* | CCM82800\_\*  
 ▲ 6 | ▲ 6  
 3'0" x 6'8" | 3'0" x 8'0"

# 3/4 Lites

Continued



**Mahogany Grain**

## Canvas

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDL6)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch**      **XR = Rainglass**
- XC = Chord**          **XN = Granite**
- XJ = Chinchilla**

## PRIVACY & TEXTURED



Mahogany

CCM200XC  
CCM200XN  
3'0" x 6'8"



Mahogany

CCM300XC  
CCM300XN  
3'0" x 6'8"



Mahogany

CCR2025\_\_SL  
   
12" x 6'8"  
14" x 6'8"



Mahogany

CCR82035\_\_SL      CCR3400\_\_SL      CCR8000\_\_SL  
               
12" x 8'0"      12" x 6'8"      12" x 8'0"  
14" x 8'0"      14" x 6'8"      14" x 8'0"



Canvas

CCV05020XC  
CCV05020XN  
3'0" x 6'8"



Canvas

CCV950\_\_SL      CCV8950\_\_SL\*  
          
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"



Canvas

CCV100\_\_SL      CCV8100\_\_SL\*  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"

## LOW-E



Mahogany

CCM2804      CCM82804  
            
3'0" x 6'8"      3'0" x 8'0"



Mahogany

CCM2806      CCM82806  
            
3'0" x 6'8"      3'0" x 8'0"



Mahogany

CCM2812      CCM82815  
            
3'0" x 6'8"      3'0" x 8'0"

\*Not available with Satin Etch (XE) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door - CCM2806, Finish - Acorn

For transoms, see page 94.

Note: Product images show exterior side of door.



Mahogany

CCM2800 | CCM82800  
 ▲ 🔆 | ▲ 🔆  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR2025SL | CCR82035SL  
 ▲ 🔆 🗨️ | ▲ 🔆 🗨️  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Mahogany

CCR3400SL | CCR8000SL  
 ▲ 🔆 | ▲ 🔆  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Mahogany

CCM200  
 🔆  
 3'0" x 6'8"



Mahogany

CCM300  
 🔆  
 3'0" x 6'8"



Mahogany

CCM3300SL  
 🔆  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV05020 | CCV805020  
 🔆 | 🔆  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV950SL | CCV8950SL  
 ▲ 🔆 🗨️ | ▲ 🔆 🗨️  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Canvas

CCV100SL | CCV8100SL  
 ▲ 🔆 | ▲ 🔆  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"





Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Optional Accessories



Clavos



Strap Hinge


HOMeward™ ◆ ▣



Mahogany

CCR9921  
3'0" x 6'8"

CCR89921  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR9919  
3'0" x 6'8"

CCR89919  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR9918  
3'0" x 6'8"

CCR89918  
3'0" x 8'0"



Mahogany

CCR822218  
3'0" x 8'0"  
3'6" x 8'0"



Canvas

CCV9919  
3'0" x 6'8"

CCV89919  
3'0" x 8'0"



Canvas

CCV9918  
3'0" x 6'8"

CCV89918  
3'0" x 8'0"


ARBORWATCH® ◆ ▣



Mahogany

CCR1417  
3'0" x 6'8"

CCR81417  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1415  
3'0" x 6'8"

CCR81415  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1414  
3'0" x 6'8"

CCR81414  
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth

**AUGUSTINE. X**



Mahogany

CCR822214  
3'0" x 8'0"  
3'6" x 8'0"



Canvas

CCV1415 | CCV81415  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1414 | CCV81414  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR04027 | CCR804027  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20527 | CCR820527  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20027 | CCR820027  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822227  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR04037 | CCR804037  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"

**AUGUSTINE** *Continues on next page.*



# 2/3 Lites

Continued




**Mahogany Grain**

## Canvas

### Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

### Optional Accessories



## AUGUSTINE. ✕



Mahogany

CCR20537 3'0" x 6'8"	CCR820537 3'0" x 8'0" 3'6" x 8'0"
-------------------------	-----------------------------------------



Mahogany

CCR20037 3'0" x 6'8"	CCR820037 3'0" x 8'0"
-------------------------	--------------------------



Mahogany

CCR20537A 3'0" x 6'8"	CCR820537A 3'0" x 8'0" 3'6" x 8'0"
--------------------------	------------------------------------------



Mahogany

CCR20037A 3'0" x 6'8"	CCR820037A 3'0" x 8'0"
--------------------------	---------------------------



Canvas

CCV20527 3'0" x 6'8"	CCV820527 3'0" x 8'0"
-------------------------	--------------------------



Canvas

CCV22027 3'0" x 6'8"	CCV822027 3'0" x 8'0"
-------------------------	--------------------------

## BORRASSA. ✕



Canvas

CCV20537 3'0" x 6'8"	CCV820537 3'0" x 8'0"
-------------------------	--------------------------



Mahogany

CCR1518 3'0" x 6'8"	CCR81518 3'0" x 8'0" 3'6" x 8'0"
------------------------	----------------------------------------



Mahogany

CCR1516 3'0" x 6'8"	CCR81516 3'0" x 8'0" 3'6" x 8'0"
------------------------	----------------------------------------

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR1515 | CCR81515  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822215  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1514 | CCR81514  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1512 | CCR81512  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511 | CCR81511  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR1512A | CCR81512A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511A | CCR81511A  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1516 | CCV81516  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1515 | CCV81515  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1512 | CCV81512  
3'0" x 6'8" | 3'0" x 8'0"

PROVINCIAL™ ◆ ❖



Mahogany

CCR804028  
3'0" x 8'0"



Mahogany

CCR820528  
3'0" x 8'0"

Continued



Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

PROVINCIAL™ ◆ ▣



Mahogany

CCR820028  
3'0" x 8'0"



Mahogany

CCR822228  
3'0" x 8'0"



Canvas

CCV820528  
3'0" x 8'0"



Canvas

CCV822028  
3'0" x 8'0"

LONGFORD™ ◆ ▣



Mahogany

CCR04023 | CCR804023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20523 | CCR820523  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20023 | CCR820023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822223  
3'0" x 8'0"



Canvas

CCV20523 | CCV820523  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22023 | CCV822023  
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR04022 | CCR804022  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20522 | CCR820522  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20022 | CCR820022  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822222  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR804032  
3'0" x 8'0"



Mahogany

CCR820532  
3'0" x 8'0"



Mahogany

CCR820032  
3'0" x 8'0"



Mahogany

CCR820532A  
3'0" x 8'0"



Mahogany

CCR820032A  
3'0" x 8'0"

ZAHA. ◆ ::




Canvas

CCV20522 | CCV820522  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22022 | CCV822022  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820532  
3'0" x 8'0"



Mahogany

CCR1841 | CCR81841  
3'0" x 6'8" | 3'0" x 8'0"

Continued



Mahogany Grain



Mahogany  
 CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"  
 CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"  
 CCR822238 3'0" x 8'0"

Canvas

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch
- XR = Rainglass
- XG = Chord
- XN = Granite

Optional Accessories




Clavos



Strap Hinge



Mahogany  
 CCR81847 3'0" x 8'0"  
 CCR81846 3'0" x 8'0"  
 CCR81845 3'0" x 8'0"  
 CCR81846A 3'0" x 8'0"



Mahogany  
 CCR81845A 3'0" x 8'0"  
 Canvas  
 CCV1839 3'0" x 6'8" | CCV81839 3'0" x 8'0"  
 Canvas  
 CCV1838 3'0" x 6'8" | CCV81838 3'0" x 8'0"  
 Canvas  
 CCV81846 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 277 for important product details that may help with your purchase decision.

**PRIVACY & TEXTURED**



Mahogany

CCR04020\_\* | CCR804020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20520\_\* | CCR820520\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20020\_\* | CCR820020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822220\_\*  
3'0" x 8'0"



Mahogany

CCR804030\_\*  
3'0" x 8'0"



Mahogany

CCR820530\_\*  
3'0" x 8'0"



Mahogany

CCR820030\_\*  
3'0" x 8'0"



Mahogany

CCR820530A\_\*  
3'0" x 8'0"



Canvas

CCV20520\_\* | CCV820520\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020\_\* | CCV822020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820530\_\*  
3'0" x 8'0"



Mahogany

CCM302L\_ | CCM302R\_  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L\_ | CCM8302R\_  
3'0" x 8'0" | 3'0" x 8'0"

**PRIVACY & TEXTURED**

2/3 Lites

Continued



**Mahogany Grain**

**Key**

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

**XE = Satin Etch      XR = Rainglass**  
**XC = Chord          XN = Granite**



Mahogany

CCM304L\_\_ CCM304R\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8304L\_\_ CCM8304R\_\_  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L\_\_ CCM303R\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L\_\_ CCM8303R\_\_  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL\_\_ CCM301CAR\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL\_\_ CCM8301CAR\_\_  
 3'0" x 8'0" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM305CAL\_ CCM305CAR\_  
 3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8305CAL\_ CCM8305CAR\_  
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCM306CAL\_ CCM306CAR\_  
 3'0" x 6'8" 3'0" x 6'8"

LOW-E



Mahogany

CCM8306CAL\_ CCM8306CAR\_  
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCR04020 CCR804020  
 3'0" x 6'8" 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20520 CCR820520  
 3'0" x 6'8" 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20020 CCR820020  
 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR822220  
 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR804030  
 3'0" x 8'0"



Mahogany

CCR820530  
 3'0" x 8'0"



Mahogany

CCR820030  
 3'0" x 8'0"

Continued



Mahogany Grain

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF6)

LOW-E



Mahogany

CCR820530A  
 3'0" x 8'0"



Mahogany

CCR820030A  
 3'0" x 8'0"



Canvas

CCV20520 | CCV820520  
 3'0" x 6'8" |  3'0" x 8'0"



Canvas

CCV22020 | CCV822020  
 3'0" x 6'8" |  3'0" x 8'0"



Canvas

CCV820530  
 3'0" x 8'0"



Mahogany

CCM302L | CCM302R  
  3'0" x 6'8" |   3'0" x 6'8"



Mahogany

CCM8302L | CCM8302R  
  3'0" x 8'0" |   3'0" x 8'0"



Mahogany

CCM304L | CCM304R  
   3'0" x 6'8" |    3'0" x 6'8"



For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM8304L | CCM8304R  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L | CCM303R  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L | CCM8303R  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL | CCM301CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL | CCM8301CAR  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM305CAL | CCM305CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL | CCM8305CAR  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL | CCM306CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8306CAL | CCM8306CAR  
3'0" x 8'0" | 3'0" x 8'0"

1/2 Lites



Mahogany Grain

Canvas

**Key**

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

**XE = Satin Etch**

**HOMEWARD™**



Mahogany

CCM9926  
3'0" x 6'8"



Canvas

CCV9926  
3'0" x 6'8"

**ARBORWATCH™**



Mahogany

CCM1424  
3'0" x 6'8"



Canvas

CCV1424  
3'0" x 6'8"

**PROVINCIAL™**



Canvas

CCV06028  
3'0" x 6'8"

**LONGFORD™**



Mahogany

CCM603  
3'0" x 6'8"



Canvas

CCV06023  
3'0" x 6'8"

**LUCERNA™**



Mahogany

CCM612  
3'0" x 6'8"



Canvas

CCV06022  
3'0" x 6'8"

**PRIVACY & TEXTURED**



Mahogany

CCM600XE  
3'0" x 6'8"



Canvas

CCV06020XE  
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCV9926, Finish - Chestnut

LOW-E



Mahogany

CCM600

★  
3'0" x 6'8"




Canvas

CCV06020

★  
3'0" x 6'8"



# Craftsman



Fir Grain

## Canvas

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XC = Chord      XR = Rainglass
- XJ = Chinchilla      XN = Granite

### Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf




4-Block Dentil Shelf



4-Block Dentil Shelf  
Pairs with 3'6" wide doors.



4-Block Dentil Shelf



Fir

CCA231  
 3'0" x 6'8"

CCA8231  
 3'0" x 8'0"



Fir

CCA87132  
 3'6" x 8'0"



Fir

CCA211  
 3'0" x 6'8"

CCA8211  
 3'0" x 8'0"



Fir

CCA87112  
 3'6" x 8'0"



Fir

CCA3401SL  
 12" x 6'8"  
 14" x 6'8"

CCA3501SL  
 12" x 8'0"  
 14" x 8'0"



Fir

CCA211SL  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV931  
 3'0" x 6'8"



Canvas

CCV911  
 3'0" x 6'8"



Canvas

CCV911SL  
 12" x 6'8"  
 14" x 6'8"




Canvas

CCV9011SL  
 12" x 6'8"  
 14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.



Fir

CCA9300  
▲ 3'0" x 6'8"

CCA89300  
▲ 3'0" x 8'0"



Fir

CCA87131  
▲ 3'6" x 8'0"



Fir

CCA9100  
▲ 3'0" x 6'8"

CCA89100  
▲ 3'0" x 8'0"



Fir

CCA87111  
▲ 3'6" x 8'0"



Fir

CCA1423SL  
▲ 12" x 6'8"

CCA81423SL  
▲ 12" x 8'0"

▲ 14" x 6'8"

▲ 14" x 8'0"



Fir

CCA9100SL  
▲ 12" x 6'8"

▲ 14" x 6'8"



Canvas

CCV4300  
▲ 3'0" x 6'8"



Canvas

CCV4100  
▲ 3'0" x 6'8"



Canvas

CCV1423SL  
▲ 12" x 6'8"

▲ 14" x 6'8"



Canvas

CCV4100SL  
▲ 12" x 6'8"

▲ 14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA220\_▲  
▲ 3'0" x 6'8"

CCA8220\_▲  
▲ 3'0" x 8'0"



Fir

CCA87200XR  
▲ 3'6" x 8'0"



Fir

CCA230\_▲  
▲ 3'0" x 6'8"

CCA8230\_▲  
▲ 3'0" x 8'0"



Fir

CCA87300XR  
▲ 3'6" x 8'0"

# Craftsman

Continued



Fir Grain

## Canvas

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch      XR = Rainglass
- XC = Chord          XN = Granite
- XJ = Chinchilla

### Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf

## PRIVACY & TEXTURED



Fir

CCA240\_\_\*    CCA8240\_\_\*  
  3'0" x 6'8"      3'0" x 8'0"



Fir

CCA87400XR  
  3'6" x 8'0"



Fir

CCA260\_\_\*    CCA8260\_\_\*  
  3'0" x 6'8"      3'0" x 8'0"



Fir

CCA87600XR  
  3'6" x 8'0"



Fir

CCA210\_\_\*    CCA8210\_\_\*  
 3'0" x 6'8"      3'0" x 8'0"



Fir

CCA87100XR  
 3'6" x 8'0"



Fir

CCA3450\_\_SL\*    CCA3560\_\_SL\*  
  12" x 6'8"      12" x 8'0"  
  14" x 6'8"      14" x 8'0"



Fir

CCA3400\_\_SL\*    CCA3500\_\_SL\*  
  12" x 6'8"      12" x 8'0"  
  14" x 6'8"      14" x 8'0"



Fir

CCA220\_\_SL\*  
  12" x 6'8"  
  14" x 6'8"



Fir

CCA210\_\_SL\*  
 12" x 6'8"  
 14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Satin Etch (XE) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Canvas

CCV920\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV930\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV940\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV960\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV910\_\*  
 ▲ 3'0" x 6'8"



Canvas

CCV950\_SL  
 ▲ ■ 12" x 6'8"  
 14" x 6'8"



Canvas

CCV8950\_SL\*  
 ▲ ■ 12" x 8'0"  
 14" x 8'0"



Canvas

CCV100\_SL  
 ▲ 12" x 6'8"  
 14" x 6'8"



Canvas

CCV8100\_SL\*  
 ▲ 12" x 8'0"  
 14" x 8'0"

CCV920\_SL\*  
 ▲ ■ 12" x 6'8"  
 14" x 6'8"

CCV910\_SL\*  
 ▲ 12" x 6'8"  
 14" x 6'8"

**LOW-E**



Fir

CCA220  
 ▲ ■ 3'0" x 6'8"

CCA8220  
 ▲ ■ 3'0" x 8'0"



Fir

CCA87200  
 ▲ ■ 3'6" x 8'0"



Fir

CCA230  
 ▲ ■ 3'0" x 6'8"

CCA8230  
 ▲ ■ 3'0" x 8'0"



Fir

CCA87300  
 ▲ ■ 3'6" x 8'0"




Fir

CCA240  
 ▲ ■ 3'0" x 6'8"

CCA8240  
 ▲ ■ 3'0" x 8'0"

# Craftsman

Continued



Fir Grain

## Canvas

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

### Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.




4-Block Dentil Shelf

## LOW-E



Fir

CCA87400  
  
 3'6" x 8'0"



Fir

CCA260 | CCA8260  
 |   
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87600  
  
 3'6" x 8'0"



Fir

CCA210 | CCA8210  
 |   
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87100  
  
 3'6" x 8'0"



Fir

CCA3450SL | CCA3560SL  
 |   
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir

CCA3400SL | CCA3500SL  
 |   
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Fir

CCA220SL  
  
 12" x 6'8"  
 14" x 6'8"



Fir

CCA210SL  
  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV920  
  
 3'0" x 6'8"



Canvas

CCV930  
  
 3'0" x 6'8"



Canvas

CCV940  
  
 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven



Canvas

CCV960  
 ▲ ☀️ 🏠  
 3'0" x 6'8"



Canvas

CCV910  
 ▲ ☀️ 🏠  
 3'0" x 6'8"



Canvas

CCV950SL  
 ▲ ☀️ 🏠  
 12" x 6'8"  
 14" x 6'8"

CCV8950SL  
 ▲ ☀️ 🏠  
 12" x 8'0"  
 14" x 8'0"



Canvas

CCV100SL  
 ▲ ☀️ 🏠  
 12" x 6'8"  
 14" x 6'8"

CCV8100SL  
 ▲ ☀️ 🏠  
 12" x 8'0"  
 14" x 8'0"



Canvas

CCV9020SL  
 ▲ ☀️ 🏠  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV9010SL  
 ▲ ☀️ 🏠  
 12" x 6'8"  
 14" x 6'8"



# Solid Panels



Fir Grain

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Fir

CCA1125  	CCA81125   
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA1149  	CCA81149   
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA1127  	CCA81127   
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA4905  	CCA84905   
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA4915L  	CCA4915R  
3'0" x 6'8"	3'0" x 6'8"



Fir

CCA84915L   	CCA84915R   
3'0" x 8'0"	3'0" x 8'0"




Fir

CCA4925L  	CCA4925R  
3'0" x 6'8"	3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA84925L | CCA84925R  
 3 9 E | 3 9 E  
 3'0" x 8'0" | 3'0" x 8'0"



Fir

CCA4935 | CCA84935  
 3 9 | 3 9 E  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA4945 | CCA84945  
 3 9 | 3 9 E  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1166 | CCA81166  
 3 9 | 3 9 E  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1158 | CCA81158  
 3 9 | 3 9 E  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1147 | CCA81147  
 3 9 | 3 9 E  
 3'0" x 6'8" | 3'0" x 8'0"

HOMeward™ ◆ ◆



Fir

CCA2420SL | CCA82420SL  
 ▲ | ▲  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

ARBORWATCH™ ◆ ◆



Fir

CCA2410SL | CCA82410SL  
 ▲ | ▲  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Fir

CCA1100 | CCA81100  
 9 | 9 E  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1133 | CCA81133  
 4 9 | 4 9 E  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1145 | CCA81145  
 4 9 | 4 E 9  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1150 | CCA81150  
 3 9 | 3 9 E  
 3'0" x 6'8" | 3'0" x 8'0"

# Solid Panels

Continued



Walnut Grain

## Key

-  Low-E Glass (LE)
-  WBDOR Options
-  Elevated 10" Bottom Rail Options



Walnut

<b>CCW1000</b>  <b>E</b>	<b>CCW81000</b>  <b>E</b>
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW900L</b> 	<b>CCW8900L</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW900R</b> 	<b>CCW8900R</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW901L</b> 	<b>CCW8901L</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW901R</b> 	<b>CCW8901R</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW902L</b> 	<b>CCW8902L</b> 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL, Transoms – 19200T, 19210T, Finish – Shale

Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Driftwood

For transoms, see page 94.

Note: Product images show exterior side of door.



Walnut

CCW902R

6

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8902R

6

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW903

6

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8903

6

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW904L


6

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8904L

6

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW904R

6

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8904R

6

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW905

9E

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8905

9E

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW906L

9

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8906L

9

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW906R

9

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8906R

9

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW907L

9

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8907L

9

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Walnut

CCW907R

6

2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8" (7'0")

CCW8907R

6

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"

LOW-E



Direct Set

DRS2131SL

12" x 6'8" (7'0")  
14" x 6'8" (7'0")

DRS82131SL

12" x 8'0"  
14" x 8'0"

# Solid Panels

Continued



**Mahogany Grain**



Mahogany

CCR100 | CCR8100  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCM890  
6  
3'0" x 8'0"



Mahogany

CCR8222  
6  
3'0" x 8'0"  
3'6" x 8'0"

## Canvas

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDL6)
-  WBDR Options
-  WBDR / HVHZ Options

### Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100R | CCR8100R  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR8005A  
3'0" x 8'0"



Mahogany

CCR205A | CCR8205A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR200A | CCR8200A  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225  
6  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR8005  
6  
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR040  
3'0" x 6'8"

CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR205  
3'0" x 6'8"

CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR200  
3'0" x 6'8"

CCR8200  
3'0" x 8'0"



Mahogany

CCM60  
3'0" x 6'8"

**HAMMERED**



Mahogany

CCR2025XHSL  
12" x 6'8"  
14" x 6'8"

CCR82035XHSL  
12" x 8'0"  
14" x 8'0"



Canvas

CCV200  
3'0" x 6'8"



Canvas

CCV205  
3'0" x 6'8"

CCV8205  
3'0" x 8'0"



Canvas

CCV220  
3'0" x 6'8"

CCV8220  
3'0" x 8'0"



Canvas

CCV831  
3'0" x 8'0"



Canvas

CCV060  
3'0" x 6'8"



Canvas

CCV050  
3'0" x 6'8"

**HAMMERED**



Canvas

CCV950XHSL  
12" x 6'8"  
14" x 6'8"

CCV8950XHSL  
12" x 8'0"  
14" x 8'0"

# Transoms

Transoms can be stained or painted to match Classic Craft. door systems.

## HOMeward™ ◆ ❏



**HWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**HW30T**  
3'0" Door Only

## ARBORWATCH. ◆ ❏



**ABRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**AB30T**  
3'0" Door Only

## LONGFORD™ ◆ ❏



**LFET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LFRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LF30T**  
3'0" Door Only

## PROVINCIAL™ ◆ ❏



**CC040T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC420T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC400T**  
3'0" Door Only

## LUCERNA. ◆ ❏



**LCET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LCRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LC30T**  
3'0" Door Only

## ZAHA. ◆ ❏



**ZHRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## LOW-E



Grille Sticks Applied



**19020T**  
\*  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19220T**  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
\*  
3'0" Door Only



**19210T**  
\*  
12" & 14"  
Sidelite Only

### Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ❏ Brushed Nickel Caming (1C)

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCV9925, Sidelites - CCV911SL, Transom - HWRT



# Classic Craft<sup>®</sup> Hinged Patio Doors

## A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.



## GRAIN & TEXTURE OPTIONS



Fir Grain



Mahogany Grain



Canvas

## GLASS OPTIONS



Low-E Glass



### Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

### Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

■ = Available	Classic Craft
<b>Door Selections</b>	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
<b>Flush-Glazed Glass Selections</b>	
Low-E Glass with and without Divided Lites 🔥	■
Privacy & Textured Glass with and without Divided Lites 🔥	■
<b>Lip-Lite Glass Selections</b>	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
<b>Available Sizes</b>	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
<b>Additional Options</b>	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
<b>Impact-Rated Options</b>	
Tru-Defense Eligible	■

## AVAILABLE CONFIGURATIONS



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.


## Flush-Glazed Low-E Glass




### AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




## Flush-Glazed Low-E Glass with Divided Lites




### AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White


# Low-E Glass




## AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

## AVAILABLE DOOR STYLES



## AVAILABLE CONFIGURATIONS



# Fiber-Classic® & Smooth-Star®

## Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Oak Collection, Salinas Glass, Door - FC115, Sidelite - FC115SL, Finish - Raven  
Bottom: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Finish - New Earth  
Right Page: Smooth-Star, Calix Glass, Door - S4521, Finish - Estuary





## Grain Options



### FIBER-CLASSIC. MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



### FIBER-CLASSIC. OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.




### SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

## See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



## Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of fiberglass to wood doors (both without glass).

# Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



## 1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

## 2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.<sup>1</sup> Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

## 3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

## 4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood<sup>2</sup>, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

## Additional Options

-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.<sup>1</sup>
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.<sup>1</sup>
-  Fire-Rated Options: Available on solid-panel doors. See pages 232–235.

### FLUSH-GLAZED OPTIONS

Look for these icons () to find door styles with flush-glazed glass. See pages 116–129.

## Warranties

**LIFETIME** LIMITED WARRANTY Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 277 for more information.

-  Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners. See page 115 for more information.
-  Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense. Warranty Rider when properly assembled and installed with all Therma-Tru<sup>®</sup> specified system components, in accordance with the Rider. See pages 8–9 for details.

	Fiber-Classic Mahogany Collection	Fiber-Classic Oak Collection	Smooth-Star
<b>■ = Available</b> <b>▪ = Not Applicable</b> <b>S = Stain</b> <b>P = Paint</b>			
<b>Door Widths</b>			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	▪	▪	■
<b>Door Heights</b>			
6'6"	▪	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
<b>Glass Options</b>			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	▪	▪	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
<b>Additional Options</b>			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

## RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 28–29.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140  
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



## Vented Sidelites

Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. **In fact, only Therma-Tru offers vented sidelites with decorative glass.** Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens — available in bronze and white — are designed for worry-free use.



### AVAILABLE SIZES


Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.

### AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)


# Decorative & Specialty Glass Designs

## Blackstone®

Traditional English design meets

1 clear curved bevels, 2 rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

### PRIVACY RATING



Black Nickel




Brushed Nickel

## Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

### PRIVACY RATING



Black Nickel




Brushed Nickel

## Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

1 slump glass, 2 clear bevels, 3 clear artque glass and coming.

### PRIVACY RATING



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

### PRIVACY RATING




Wrought Iron

## Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.

### PRIVACY RATING



Black Nickel



Brushed Nickel


## Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.

### PRIVACY RATING



Black Nickel



Brushed Nickel

## Texas Star

Beautifully crafted with ① clear bevels, ② curved bevels, ③ clear waterglass, ④ granite glass, ⑤ glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

### PRIVACY RATING



Black Nickel




Brushed Nickel

## Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses ① clear baroque glass, ② clear curved bevels, ③ waterglass, ④ granite glass and coming to add beauty to any entry.

### PRIVACY RATING



Black Nickel



Brushed Nickel




Brass

## Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

### PRIVACY RATING



Wrought Iron

<sup>1</sup>Brass coming not available for Impact-rated products.


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

### PRIVACY RATING



Black Nickel



Brushed Nickel




Brass

## Kensington™

Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

### PRIVACY RATING



Black Nickel




Brushed Nickel

## Pembridge™

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass<sup>1</sup>

Note: The use of gray baroque glass varies based on glass size.

## Axis®


Simple and smart, Axis combines

1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.

### PRIVACY RATING



Black Nickel



## Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass


## Latitude

Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

<sup>1</sup>See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

## Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



- 1** Single-Hand Operator
- 2** Privacy Bar

## Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



## Privacy & Textured Glass



### REEDED

Privacy Rating: 7



### SATIN ETCH

Privacy Rating: 10



### CHORD

Privacy Rating: 10



### CHINCHILLA

Privacy Rating: 10



### RAINGLASS

Privacy Rating: 8



### GRANITE

Privacy Rating: 10

Also Available: **Low-E & Clear Glass**

# Divided Lites


Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

## SIMULATED DIVIDED LITES (SDLs) WITH GRILLES BETWEEN GLASS (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (     ) icons.

Shown with flat bronze GBGs (recommended).



## SIMULATED DIVIDED LITES (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (     ) icons.



## GRILLES BETWEEN GLASS (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (    ) icons.



## FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.

Look for the (  ) icon.



Note: See page 277 for important product details that may help with your purchase decision.


Right Page: Smooth-Star, 3/4 Shaker, Clear Glass with SDLs, Door - S7512, Sidelites - S7512SL



### SDL BAR OPTIONS

Grained

Smooth



(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Grained

Smooth



(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Grained

Smooth




(88.9 mm / 3.5 in.)  
Look for the (  ) icon.

Smooth SDL bars are color-matched to PrismaGuard® Alpine.

### GBG BAR OPTIONS

Flat

Contour



(20 mm / 0.787 in.)



(18 mm / 0.708 in.)

### GBG Color Options



White Almond<sup>1</sup> Bronze<sup>1</sup> Black Tan<sup>2</sup> Stone<sup>2</sup>

<sup>1</sup>Almond and Bronze GBGs available in flat bars only.

<sup>2</sup>Available in Special Quote Program.

 Simulated Divided Lites (SDL)

 Simulated Divided Lites (SDLF1)

 Simulated Divided Lites (SDLF2)

 Flat or Contour White Grilles  
Between Glass (GBGF / GBGC)

 Flat Almond Grilles  
Between Glass (GBGF)


 Flat Bronze Grilles  
Between Glass (GBGF)

 Flat or Contour Black Grilles  
Between Glass (GBGF / GBGC)

 Fixed Grilles (FXG)

## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



1-1/2"    1-1/4"    1"            1-3/4"    1-1/4"    1"



18"



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf<sup>1</sup>



Smooth-Star. 4-Block Dentil Shelf<sup>1</sup>



<sup>1</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

<sup>2</sup>Flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

# Flush-Glazed Glass Designs

Flush-glazed glass feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%<sup>2</sup> — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



## See the difference.

Flush-glazed glass provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass with Detailed Sticking**  
Look for the ( 🔥 ) symbol.



**Flush-Glazed Glass with Square Sticking**  
Look for the ( 🔹 ) symbol.



**Lip-Lite Frame**

## Warranty riders for peace of mind.

### Flush-Glazed Riders

#### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



# Flush-Glazed Full Lites


Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



## TRANSOMS

For transoms, see page 201.



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

						
Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC1205_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_SL ▲▲ 12" x 6'8" 14" x 6'8"	FC5700_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						
Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC5710_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC685R_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded    XC = Chord    XR = Rainglass  
XE = Satin Etch    XJ = Chinchilla    XN = Granite


\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door - FC5700, Sidelite - FC5700SL, Finish - Wildflower Honey

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold.

						
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC5700_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>FC5710_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>FC5720_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S1205_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S1207_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2010_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2050_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S5705_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85705_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5715_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85715_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5725_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲
<b>S85725_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2010_SL</b> ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	<b>S85226_SL</b> ▲ 12" x 8'0" 14" x 8'0"	<b>S2000_SL-2C*</b> ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2000_SL-4C*</b> ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	<b>S5700_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85700_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5710_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85710_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>S5720_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85720_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S691_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8691_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continues on next page.*

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Vented Sidelite Options
-  WBDR Options
-  Elevated 10" Bottom Rail Options
-  6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .



Smooth

S3400L\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S83400L\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S3400R\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S83400R\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S3300\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S83300\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S3500L\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S83500L\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S3500R\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S83500R\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S685L\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S8685L\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S685R\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S8685R\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S3600L\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S83600L\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S3600R\_   
 26" x 6'8"   
 28" x 6'8"   
 210" x 6'8"   
 30" x 6'8" 

S83600R\_   
 26" x 8'0"   
 28" x 8'0"   
 210" x 8'0"   
 30" x 8'0" 



Smooth

S5700\_SL   
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")

S85227\_SL   
 12" x 8'0"   
 14" x 8'0" 



Smooth

S5710\_SL   
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")

S85228\_SL   
 12" x 8'0"   
 14" x 8'0" 



Smooth

S5720\_SL   
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")

S85229\_SL   
 12" x 8'0"   
 14" x 8'0" 

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla

XR = Rainglass  
 XN = Granite

## PRIVACY & TEXTURED GLASS



Oak

2000\_  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"

8000\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

2000\_SL  
 12" x 6'8"  
 14" x 6'8"



Smooth

S2000\_  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S8000\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S2000\_SL  
 10" x 6'8"  
 12" x 6'8" (70")  
 14" x 6'8" (70")

S85225\_SL  
 12" x 8'0"  
 14" x 8'0"

## INTERNAL BLINDS



Smooth

S2600  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S82600  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1205SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM1206SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM1204SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM2009SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

FC1205  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1206  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1207  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

2010  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1204  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

2050  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

8000-12  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

8000-18  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

FC1205SL  
 12" x 6'8"  
 14" x 6'8"



Oak

FC1206SL  
 12" x 6'8"  
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)


- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options

- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .

								
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>		
<b>FC1204SL</b>  12" x 6'8" 14" x 6'8"	<b>2050SL</b>  12" x 6'8" 14" x 6'8"	<b>2009</b>  2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>8000-9</b>  2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>2009SL</b>  12" x 6'8" 14" x 6'8"	<b>FC5700</b>  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85700</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5710</b>  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85710</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
								
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>			
<b>FC5720</b>  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85720</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC691</b>  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685L</b>  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC685R</b>  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685R</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
								
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>		
<b>FC5720SL</b>  12" x 6'8" 14" x 6'8"	<b>S1205</b>  2'6" x 6'8"  2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	<b>S1206</b>  2'6" x 6'8"  2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	<b>S1207</b>  2'6" x 6'8"  2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	<b>S2010</b>  2'6" x 6'8"  2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	<b>S1204</b>  2'6" x 6'8"  2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	<b>S2050</b>  2'6" x 6'8"  2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 		

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S8000-12</b> ▲◆◆◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8000-18</b> ▲◆◆◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5705</b> ▲◆◆◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85705</b> ▲◆◆◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5715</b> ▲◆◆◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85715</b> ▲◆◆◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	
<b>S1206SL</b> ▲◆◆◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	<b>S1204SL</b> ▲◆◆◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	<b>S2010SL</b> ▲◆◆◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	<b>S85226SL</b> ▲◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S2000SL-2C</b> ▲◆◆◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	<b>S2000SL-4C</b> ▲◆◆◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	<b>S2009</b> ▲◆◆◆◆◆E 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8000-9</b> ▲◆◆◆◆◆E 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S5700</b> ▲◆◆◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85700</b> ▲◆◆◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5710</b> ▲◆◆◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85710</b> ▲◆◆◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5720</b> ▲◆◆◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85720</b> ▲◆◆◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- |                                                                                                                                                                                        |                                                                                                                                                                                                                                              |                                                                                                                                                                                                                       |                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>▲ Flush-Glazed Glass with Detailed Sticking (FG)</li> <li>◆ Flush-Glazed Glass with Square Sticking (FG)</li> <li>★ Low-E Glass (LE)</li> </ul> | <ul style="list-style-type: none"> <li>📄 Simulated Divided Lites (SDL)</li> <li>📄 Simulated Divided Lites (SDLFI)</li> <li>📄 Simulated Divided Lites (SDFL2)</li> <li>◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)</li> </ul> | <ul style="list-style-type: none"> <li>◆ Flat Almond Grilles Between Glass (GBGF)</li> <li>◆ Flat Bronze Grilles Between Glass (GBGF)</li> <li>◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)</li> </ul> | <ul style="list-style-type: none"> <li>● Vented Sidelite Options</li> <li>🌀 WBDR Options</li> <li>E Elevated 10" Bottom Rail Options</li> <li>▲ 6'6" Height Available</li> </ul> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



Smooth

**S3400R**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83400R**  
   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3300**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83300**  
   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3500L**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83500L**  
   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3500R**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83500R**  
   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S685L**  
   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$

**S8685L**  
   
 2'6" x 8'0"  $\Delta$   
 2'8" x 8'0"  $\Delta$   
 2'10" x 8'0"  $\Delta$   
 3'0" x 8'0"  $\Delta$



Smooth

**S685R**  
   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$

**S8685R**  
   
 2'6" x 8'0"  $\Delta$   
 2'8" x 8'0"  $\Delta$   
 2'10" x 8'0"  $\Delta$   
 3'0" x 8'0"  $\Delta$



Smooth

**S3600L**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83600L**  
   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3600R**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83600R**  
   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S5700SL**  
   
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")

**S85227SL**  
   
 12" x 8'0"  $\Delta$   
 14" x 8'0"  $\Delta$



Smooth

**S5710SL**  
   
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")

**S85228SL**  
   
 12" x 8'0"  $\Delta$   
 14" x 8'0"  $\Delta$

CLEAR GLASS 



Smooth

**S5720SL**  
   
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")

**S85229SL**  
   
 12" x 8'0"  $\Delta$   
 14" x 8'0"  $\Delta$



Oak

**2000**  
  
 2'0" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"

**8000**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**2000SL**  
  
 12" x 6'8"  
 14" x 6'8"



Smooth

**S2000**  
   
 2'0" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$

**S8000**  
   
 2'0" x 8'0"  $\Delta$   
 2'6" x 8'0"  $\Delta$   
 2'8" x 8'0"  $\Delta$   
 2'10" x 8'0"  $\Delta$   
 3'0" x 8'0"  $\Delta$



Smooth

**S2000SL**  
   
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")

**S85225SL**  
   
 12" x 8'0"  $\Delta$   
 14" x 8'0"  $\Delta$

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded\***  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

Note: See page 277 for important product details that may help with your purchase decision.

\*Not available with Reeded (XK) glass.

# Flush-Glazed 3/4 Lites

Note: Product images show exterior side of door.

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



NEW

NEW

Mahogany

FCM7540\_\*  
 FCM87540\_\*  
 26" x 6'8" 26" x 8'0"  
 28" x 6'8" 28" x 8'0"  
 210" x 6'8" 210" x 8'0"  
 30" x 6'8" 30" x 8'0"



NEW

NEW

Mahogany

FCM7560\_\*  
 FCM87560\_\*  
 26" x 6'8" 26" x 8'0"  
 28" x 6'8" 28" x 8'0"  
 210" x 6'8" 210" x 8'0"  
 30" x 6'8" 30" x 8'0"



NEW

NEW

Mahogany

FCM7512\_\*  
 FCM87512\_\*  
 26" x 6'8" 26" x 8'0"  
 28" x 6'8" 28" x 8'0"  
 210" x 6'8" 210" x 8'0"  
 30" x 6'8" 30" x 8'0"

NEW



Mahogany

FCM7540\_SL\*  
 12" x 6'8"  
 14" x 6'8"

NEW



Mahogany

FCM7560\_SL\*  
 12" x 6'8"  
 14" x 6'8"

NEW



Mahogany

FCM7512\_SL\*  
 12" x 6'8"  
 14" x 6'8"



NEW

NEW

Smooth

S7540\_\*  
 S87540\_\*  
 26" x 6'8" 26" x 8'0"  
 28" x 6'8" 28" x 8'0"  
 210" x 6'8" 210" x 8'0"  
 30" x 6'8" 30" x 8'0"



NEW

NEW

Smooth

S7560\_\*  
 S87560\_\*  
 26" x 6'8" 26" x 8'0"  
 28" x 6'8" 28" x 8'0"  
 210" x 6'8" 210" x 8'0"  
 30" x 6'8" 30" x 8'0"



NEW

NEW

Smooth

S7512\_\*  
 S87512\_\*  
 26" x 6'8" 26" x 8'0"  
 28" x 6'8" 28" x 8'0"  
 210" x 6'8" 210" x 8'0"  
 30" x 6'8" 30" x 8'0"

NEW



Smooth

S7540\_SL\*  
 12" x 6'8"  
 14" x 6'8"

NEW



Smooth

S7560\_SL\*  
 12" x 6'8"  
 14" x 6'8"

NEW



Smooth

S7512\_SL\*  
 12" x 6'8"  
 14" x 6'8"




Smooth

S2103\_  
 S82103\_  
 26" x 6'8" 26" x 8'0"  
 28" x 6'8" 28" x 8'0"  
 210" x 6'8" 210" x 8'0"  
 30" x 6'8" 30" x 8'0"



Smooth

S2104\_  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

S82105\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S82106\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S2250\_  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

S82107\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S84886\_SL  
 12" x 8'0"  
 14" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options

- WBDP Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

**PRIVACY & TEXTURED GLASS** 



**Smooth**

S2103\_SL  
    
 12" x 6'8"  
 14" x 6'8"



**Smooth**

S2104\_SL  
    
 12" x 6'8"  
 14" x 6'8"



**Smooth**

S2250\_SL  
    
 12" x 6'8"  
 14" x 6'8"



**NEW**

**NEW**

**Mahogany**

FCM7500\_  
    
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**NEW**

**Mahogany**

FCM7500\_SL  
    
 12" x 6'8"  
 14" x 6'8"



**NEW**

**NEW**

**Smooth**

S7500\_  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**NEW**

**Smooth**

S87500\_  
    
 12" x 6'8"  
 14" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES** 



**Smooth**

S2200\_  
    
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Smooth**

S82200\_  
    
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

S8000\_SL  
  
 12" x 8'0"  
 14" x 8'0"



**NEW**

**NEW**

**Mahogany**

FCM7540  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**NEW**

**NEW**

**Mahogany**

FCM87540  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**NEW**

**NEW**

**Mahogany**

FCM7512  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM87512  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**NEW**

**Mahogany**

FCM7540SL  
     
 12" x 6'8"  
 14" x 6'8"



**NEW**

**Mahogany**

FCM7560SL  
     
 12" x 6'8"  
 14" x 6'8"



**NEW**

**Mahogany**

FCM7512SL  
     
 12" x 6'8"  
 14" x 6'8"



**NEW**

**NEW**

**Smooth**

S7540  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**NEW**

**NEW**

**Smooth**

S87540  
     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**NEW**

**NEW**

**Smooth**

S7512  
     
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**NEW**

**Smooth**

S7540SL  
     
 12" x 6'8"  
 14" x 6'8"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch  
 XC = Chord

XJ = Chinchilla  
 XR = Rainglass

XN = Granite

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

 <b>NEW</b>	 <b>NEW</b>				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S7560SL</b> ▲☀️🔥E 12" x 6'8" 14" x 6'8"	<b>S7512SL</b> ▲☀️🔥E 12" x 6'8" 14" x 6'8"	<b>S2103</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82103</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2104</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82104</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>S2105</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82105</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2250</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82250</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

							
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S82106</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S82107</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S84886SL</b> ▲☀️🔥◆◆◆ ◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S2103SL</b> ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S2104SL</b> ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S92SL</b> ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S1401</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81401</b> ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**CLEAR GLASS** 🍷

	 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>	 <b>NEW</b>
<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S1401SL</b> ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	<b>FCM7500</b> ▲☀️🔥E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM87500</b> ▲☀️🔥E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM7500SL</b> ▲☀️🔥E◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S7500</b> ▲☀️🔥E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	<b>S87500</b> ▲☀️🔥E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S7500SL</b> ▲☀️🔥E ◆◆◆ 12" x 6'8" 14" x 6'8"		

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ☀️ Low-E Glass (LE)
- 🗨 Simulated Divided Lites (SDL)
- 🗨 Simulated Divided Lites (SDLF1)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- E Elevated 10" Bottom Rail Options

## Flush-Glazed 1/2 Lites

### PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2200</b> ☀️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82200</b> ☀️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8000SL</b> ☀️ ⚡️ 12" x 8'0" 14" x 8'0"	<b>S90SL</b> ☀️ ⚡️ 12" x 6'8" 14" x 6'8"



<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S4200</b> ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S84200</b> ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6200</b> ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86200</b> ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S9200</b> ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S89200</b> ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4200_SL</b> ☀️ ⚡️ ⚡️ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>S84200_SL</b> ☀️ ⚡️ ⚡️ E 12" x 8'0" 14" x 8'0"	<b>S6200_SL</b> ☀️ ⚡️ ⚡️ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>S86200_SL</b> ☀️ ⚡️ ⚡️ E 12" x 8'0" 14" x 8'0"

### PRIVACY & TEXTURED GLASS



<b>Smooth</b>	<b>Smooth</b>
<b>S3200</b> ☀️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S83200</b> ☀️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

<b>Smooth</b>	<b>Smooth</b>
<b>S3200_SL</b> ☀️ ⚡️ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>S83200_SL</b> ☀️ ⚡️ E 12" x 8'0" 14" x 8'0"

### CLEAR GLASS WITH DIVIDED LITES



<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S1350</b> ☀️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>S2150</b> ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>S1409</b> ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>S4200</b> ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S84200</b> ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6200</b> ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86200</b> ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9200</b> ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**

\*Not available with Reeded (XK) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 277 for important product details that may help with your purchase decision.

**CLEAR GLASS** 



Smooth

**S4200SL**  
     **E**  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Smooth

**S6200SL**  
     **E**  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Smooth

**S2100**  
    
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



Smooth

**S3200**  
   **E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S83200**  
   **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S3200SL**  
   **E**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**S83200SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"

**Flush-Glazed Craftsman Lites**

**SARATOGA™**    



Mahogany

**FCM6240**  
  **E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Mahogany

**FCM6201SL**  
  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM86201SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM6240SL**  
   **E**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM86240SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S6240**  
   **E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S86240**  
   **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6201SL**  
  
 10" x 6'8"  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**S86201SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S6240SL**  
   **E**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**S86240SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** 



Mahogany

**FCM4812\_\***  
    **E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84812\_\***  
   **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM4813\_\***  
    **E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84813\_\***  
    **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM4814\_\***  
    **E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84814\_\***  
    **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM4816\_\***  
    **E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84816\_\***  
    **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2050\_SL**  
     
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM84886\_SL**  
     
 12" x 8'0"  
 14" x 8'0"

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)

-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLFI)

-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)

-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options
-  Elevated 10" Bottom Rail Options

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continued* 

Fiber-Classic & Smooth-Star



**Mahogany**

**FCM4812\_SL\*** **FCM84812\_SL\***  
       
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Smooth**

**S4812\_\*** **S84812\_\***  
       
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

**S4813\_\*** **S84813\_\***  
       
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

**S4814\_\*** **S84814\_\***  
       
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

**S4816\_\*** **S84816\_\***  
       
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"

**PRIVACY & TEXTURED GLASS** 



**Smooth**

**S2010\_SL** **S84886\_SL**  
       
 10" x 6'8"  $\Delta$  12" x 8'0"  
 12" x 6'8"  $\Delta$  (70") 14" x 8'0"  
 14" x 6'8"  $\Delta$  (70")



**Smooth**

**S4812\_SL\*** **S84812\_SL\***  
       
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Mahogany**

**FCM4810\_\*** **FCM84810\_\***  
     
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Mahogany**

**FCM2000\_SL** **FCM8000\_SL**  
     
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Mahogany**

**FCM4810\_SL\*** **FCM84810\_SL\***  
       
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** 



**Smooth**

**S4810\_\*** **S84810\_\***  
     
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Smooth**

**S2000\_SL** **S8000\_SL**  
     
 10" x 6'8"  $\Delta$  12" x 8'0"  
 12" x 6'8"  $\Delta$  (70") 14" x 8'0"  
 14" x 6'8"  $\Delta$  (70")



**Smooth**

**S4810\_SL\*** **S84810\_SL\***  
     
 12" x 6'8" (70") 12" x 8'0"  
 14" x 6'8" (70") 14" x 8'0"



**Mahogany**

**FCM4812** **FCM84812**  
       
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"



**Mahogany**

**FCM4813** **FCM84813**  
       
 2'8" x 6'8" (70") 2'8" x 8'0"  
 2'10" x 6'8" (70") 2'10" x 8'0"  
 3'0" x 6'8" (70") 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



**Mahogany**

**FCM4814**  
 ▲ ★ R E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM84814**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM4816**  
 ▲ ★ R E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM84816**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2050SL**  
 ▲ ★ R E  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM84886SL**  
 ▲ ★ R E  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4812SL**  
 ▲ ★ R  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM84812SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4812**  
 ▲ ★ R E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84812**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4813**  
 ▲ ★ R E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84813**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4814**  
 ▲ ★ R E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84814**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4816**  
 ▲ ★ R E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84816**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2010SL**  
 ▲ ★ R E  
 10" x 6'8" ▲ (7'0")  
 12" x 6'8" ▲ (7'0")  
 14" x 6'8" ▲ (7'0")

**S84886SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4812SL**  
 ▲ ★ R  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S84812SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS**



**Mahogany**

**FCM4810**  
 ▲ ★ E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM84810**  
 ▲ ★  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2000SL**  
 ▲ ★  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM8000SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4810SL**  
 ▲ ★  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM84810SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810**  
 ▲ ★ E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84810**  
 ▲ ★  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2000SL**  
 ▲ ★  
 10" x 6'8" ▲  
 12" x 6'8" ▲ (7'0")  
 14" x 6'8" ▲ (7'0")

**S8000SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810SL**  
 ▲ ★  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S84810SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDLFI)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

# Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

 For Impact-rated lite frame, see page 27.

Fiber-Classic & Smooth-Star



## Advanta® Lite Frame<sup>1</sup>

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the (   ) symbols.

## Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
<b>Flat Option</b>		
<b>Scrolled Option</b>		
<b>Plugless Design</b>	■	
<b>Buff Option</b>	■	■
<b>White Option</b> (Alpine Color-Matched)	■	■
<b>Durable Weather-Resistant Material</b>	■	■
<b>Decorative &amp; Privacy Glass<sup>1</sup></b>	■	
<b>Clear &amp; Specialty Glass<sup>1</sup></b>	■	■

<sup>1</sup>See your Therma-Tru seller for details on product availability.


\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.




**TRANSOMS**

For transoms, see page 201.



**BLACKSTONE. ◆ ❑**

											
Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak		
FCM108 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM871 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM310 6E 2'6" x 6'8" (70")* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FCM816 6 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM871SL 6 12" x 8'0" 14" x 8'0"	FCM808SL 6 10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	FCM81918SL 6 12" x 8'0" 14" x 8'0"	FC108 6E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	81918P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC310 6E 2'6" x 6'8" (70")* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FC816 6 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	
											
Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC108SL 6 10" x 6'8"* 12" x 6'8" 14" x 6'8"	81918PSL 6 12" x 8'0" 14" x 8'0"	FC808SL 6 12" x 6'8" (70") 14" x 6'8" (70")	81918SL 6 12" x 8'0" 14" x 8'0"	S6002 6E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S85892 6 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S310 6E 2'6" x 6'8" (70")* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70") 3'6" x 6'8"	S816 6 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6002SL 6 12" x 6'8" 14" x 6'8"	S85892SL 6 12" x 8'0" 14" x 8'0"	S4570SL 6 10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	S85927SL 6 12" x 8'0" 14" x 8'0"

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ❑ Brushed Nickel Caming (1C)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- 6 WBDP Options
- 6 WBDP / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

**CRYSTALLINE** ◆ ◆

Fiber-Classic & Smooth-Star



<b>Mahogany</b>		<b>Mahogany</b>		<b>Mahogany</b>	<b>Mahogany</b>		<b>Oak</b>		<b>Oak</b>	
<b>FCM16</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM8114</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FCM668</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FCM814</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FCM8114SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM18101SL</b> 10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	<b>FCM81800SL</b> 12" x 8'0" 14" x 8'0"	<b>FC16</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>81800P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC668</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FC814</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"



<b>Oak</b>		<b>Oak</b>		<b>Smooth</b>		<b>Smooth</b>		<b>Smooth</b>		<b>Smooth</b>	
<b>FC46SL</b> 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81800PSL</b> 12" x 8'0" 14" x 8'0"	<b>18101SL</b> 12" x 6'8" (70") 14" x 6'8" (70")	<b>81800SL</b> 12" x 8'0" 14" x 8'0"	<b>S916</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>S814</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S668</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70") 36" x 6'8"	<b>S815</b> 28" x 8'0" 210" x 8'0" 30" x 8'0" 36" x 8'0"	<b>S916SL</b> 12" x 6'8" 14" x 6'8"	<b>S814SL</b> 12" x 8'0" 14" x 8'0"	<b>S6130SL</b> 10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	<b>S84586SL</b> 12" x 8'0" 14" x 8'0"

**SEDONA** ◆ ◆



<b>Mahogany</b>		<b>Mahogany</b>		<b>Mahogany</b>	<b>Mahogany</b>		<b>Oak</b>		<b>Oak</b>	
<b>FCM100</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM872</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FCM241</b> 26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FCM822</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FCM872SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM816SL</b> 10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	<b>FCM81968SL</b> 12" x 8'0" 14" x 8'0"	<b>FC100</b> 26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>81968P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC241</b> 26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FC822</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth
FC100SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81968PSL 12" x 8'0" 14" x 8'0"	FC816SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81968SL 12" x 8'0" 14" x 8'0"	S139 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S241 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S139SL 12" x 6'8" 14" x 6'8"	S604SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

**SALINAS. X**

Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak
FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM873 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM369 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM814SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81919SL 12" x 8'0" 14" x 8'0"	FCM873SL 12" x 8'0" 14" x 8'0"	FC113 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81919P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC369 2'6" x 6'8" Δ (7'0")* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC113SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81919PSL 12" x 8'0" 14" x 8'0"	FC814SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81919SL 12" x 8'0" 14" x 8'0"	S6008 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85893 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S369 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6008SL 12" x 6'8" 14" x 6'8"	S85893SL 12" x 8'0" 14" x 8'0"	S6134SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85931SL 12" x 8'0" 14" x 8'0"

- No Stile Lines
- ✘ Wrought Iron (1W)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ◆ Black Nickel Caming (1D)
- ◡ Scrolled & Flat Advanta Lite Frame
- 6 WBDR Options
- ↑ 6'6" Height Available
- Brushed Nickel Caming (1C)
- Not available for 24" and 26" doors or 10" sidelites.
- 6 WBDR / HVHZ Options

## MAPLE PARK. ◆ ■ ■



Mahogany

**FCM900**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM1006**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Mahogany

**FCM812SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

**FC900**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

**FC1006**  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")



Oak

**FC900SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC812SL**  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Smooth

**S6100**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

## SARATOGA.™ ◆ ■ ■



Smooth

**S1006**  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")  
 3'6" x 6'8"



Smooth

**S6100SL**  
 12" x 6'8"  
 14" x 6'8"



Smooth

**S6131SL**  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Mahogany

**FCM905**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6093**  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Mahogany

**FCM815SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

**FCM81986SL**  
 12" x 8'0"  
 14" x 8'0"

**FCM893SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC905**  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

**FC6093**  
 2'6" x 6'8" Δ (70")\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")



Oak

**FC905SL**  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC815SL**  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Smooth

**S154**  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S6093**  
 2'6" x 6'8" Δ\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")  
 3'6" x 6'8"



Smooth

**S154SL**  
 12" x 6'8"  
 14" x 6'8"

**S8602SL**  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

TEXAS STAR ◆ ■ ■



Smooth

S602SL

10" x 6'8"\*

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")

S85932SL

12" x 8'0"

14" x 8'0"



Mahogany

FCM142

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Mahogany

FCM1029

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Mahogany

FCM817SL

10" x 6'8"\*

12" x 6'8" (70")

14" x 6'8" (70")



Oak

FC142

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Oak

FC1029

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")



Oak

FC142SL

10" x 6'8"\*

12" x 6'8"

14" x 6'8"



Oak

FC817SL

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Smooth

S6070

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Smooth

S1029

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

3'6" x 6'8"



Smooth

S6070SL

12" x 6'8"

14" x 6'8"



Smooth

S6135SL

10" x 6'8"\*

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Mahogany

FCM104

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

FCM874

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Mahogany

FCM6094

2'6" x 6'8" (70")\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")

FCM821

2'6" x 8'0"\*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Mahogany

FCM818SL

10" x 6'8"\*

12" x 6'8" (70")

14" x 6'8" (70")

FCM81921SL

12" x 8'0"

14" x 8'0"



Mahogany

FCM874SL

12" x 8'0"

14" x 8'0"



Oak

FC104

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")

81921P

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Oak

FC6094

2'6" x 6'8" Δ (70")\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

FC821

2'6" x 8'0"\*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

WELLESLEY™ ◆ ■ ■ ■

WELLESLEY Continues on next page.

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ◆ ■ Brass Caming (1A)

- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options


- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

▲ 6'6" Height Available

									
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>					
<b>FC104SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81921PSL</b>  12" x 8'0" 14" x 8'0"	<b>FC818SL</b>  12" x 6'8" $\Delta$ (7'0") 14" x 6'8" $\Delta$ (7'0")	<b>81921SL</b>  12" x 8'0" 14" x 8'0"	<b>S155</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S85896</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6094</b>  2'6" x 6'8" $\Delta$ * 2'8" x 6'8" $\Delta$ (7'0") 2'10" x 6'8" $\Delta$ (7'0") 3'0" x 6'8" $\Delta$ (7'0") 3'6" x 6'8"	<b>S821</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S155SL</b>  12" x 6'8" 14" x 6'8"	<b>S85896SL</b>  12" x 8'0" 14" x 8'0"

**RISERVA **

								
<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>				
<b>S5870SL</b>  10" x 6'8" 12" x 6'8" $\Delta$ (7'0") 14" x 6'8" $\Delta$ (7'0")	<b>S85934SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM574</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8574</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM571</b>  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM8571</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM572SL</b>  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM8572SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM8573SL</b>  12" x 8'0" 14" x 8'0"

									
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>					
<b>FC574</b>  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC8574</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC571</b>  2'6" x 6'8" $\Delta$ (7'0")* 2'8" x 6'8" $\Delta$ (7'0") 2'10" x 6'8" $\Delta$ (7'0") 3'0" x 6'8" $\Delta$ (7'0")	<b>FC8571</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC573SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC8573SL</b>  12" x 8'0" 14" x 8'0"	<b>FC572SL</b>  12" x 6'8" $\Delta$ (7'0") 14" x 6'8" $\Delta$ (7'0")	<b>FC8572SL</b>  12" x 8'0" 14" x 8'0"	<b>S574</b>  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8574</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S571

2'6" x 6'8"  $\Delta$ \*  
2'8" x 6'8"  $\Delta$  (70")  
2'10" x 6'8"  $\Delta$  (70")  
3'0" x 6'8"  $\Delta$  (70")  
3'6" x 6'8"

S8571

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Smooth

S573SL

12" x 6'8"  
14" x 6'8"

S8573SL

12" x 8'0"  
14" x 8'0"



Smooth

S572SL

10" x 6'8"\*  
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

S8572SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM910

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM890

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6095

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FCM820

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM809SL

10" x 6'8"\*  
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

FCM81928SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM890SL

12" x 8'0"  
14" x 8'0"



Oak

FC910

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

81928P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC6095

2'6" x 6'8"  $\Delta$  (70")\*  
2'8" x 6'8"  $\Delta$  (70")  
2'10" x 6'8"  $\Delta$  (70")  
3'0" x 6'8"  $\Delta$  (70")

FC820

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC910SL

10" x 6'8"\*  
12" x 6'8"  
14" x 6'8"

81928PSL

12" x 8'0"  
14" x 8'0"



Oak

FC809SL

10" x 6'8"\*  
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

81928SL

12" x 8'0"  
14" x 8'0"



Smooth

S6090

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S85895

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6095

2'6" x 6'8"  $\Delta$ \*  
2'8" x 6'8"  $\Delta$  (70")  
2'10" x 6'8"  $\Delta$  (70")  
3'0" x 6'8"  $\Delta$  (70")  
3'6" x 6'8"

S820

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



Smooth

S416SL

12" x 6'8"  
14" x 6'8"

S85895SL

12" x 8'0"  
14" x 8'0"



Smooth

S4070SL

10" x 6'8"\*  
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

S85930SL

12" x 8'0"  
14" x 8'0"

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ✕ Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- $\Delta$  6'6" Height Available

**KENSINGTON™** ◆ ◆



Mahogany

**FCM148**



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM626**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

**FCM813SL**



10" x 6'8"\*  
12" x 6'8" (7'0")  
14" x 6'8" (7'0")



Oak

**FC148**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

**FC626**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

**FC148SL**



10" x 6'8"\*  
12" x 6'8"  
14" x 6'8"



Oak

**FC813SL**



12" x 6'8" (7'0")  
14" x 6'8" (7'0")



Smooth

**S160**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**PEMBRIDGE™** ◆ ◆ ◆



Smooth

**S626**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")  
3'6" x 6'8"



Smooth

**S160SL**



12" x 6'8"  
14" x 6'8"



Smooth

**S6132SL**



10" x 6'8"\*  
12" x 6'8" (7'0")  
14" x 6'8" (7'0")



Mahogany

**FCM6550**



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM86550**



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FCM6500**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FCM86500**



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

**FCM8650SL**



12" x 8'0"  
14" x 8'0"



Mahogany

**FCM6500SL**



10" x 6'8"\*  
12" x 6'8" (7'0")  
14" x 6'8" (7'0")

**FCM86500SL**



12" x 8'0"  
14" x 8'0"



Oak

**FC6550**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC86550**



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC6500**



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC86500**



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC6550SL**



10" x 6'8"\*  
12" x 6'8"  
14" x 6'8"

**FC86550SL**



12" x 8'0"  
14" x 8'0"



Oak

**FC6500SL**



12" x 6'8" (7'0")  
14" x 6'8" (7'0")

**FC86500SL**



12" x 8'0"  
14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

<b>S6550</b> ◆/6/E	<b>S86550</b> ◆/6
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

<b>S6500</b> ◆/6/E	<b>S86500</b> ◆/6
2'8" x 6'8" ▲ (7'0")	2'8" x 8'0"
2'10" x 6'8" ▲ (7'0")	2'10" x 8'0"
3'0" x 6'8" ▲ (7'0")	3'0" x 8'0"
3'6" x 6'8"	3'6" x 8'0"



Smooth

<b>S6550SL</b> ◆/6	<b>S86550SL</b> ◆/6
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Smooth

<b>S6500SL</b> ◆/6/E	<b>S86500SL</b> ◆/6/E
10" x 6'8"	12" x 8'0"
12" x 6'8" ▲ (7'0")	14" x 8'0"
14" x 6'8" ▲ (7'0")	



Mahogany

<b>FCM1652</b> ◆/6	<b>FCM81652</b> ◆/6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

<b>FCM1651</b> ◆/6/E	<b>FCM81651</b> ◆/6
2'4" x 6'8"	2'6" x 8'0"
2'6" x 6'8" (7'0")*	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Mahogany

<b>FCM1651SL</b> ◆/6	<b>FCM81651SL</b> ◆/6
10" x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	



Mahogany

<b>FCM81652SL</b> ◆/6
12" x 8'0"
14" x 8'0"



Oak

<b>FC1652</b> ◆/6/E	<b>FC81652</b> ◆/6
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Oak

<b>FC1651</b> ◆/6/E	<b>FC81651</b> ◆/6
2'4" x 6'8" *	2'6" x 8'0"
2'6" x 6'8" ▲ (7'0")*	2'8" x 8'0"
2'8" x 6'8" ▲ (7'0")	2'10" x 8'0"
2'10" x 6'8" ▲ (7'0")	3'0" x 8'0"
3'0" x 6'8" ▲ (7'0")	



Oak

<b>FC1652SL</b> ◆/6	<b>FC81652SL</b> ◆/6
10" x 6'8"	12" x 8'0"
12" x 6'8"	14" x 8'0"
14" x 6'8"	



Oak

<b>FC1651SL</b> ◆/6	<b>FC81651SL</b> ◆/6
12" x 6'8" ▲ (7'0")	12" x 8'0"
14" x 6'8" ▲ (7'0")	14" x 8'0"



Smooth

<b>S1652</b> ◆/6/E	<b>S81652</b> ◆/6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

<b>S1651</b> ◆/6/E	<b>S81651</b> ◆/6
2'4" x 6'8" ▲ *	2'6" x 8'0"
2'6" x 6'8" ▲ *	2'8" x 8'0"
2'8" x 6'8" ▲ (7'0")	2'10" x 8'0"
2'10" x 6'8" ▲ (7'0")	3'0" x 8'0"
3'0" x 6'8" ▲ (7'0")	3'6" x 8'0"



Smooth

<b>S1652SL</b> ◆/6	<b>S81652SL</b> ◆/6
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Smooth

<b>S1651SL</b> ◆/6	<b>S81651SL</b> ◆/6
10" x 6'8"	12" x 8'0"
12" x 6'8" ▲ (7'0")	14" x 8'0"
14" x 6'8" ▲ (7'0")	

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ▲ Flat Lite Frame
- ▲ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available



Mahogany

**FCM2223**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM82223**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2389**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82389**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2389SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM82389SL**  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM82223SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2223**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC82223**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC2389**  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")

**FC82389**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC2223SL**  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"


**FC82223SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2389SL**  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")


**FC82389SL**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2223**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S82223**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S2389**  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")  
 3'6" x 6'8"

**S82389**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"


LATITUDE ◆ ◆ ◆ ◆



Smooth

**S2223SL**  
 12" x 6'8"  
 14" x 6'8"

**S82223SL**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2389SL**  
 10" x 6'8"  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**S82389SL**  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM2213**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM82213**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2382**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82382**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany


**FCM2382SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM82382SL**  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

				
<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
<b>FCM82213SL</b>  12" x 8'0" 14" x 8'0"	<b>FC2213</b>  28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	<b>FC82213</b>  28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC2382</b>  28" x 6'8" $\Delta$ (7'0") 210" x 6'8" $\Delta$ (7'0") 30" x 6'8" $\Delta$ (7'0")	<b>FC82382</b>  28" x 8'0" 210" x 8'0" 30" x 8'0"
<b>FC2213SL</b>  10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC82213SL</b>  12" x 8'0" 14" x 8'0"	<b>FC2382SL</b>  12" x 6'8" $\Delta$ (7'0") 14" x 6'8" $\Delta$ (7'0")	<b>FC82382SL</b>  12" x 8'0" 14" x 8'0"	

			
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2213</b>  28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	<b>S82213</b>  28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S2382</b>  28" x 6'8" $\Delta$ (7'0") 210" x 6'8" $\Delta$ (7'0") 30" x 6'8" $\Delta$ (7'0") 3'6" x 6'8"	<b>S82382</b>  28" x 8'0" 210" x 8'0" 30" x 8'0" 3'6" x 8'0"
<b>S2213SL</b>  12" x 6'8" 14" x 6'8"	<b>S82213SL</b>  12" x 8'0" 14" x 8'0"	<b>S2382SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (7'0") 14" x 6'8" $\Delta$ (7'0")	<b>S82382SL</b>  12" x 8'0" 14" x 8'0"

**ECHELON** 



	
<b>Mahogany</b>	
<b>FCM2233</b>  28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM82233</b>  28" x 8'0" 210" x 8'0" 30" x 8'0"

				
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>FCM2385</b>  28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	<b>FCM82385</b>  28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FCM2385SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (7'0") 14" x 6'8" $\Delta$ (7'0")	<b>FCM82385SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM82233SL</b>  12" x 8'0" 14" x 8'0"
<b>FC2233</b>  28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	<b>FC82233</b>  28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC2385</b>  28" x 6'8" $\Delta$ (7'0") 210" x 6'8" $\Delta$ (7'0") 30" x 6'8" $\Delta$ (7'0")	<b>FC82385</b>  28" x 8'0" 210" x 8'0" 30" x 8'0"	

**ECHELON** *Continues on next page.*

-  No Stile Lines
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Vented Sidelite Options
-  Elevated 10" Bottom Rail Options
-  WBDR Options  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  WBDR / HVHZ Options
-   $\Delta$  6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold .

				
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC2233SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC82233SL</b>  12" x 8'0" 14" x 8'0"	<b>FC2385SL</b>  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>FC82385SL</b>  12" x 8'0" 14" x 8'0"	<b>S2233</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
		<b>S82233</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2385</b>  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	<b>S82385</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
		<b>S2233SL</b>  12" x 6'8" 14" x 6'8"	<b>S82233SL</b>  12" x 8'0" 14" x 8'0"	

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

					
<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>S2385SL</b>  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>S82385SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM138</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1285</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM18</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1284</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
		<b>FCM12102_SL</b>  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")			

						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
<b>FCM6124_SL**</b>  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM6125_SL**</b>  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM6126_SL**</b>  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FC138</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>1285</b>  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	<b>FC18</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>1284</b>  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

\*Not available with Advanta lite frame.  
\*\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
<b>FC18_SL</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>12102_SL</b> ☀️ 🗑️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	<b>FC06188_SL**</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC06184_SL**</b> ☀️ 🗑️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	<b>FC06189_SL**</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC06185_SL**</b> ☀️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	<b>FC06190_SL**</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC06186_SL**</b> ☀️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S128</b> ☀️ 🗑️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S141</b> ☀️ 🗑️ 🗑️ E 2'8" x 6'8" ⚡ (70") 2'10" x 6'8" ⚡ (70") 3'0" x 6'8" ⚡ (70") 3'6" x 6'8"	<b>S108</b> ☀️ 🗑️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S6063</b> ☀️ 🗑️ 🗑️ E 2'8" x 6'8" ⚡ (70") 2'10" x 6'8" ⚡ (70") 3'0" x 6'8" ⚡ (70") 3'6" x 6'8"	<b>S308_SL</b> ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"	<b>S1170_SL</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	<b>S605_SL**</b> ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"

				
Smooth	Smooth	Smooth	Smooth	Smooth
<b>S6124_SL**</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	<b>S606_SL**</b> ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"	<b>S6125_SL**</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	<b>S607_SL**</b> ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"	<b>S6126_SL**</b> ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")

### PRIVACY & TEXTURED GLASS

			
Mahogany	Mahogany	Mahogany	Mahogany
<b>FCM10</b> ☀️ 🗑️ 🗑️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM870</b> ☀️ 🗑️ 🗑️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1283</b> ☀️ 🗑️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>FCM81200</b> ☀️ 🗑️ 🗑️ 2'6" x 8'0"* 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS *Continues on next page.*

- No Stile Lines
- ☀️ Low-E Glass (LE)
- 🗑️ Simulated Divided Lites (SDL)
- 🗑️ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🗑️ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚡ 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold .

Fiber-Classic & Smooth-Star

				
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
<b>FCM870_SL</b>    12" x 8'0" 14" x 8'0"	<b>FCM12101_SL</b>    10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM81200_SL</b>    12" x 8'0" 14" x 8'0"	<b>FC10</b>    2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81200P_SL</b>    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>1283</b>    2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81200</b>    2'6" x 8'0"* 2'10" x 8'0" 3'0" x 8'0"	<b>FC47_SL</b>    10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>81200P_SL</b>    12" x 8'0" 14" x 8'0"	

				
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>12101_SL</b>    12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>81200_SL</b>    12" x 8'0" 14" x 8'0"	<b>S118</b>    2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S818</b>    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S140</b>    2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8"
<b>S8140</b>    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S100_SL</b>    12" x 6'8" 14" x 6'8"	<b>S8601_SL</b>    12" x 8'0" 14" x 8'0"	<b>S601_SL</b>    10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>S81086_SL</b>    12" x 8'0" 14" x 8'0"

**INTERNAL BLINDS**

				
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>
<b>FCM141</b>    2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8115</b>    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1286</b>    2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM81225</b>    2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM8115SL</b>    12" x 8'0" 14" x 8'0"
<b>FCM1286SL</b>    10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM81225SL</b>    12" x 8'0" 14" x 8'0"	<b>FC141</b>    2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81225P</b>    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak

**1286**  
**E**  
 2'4" x 6'8"  $\Delta$ \*  
 2'6" x 6'8"  $\Delta$  (7'0")\*  
 2'8" x 6'8"  $\Delta$  (7'0")  
 2'10" x 6'8"  $\Delta$  (7'0")  
 3'0" x 6'8"  $\Delta$  (7'0")



Oak

**81225**  
**6**  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC141SL**  
**6**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"

**81225PSL**  
**6**  
 12" x 8'0"  
 14" x 8'0"



Oak

**1286SL**  
**6**  
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")


**81225SL**  
**6**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S130**  
**E**  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S829**  
**6**  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6061**  
**E**  
 2'4" x 6'8"  $\Delta$ \*  
 2'6" x 6'8"  $\Delta$ \*  
 2'8" x 6'8"  $\Delta$  (7'0")  
 2'10" x 6'8"  $\Delta$  (7'0")  
 3'0" x 6'8"  $\Delta$  (7'0")

**S81225**  
**6**  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



Smooth

**S130SL**  
**6**  
 12" x 6'8"  
 14" x 6'8"

**S829SL**  
**6**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S6128SL**  
**6**  
 10" x 6'8"\*  
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")

**S85928SL**  
**6**  
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**



Mahogany

**FCM1209**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM1201**  
**E**  
 2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

**FCM1211**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM1202**  
**E**  
 2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

**FCM1212**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM1203**  
**E**  
 2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

**FCM138**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




Mahogany

**FCM1285**  
**E**  
 2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

**FCM1208**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM1200**  
**E**  
 2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

**FCM18**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- $\Delta$  6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .

						
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
<b>FCM1284</b>  2'6" x 6'8" (70")* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>FCM828</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM81828</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM81208P</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM81829</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1201SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")	<b>FCM1202SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")
						
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
<b>FCM1200SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")	<b>FCM12102SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")	<b>FCM81208PSL</b>  12" x 8'0" 14" x 8'0"	<b>FCM81208SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM6124SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")	<b>FCM6125SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")	<b>FCM6126SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")
						
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak
<b>FCM198</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1289</b>  2'6" x 6'8" (70")* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>FCM1289SL</b>  10" x 6'8"* 12" x 6'8" $\Delta$ (70") 14" x 6'8" $\Delta$ (70")	<b>FC1209</b>  2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>FC1201</b>  2'6" x 6'8" $\Delta$ (70")* 2'8" x 6'8" $\Delta$ (70") 2'10" x 6'8" $\Delta$ (70") 3'0" x 6'8" $\Delta$ (70")	<b>FC1211</b>  2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>FC1202</b>  2'6" x 6'8" $\Delta$ (70")* 2'8" x 6'8" $\Delta$ (70") 2'10" x 6'8" $\Delta$ (70") 3'0" x 6'8" $\Delta$ (70")

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak

**FC1212**  
 E  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**FC1203**  
 E  
 2'6" x 6'8" Δ (7'0")\*  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")



Oak

**FC138**  
 6E  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**1285**  
 6E  
 2'6" x 6'8" Δ (7'0")\*  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")



Oak

**FC1208**  
 6E  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**FC1200**  
 6E  
 2'6" x 6'8" Δ (7'0")\*  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")



Oak

**FC18**  
 6E  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**1284**  
 6E  
 2'6" x 8'0" Δ (7'0")\*  
 2'8" x 8'0"  
 2'10" x 8'0" Δ (7'0")  
 3'0" x 8'0" Δ (7'0")



Oak

**FC828**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




Oak

**81828**  
 6  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




Oak

**81208P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




Oak

**81208**  
 6  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC1209SL**  
 6  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC1201SL**  
 6  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")



Oak

**FC1211SL**  
 6  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC1202SL**  
 6  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")



Oak

**FC1208SL**  
 6  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC1200SL**  
 6  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")



Oak

**FC18SL**  
 6  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**12102SL**  
 6  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")



Oak

**81208PSL**  
 6  
 12" x 8'0"  
 14" x 8'0"



Oak

**81208SL**  
 6  
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Standard Lite Frame Available
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold .



Oak

**FC06188SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC06184SL**  
  
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")



Oak

**FC06189SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC06185SL**  
  
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")



Oak

**FC06190SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC06186SL**  
  
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")



Oak

**FC198**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

**1289**  
  
 2'6" x 6'8"  $\Delta$  (70")  
 2'8" x 6'8"  $\Delta$  (70")  
 2'10" x 6'8"  $\Delta$  (70")  
 3'0" x 6'8"  $\Delta$  (70")



Oak

**FC198SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC1289SL**  
  
 12" x 6'8"  $\Delta$  (70")  
 14" x 6'8"  $\Delta$  (70")



Smooth

**S1209**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S1201**  
  
 2'6" x 6'8"  $\Delta$  \*  
 2'8" x 6'8"  $\Delta$  (70")  
 2'10" x 6'8"  $\Delta$  (70")  
 3'0" x 6'8"  $\Delta$  (70")  
 3'6" x 6'8"



Smooth

**S1211**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S1202**  
  
 2'6" x 6'8"  $\Delta$  \*  
 2'8" x 6'8"  $\Delta$  (70")  
 2'10" x 6'8"  $\Delta$  (70")  
 3'0" x 6'8"  $\Delta$  (70")  
 3'6" x 6'8"



Smooth

**S1212**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S1203**  
  
 2'6" x 6'8"  $\Delta$  \*  
 2'8" x 6'8"  $\Delta$  (70")  
 2'10" x 6'8"  $\Delta$  (70")  
 3'0" x 6'8"  $\Delta$  (70")  
 3'6" x 6'8"



Smooth

**S128**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S141**  
  
 2'6" x 6'8"  $\Delta$  \*  
 2'8" x 6'8"  $\Delta$  (70")  
 2'10" x 6'8"  $\Delta$  (70")  
 3'0" x 6'8"  $\Delta$  (70")  
 3'6" x 6'8"



Smooth

**S1208**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S1200**  
  
 2'6" x 6'8"  $\Delta$  \*  
 2'8" x 6'8"  $\Delta$  (70")  
 2'10" x 6'8"  $\Delta$  (70")  
 3'0" x 6'8"  $\Delta$  (70")  
 3'6" x 6'8"



Smooth

**S108**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

**S6063**  
  
 2'6" x 6'8"  $\Delta$  \*  
 2'8" x 6'8"  $\Delta$  (70")  
 2'10" x 6'8"  $\Delta$  (70")  
 3'0" x 6'8"  $\Delta$  (70")  
 3'6" x 6'8"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.


									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
<b>S828</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S81828</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S808</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S81208</b>  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S1209SL</b>  12" x 6'8" 14" x 6'8"	<b>S1201SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S1211SL</b>  12" x 6'8" 14" x 6'8"	<b>S1202SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")		
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S1208SL</b>  12" x 6'8" 14" x 6'8"	<b>S1200SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S308SL</b>  12" x 6'8" 14" x 6'8"	<b>S1170SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S808SL</b>  12" x 8'0" 14" x 8'0"	<b>S81186SL</b>  12" x 8'0" 14" x 8'0"	<b>S605SL</b>  12" x 6'8" 14" x 6'8"	<b>S8605SL</b>  12" x 8'0" 14" x 8'0"	<b>S6124SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85924SL</b>  12" x 8'0" 14" x 8'0"
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S606SL</b>  12" x 6'8" 14" x 6'8"	<b>S8606SL</b>  12" x 8'0" 14" x 8'0"	<b>S6125SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85925SL</b>  12" x 8'0" 14" x 8'0"	<b>S607SL</b>  12" x 6'8" 14" x 6'8"	<b>S8607SL</b>  12" x 8'0" 14" x 8'0"	<b>S6126SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85926SL</b>  12" x 8'0" 14" x 8'0"	<b>S198</b>  2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S6062</b>  2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

 No Stile Lines	 Flat Almond Grilles Between Glass (GBGF)	 Fixed Grilles (FXG)	 Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	 WBDR Options
 Low-E Glass (LE)	 Flat Bronze Grilles Between Glass (GBGF)	 Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	 Vented Sidelite Options	 WBDR / HVHZ Options
 Simulated Divided Lites (SDL)	 Flat or Contour White Grilles Between Glass (GBGF / GBGC)	 Elevated 10" Bottom Rail Options	 Standard Lite Frame Available	 6'6" Height Available
 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)				

**CLEAR GLASS WITH DIVIDED LITES** *Continued*

**CLEAR GLASS**



**Smooth**  
**S198SL**  
 12" x 6'8"  
 14" x 6'8"

**Smooth**  
**S6062SL**  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



**Mahogany**  
**FCM10**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**Mahogany**  
**FCM870**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Mahogany**  
**FCM1283**  
 2'4" x 6'8"\*  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")\*  
 2'10" x 6'8" (70")\*  
 3'0" x 6'8" (70")

**Mahogany**  
**FCM81200**  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Mahogany**  
**FCM12101SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**Mahogany**  
**FCM81200SL**  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**  
**FCM870SL**  
 12" x 8'0"  
 14" x 8'0"

**Oak**  
**FC10**  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**Oak**  
**81200P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Oak**  
**1283**  
 2'4" x 6'8" Δ\*  
 2'6" x 6'8" Δ (70")\*  
 2'8" x 6'8" Δ (70")\*  
 2'10" x 6'8" Δ (70")\*  
 3'0" x 6'8" Δ (70")

**Oak**  
**81200**  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Oak**  
**FC47SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"

**Oak**  
**81200PSL**  
 12" x 8'0"  
 14" x 8'0"

**Oak**  
**12101SL**  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

**Oak**  
**81200SL**  
 12" x 8'0"  
 14" x 8'0"



**Smooth**  
**S118**  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**Smooth**  
**S818**  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Smooth**  
**S140**  
 2'0" x 6'8"\*\*\*  
 2'4" x 6'8" Δ\*\*  
 2'6" x 6'8" Δ\*\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")  
 3'6" x 6'8"

**Smooth**  
**S8140**  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

**Smooth**  
**S100SL**  
 12" x 6'8"  
 14" x 6'8"

**Smooth**  
**S8601SL**  
 12" x 8'0"  
 14" x 8'0"

**Smooth**  
**S601SL**  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

**Smooth**  
**S81086SL**  
 12" x 8'0"  
 14" x 8'0"

**Direct Set**  
**DRS2131SL**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**Direct Set**  
**DRS82131SL**  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.


\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.



**TRANSOMS**

For transoms, see page 201.



**BLACKSTONE. ♦ ♦**

Mahogany	Mahogany	Oak	Oak	Oak	Smooth
<b>FCM765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM765SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM882SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC770</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81952P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FC765SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81952PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S975</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

**CRYSTALLINE.™ ♦ ♦**

Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
<b>S979</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S894</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S975SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S894SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM38SL</b> 6 12" x 6'8" 14" x 6'8"
<b>FCM8105SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC772</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81953P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

**CRYSTALLINE** Continues on next page.

- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ▶ Flat Lite Frame
- ▶ Standard Lite Frame Available
- ▶ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

**CRYSTALLINE™** ♦ ♦ Continued

**SEDONA** ♦ ♦

Fiber-Classic & Smooth-Star



Oak

**FC38SL** 12" x 6'8"  
14" x 6'8"

**81953PSL** 12" x 8'0"  
14" x 8'0"



Smooth

**S977** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S981** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S888** 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S758SL** 12" x 6'8"  
14" x 6'8"

**S888SL** 12" x 8'0"  
14" x 8'0"



Mahogany

**FCM131** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM131SL** 12" x 6'8"  
14" x 6'8"

**FCM883SL** 12" x 8'0"  
14" x 8'0"



Oak

**FC131** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC773** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**81954P** 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC131SL** 12" x 6'8"  
14" x 6'8"

**81954PSL** 12" x 8'0"  
14" x 8'0"



Smooth

**S95** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S91** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S887** 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S91SL** 12" x 6'8"  
14" x 6'8"

**S887SL** 12" x 8'0"  
14" x 8'0"

**SALINAS** ✕



Mahogany

**FCM115** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM115SL** 12" x 6'8"  
14" x 6'8"

**FCM884SL** 12" x 8'0"  
14" x 8'0"



Oak

**FC115** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC775** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**81955P** 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC115SL** 12" x 6'8"  
14" x 6'8"

**81955PSL** 12" x 8'0"  
14" x 8'0"



Smooth

**S6009** 2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

MAPLE PARK. ◆ ◆



Smooth

S6010  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S895  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6009SL  
 12" x 6'8"  
 14" x 6'8"

S895SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM902  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM902SL  
 12" x 6'8"  
 14" x 6'8"

FCM887SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC902  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC777  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81957P  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC902SL  
 12" x 6'8"  
 14" x 6'8"

81957PSL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6102  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S6103  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S85898  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6102SL  
 12" x 6'8"  
 14" x 6'8"

S85898SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM907  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM907SL  
 12" x 6'8"  
 14" x 6'8"

FCM889SL  
 12" x 8'0"  
 14" x 8'0"

SARATOGA.™ ◆ ◆



Oak

FC907  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC776  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81956P  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC907SL  
 12" x 6'8"  
 14" x 6'8"

81956PSL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6092  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S982  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S891  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6092SL  
 12" x 6'8"  
 14" x 6'8"

S891SL  
 12" x 8'0"  
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.

- 6 WBDP Options
- 6 WBDP / HVHZ Options

**TEXAS STAR** ◆ ◆

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
<b>FCM143</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM143SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM8103SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC143</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC778</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81958P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FC143SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81958PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S6071</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

Fiber-Classic & Smooth-Star

**WELLESLEY** ◆ ◆ ◆

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
<b>S6072</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85901</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM147</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM147SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM885SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC147</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>S6071SL</b> 6 12" x 6'8" 14" x 6'8"	<b>85901SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC779</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81959P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

**RISERVA** ✕

					
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
<b>FC147SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81959PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S6091</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S983</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S892</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6091SL</b> 6 12" x 6'8" 14" x 6'8"
<b>S892SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM543</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM545SL</b> 6 12" x 6'8" 14" x 6'8"			
				<b>FCM8545SL</b> 6 12" x 8'0" 14" x 8'0"	

									
Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>FC543</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC529</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8529</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC545SL</b> 12" x 6'8" 14" x 6'8"	<b>FC8545SL</b> 12" x 8'0" 14" x 8'0"	<b>S543</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S529</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8529</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S545SL</b> 12" x 6'8" 14" x 6'8"	<b>S8545SL</b> 12" x 8'0" 14" x 8'0"

**CONCORDE™** ◆ ◆ ◆

								
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Smooth	Smooth
<b>FCM912</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM912SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM892SL</b> 12" x 8'0" 14" x 8'0"	<b>FC912</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC780</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81960P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC912SL</b> 12" x 6'8" 14" x 6'8"	<b>81960PSL</b> 12" x 8'0" 14" x 8'0"	<b>S912</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**KENSINGTON™** ◆ ◆

									
Smooth	Smooth	Smooth	Smooth	Mahogany	Mahogany	Oak	Oak	Oak	Oak
<b>S97</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85902</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S757SL</b> 12" x 6'8" 14" x 6'8"	<b>S85902SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM156</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1442SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8107SL</b> 12" x 8'0" 14" x 8'0"	<b>FC156</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC20042</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81961P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**KENSINGTON** Continues on next page.

- ◆ Black Nickel Caming (1D)
- ◆ Scrolled & Flat Advanta Lite Frame
- ◆ WBDP / HVHZ Options
- ◆ Brushed Nickel Caming (1C)
- ◆ Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Brass Caming (1A)
- ◆ WBDP Options
- ◆ Wrought Iron (1W)

**KENSINGTON™** ◆ ◆ ◆ *Continued*

**PEMBRIDGE™** ◆ ◆ ◆

Fiber-Classic & Smooth-Star

			
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC1442SL</b> 12" x 6'8" 14" x 6'8"	<b>81961PSL</b> 12" x 8'0" 14" x 8'0"	<b>S20042</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S902</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>S156</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1442SL</b> 12" x 6'8" 14" x 6'8"	<b>S902SL</b> 12" x 8'0" 14" x 8'0"	

	
<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM6582</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6580SL</b> 12" x 6'8" 14" x 6'8"
	<b>FCM86580SL</b> 12" x 8'0" 14" x 8'0"

					
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC6582</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC6580</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86580</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC6580SL</b> 12" x 6'8" 14" x 6'8"	<b>FC86580SL</b> 12" x 8'0" 14" x 8'0"	<b>S6582</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	<b>S6580</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86580</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6580SL</b> 12" x 6'8" 14" x 6'8"	<b>S86580SL</b> 12" x 8'0" 14" x 8'0"	

**AXIS™** ◆

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM1647</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1646SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM81646SL</b> 12" x 8'0" 14" x 8'0"	<b>FC1647</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC1646</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC81646</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	<b>FC1646SL</b> 12" x 6'8" 14" x 6'8"	<b>FC81646SL</b> 12" x 8'0" 14" x 8'0"	<b>S1647</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"		

CALIX ◆ ■ ◆



Smooth

S1646  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S81646  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S1646SL  
 12" x 6'8"  
 14" x 6'8"

S81646SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM4521SL  
 12" x 6'8"  
 14" x 6'8"

FCM84521SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC4521  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC84521  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


LATITUDE ◆ ■ ◆



Oak


FC4521SL  
 12" x 6'8"  
 14" x 6'8"

FC84521SL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S4521  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84521  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4521SL  
 12" x 6'8"  
 14" x 6'8"

S84521SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM4525SL  
 12" x 6'8"  
 14" x 6'8"

FCM84525SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC4525  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC84525  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC4525SL  
 12" x 6'8"  
 14" x 6'8"

FC84525SL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S4525  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84525  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4525SL  
 12" x 6'8"  
 14" x 6'8"

S84525SL  
 12" x 8'0"  
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ◆ Scrolled & Flat Advanta Lite Frame  
 Not available for 24" and 26" doors or 10" sidelites.

- ◆ WBDR Options

- ◆ WBDR / HVHZ Options



Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold 🏆.



**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

# PRIVACY & TEXTURED GLASS

				
Mahogany	Mahogany	Oak	Oak	Oak
FCM32_	FCM32_SL	FCM881_SL	FC32_	FC766_
2'8" x 6'8"	12" x 6'8"	12" x 8'0"	2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	14" x 6'8"	14" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"			3'0" x 6'8"	3'0" x 8'0"
				81943P_
				2'8" x 8'0"
				2'10" x 8'0"
				3'0" x 8'0"
				FC32_SL
				12" x 6'8"
				14" x 6'8"
				81943P_SL
				12" x 8'0"
				14" x 8'0"

		
Smooth	Smooth	Smooth
S80_	S90_	S880
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"
		S751_SL
		12" x 6'8"
		14" x 6'8"
		S880_SL
		12" x 8'0"
		14" x 8'0"

# INTERNAL BLINDS

	
Mahogany	Mahogany
FCM5425	FCM5425SL
2'8" x 6'8"	12" x 6'8"
2'10" x 6'8"	14" x 6'8"
3'0" x 6'8"	
	FCM8110SL
	12" x 8'0"
	14" x 8'0"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC5425	1964P	81964P	S5425	S682	S5425SL
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	12" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	12" x 8'0"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	14" x 6'8"
					S8682SL
					12" x 8'0"
					14" x 8'0"
					S8682
					2'8" x 8'0"
					2'10" x 8'0"
					3'0" x 8'0"
					S8682SL
					12" x 8'0"
					14" x 8'0"

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat Lite Frame

-  Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

-  Standard Lite Frame Available
-  WBDR Options
-  WBDR / HVHZ Options

**CLEAR GLASS WITH DIVIDED LITES**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star



Mahogany

**FCM2106**  
  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM2107**  
  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM2108**  
  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM82**  
  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM1089SL**  
  
 12" x 6'8"  
 14" x 6'8"



Mahogany

**FCM8311SL**  
  
 12" x 8'0"  
 14" x 8'0"

**FCM2101SL**  
  
 12" x 6'8"  
 14" x 6'8"

**FCM8313SL**  
  
 12" x 8'0"  
 14" x 8'0"



Note: See page 277 for important product details that may help with your purchase decision.  
 Fiber-Classic Oak Collection, Axis Glass, Door – FC1646, Finish – Barley

Mahogany		Mahogany		Mahogany		Mahogany			
FCM92SL	FCM8310SL	FCM8101SL	FCM81900SL	FCM81947SL	FCM81949SL	FCM1402	FCM1400SL	FCM81944SL	
☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠
12" x 6'8"	12" x 8'0" 14" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"					

Oak		Oak		Oak		Oak	
FC2106	FC2107	FC2108	FC82	FC1089	FC8311	FC2101	FC8313
☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"				


Oak		Oak		Oak		Oak			
FC2102	FC8316	81945P	FC92	FC8310	81946P	FC1089SL	FC8311SL	FC2101SL	FC8313SL
☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠	☀️ 🏠 🏠 🏠 🏠 🏠 🏠
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

☀️ Low-E Glass (LE)	🏠 Simulated Divided Lites (SDL)	🏠 Flat or Contour White Grilles Between Glass (GBGF / GBGC)	🏠 Flat Almond Grilles Between Glass (GBGF)	🏠 Flat Bronze Grilles Between Glass (GBGF)	🏠 Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	🏠 Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	🏠 Standard Lite Frame Available	🏠 WBDR Options	🏠 WBDR / HVHZ Options
---------------------	---------------------------------	-------------------------------------------------------------	--------------------------------------------	--------------------------------------------	-------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------	---------------------------------	----------------	-----------------------



Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .

								
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC92SL  12" x 6'8" 14" x 6'8"	FC8310SL  12" x 8'0" 14" x 8'0"	81946PSL  12" x 8'0" 14" x 8'0"	81900PSL  12" x 8'0" 14" x 8'0"	81947PSL  12" x 8'0" 14" x 8'0"	81949PSL  12" x 8'0" 14" x 8'0"	FC1402  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC1400  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81944P  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC1400SL  12" x 6'8" 14" x 6'8"	81944PSL  12" x 8'0" 14" x 8'0"	S2106  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2107  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2108  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1089  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8311  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2101  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8313  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2102  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8316  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S881  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S92  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8310  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S882  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.  
Right Page: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley



**CLEAR GLASS**



**CLEAR GLASS** *Continues on next page.*



- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 24" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .

									
Oak	Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
<b>FC32</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC766</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81943P</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC32SL</b>  12" x 6'8" 14" x 6'8"	<b>81943PSL</b>  12" x 8'0" 14" x 8'0"	<b>S80</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S90</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S880</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S751SL</b>  12" x 6'8" 14" x 6'8"	<b>S880SL</b>  12" x 8'0" 14" x 8'0"


## Oval Lites

Note: Product images show exterior side of door.




### TRANSOMS

For transoms, see page 201.



## BLACKSTONE.

						
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth
<b>FCM110</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM164</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC714</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC164</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC794</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S771</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6085</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

WELLESLEY™ ◆ ◆ ◆



Smooth

**S997**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM106**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM163**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC713**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




Oak

**FC163**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC796**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S774**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6082**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S999**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

CONCORDE™ ◆ ◆ ◆



Mahogany

**FCM916**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM915**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC916**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC915**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

KENSINGTON™ ◆ ◆ ◆



Oak

**FC797**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S773**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6084**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S1000**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM151**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM789**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC709**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


KENSINGTON *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)

- ▣ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▣ Flat Lite Frame

- ▣ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▣ Turtle Glass

- ▣ Standard Lite Frame Available
- ▣ WBDR Options

				
Oak	Oak	Smooth	Smooth	Smooth
<b>FC151</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC798</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S709</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S163</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1001</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE™ 

							
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth	Smooth
<b>FCM6577</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6575</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC6577</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC06575</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC6576</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6577</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6575</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6576</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS

							
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth	Smooth
<b>FCM80</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM160</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC710</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC160</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC789</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S770</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6080</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S992</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door - FCM114, Sidelites - FCM814SL, Transom - SART, Finish - Raven



**TRANSOMS**

For transoms, see page 201.



Fiber-Classic & Smooth-Star

**BLACKSTONE. ◆ ◆**

										
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak				
<b>FCM109</b>   28" x 68" 210" x 68" 30" x 68"	<b>FCM863</b>   28" x 80" 210" x 80" 30" x 80"	<b>FCM6032</b>   28" x 68" 210" x 68" 30" x 68"	<b>FCM6052</b>   28" x 68" 210" x 68" 30" x 68"	<b>FCM109SL</b>   12" x 68" 14" x 68"	<b>FCM863SL</b>   12" x 80" 14" x 80"	<b>FC109</b>    26" x 68"* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>81933P</b>   28" x 80" 210" x 80" 30" x 80"	<b>81975P</b>   28" x 80" 210" x 80" 30" x 80"	<b>FC109SL</b>   12" x 68" 14" x 68"	<b>81933PSL</b>   12" x 80" 14" x 80"
										
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth					
<b>S6000</b>    26" x 68"* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>S81933P</b>   28" x 80" 210" x 80" 30" x 80"	<b>S6032</b>    28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>S86032</b>    28" x 80" 210" x 80" 30" x 80"	<b>S4314</b>    28" x 68" 210" x 68" 30" x 68"	<b>S84314</b>   28" x 80" 210" x 80" 30" x 80"	<b>S6052</b>   28" x 68" 210" x 68" 30" x 68"	<b>S972</b>   28" x 68" 210" x 68" 30" x 68"	<b>S85905</b>   28" x 80" 210" x 80" 30" x 80"	<b>S6000SL</b>   12" x 68" 14" x 68"	<b>S85912SL</b>   12" x 80" 14" x 80"

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
-  Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
-  Standard Lite Frame Available
-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

**CRYSTALLINE** ◆ ◆

Fiber-Classic & Smooth-Star




Mahogany

**FCM898**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM898SL**  
 6  
 12" x 8'0"  
 14" x 8'0"



Oak

**81935P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**81977P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**81935PSL**  
 6  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S81935P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S86027**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SEDONA** ◆ ◆



Smooth

**S84319**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S85907**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S85914SL**  
 6  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM101**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM864**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM6025**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6045**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM101SL**  
 6  
 12" x 6'8"  
 14" x 6'8"



**FCM864SL**  
 6  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC101**  
 6  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**81978P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC101SL**  
 6  
 12" x 6'8"  
 14" x 6'8"



**81936PSL**  
 6  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S211**  
 6  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**S81936P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6025

- ▣ E
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

S86025

- ▣ E
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S4328

- ▣ E
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S84328

- ▣
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S6045

- ▣
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Smooth

S35

- ▣
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S833

- ▣
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S294SL

- ▣
- 12" x 6'8"
- 14" x 6'8"

S85915SL

- ▣
- 12" x 8'0"
- 14" x 8'0"

**SALINAS. X**



Mahogany

FCM114

- ▣ 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

FCM865

- ▣ 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Mahogany

FCM6031

- ▣ 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM6051

- ▣ 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM114SL

- ▣ 6
- 12" x 6'8"
- 14" x 6'8"

FCM865SL

- ▣ 6
- 12" x 8'0"
- 14" x 8'0"



Oak

FC114

- ▣ 6 E
- 2'6" x 6'8"\*
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

81937P

- ▣ 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Oak

81980P

- ▣ 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Oak

FC114SL

- ▣ 6
- 12" x 6'8"
- 14" x 6'8"

81937PSL

- ▣ 6
- 12" x 8'0"
- 14" x 8'0"



Smooth

S6006

- ▣ 6 E
- 2'6" x 6'8"\*
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

S81937P

- ▣ 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S6031

- ▣ 6 E
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

S86031

- ▣ 6 E
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S4325

- ▣ 6 E
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S84325

- ▣ 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S6051

- ▣ 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**SALINAS** Continues on next page.

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

- ▣ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ▣ Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options

**SALINAS** X *Continued*


	
<b>Smooth</b>	<b>Smooth</b>
<b>S973</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S893</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	
<b>S6006SL</b> 12" x 6'8" 14" x 6'8"	<b>S85916SL</b> 12" x 8'0" 14" x 8'0"

**MAPLE PARK** ◆ ◆

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM901</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM886</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6107</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6108</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM901SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM886SL</b> 12" x 8'0" 14" x 8'0"

										
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC901</b> 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81939P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81982P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC901SL</b> 12" x 6'8" 14" x 6'8"	<b>81939PSL</b> 12" x 8'0" 14" x 8'0"	<b>S6101</b> 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81939P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6107</b> 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86107</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4324</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84324</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**SARATOGA** ◆ ◆

								
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>S6108</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6106</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85897</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6101SL</b> 12" x 6'8" 14" x 6'8"	<b>S85918SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM906</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM888</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6029</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6049</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.

					
<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM906SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM888SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC906</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81938P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81981P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC906SL</b> 6 12" x 6'8" 14" x 6'8"
				<b>81938PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S213</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				<b>S81938P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6029</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					<b>S86029</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

			
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S4327</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84327</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6049</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S41</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
		<b>S85908</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S291SL</b> 6 12" x 6'8" 14" x 6'8"
			<b>S85917SL</b> 6 12" x 8'0" 14" x 8'0"

**TEXAS STAR** ◆ ◆

	
<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM144</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM899</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	<b>FCM6074</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM6075</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM899SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC144</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81940P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81983P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81940PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S6073</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						<b>S81940P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						<b>S6074</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						<b>S86074</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**TEXAS STAR** *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)
- ▣ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▣ Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



Smooth

**S4329**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S84329**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6075**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6076**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S81983**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**85919SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM105**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM866**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM6030**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6050**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM105SL**  
  
 12" x 6'8"  
 14" x 6'8"

**FCM866SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC105**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**81941P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**81984P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC105SL**  
  
 12" x 6'8"  
 14" x 6'8"

**81941PSL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S214**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S81941P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6030**  
  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S86030**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S4330**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S84330**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6050**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S42**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S85909**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S292SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S85922SL**  
  
 12" x 8'0"  
 14" x 8'0"


\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

**RISERVA. X**



Mahogany		Mahogany		Mahogany		Mahogany		Oak		Oak	
<b>FCM581</b>	<b>FCM8581</b>	<b>FCM575</b>	<b>FCM577</b>	<b>FCM583SL</b>	<b>FCM8583SL</b>	<b>FC581</b>	<b>FC8581</b>	<b>FC8579</b>			
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	12" x 6'8"	12" x 8'0"	2'6" x 6'8"*	2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"		
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	14" x 6'8"	14" x 8'0"	2'8" x 6'8" (70")	2'10" x 8'0"	2'10" x 6'8" (70")	2'10" x 8'0"		
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"			2'10" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"		



Oak		Smooth		Smooth		Smooth		Smooth		Smooth	
<b>FC583SL</b>	<b>FC8583SL</b>	<b>S581</b>	<b>S8581</b>	<b>S575</b>	<b>S8575</b>	<b>S4326</b>	<b>S84326</b>	<b>S577</b>			
12" x 6'8"	12" x 8'0"	2'6" x 6'8"*	2'8" x 8'0"	2'8" x 6'8" (70")	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"		
14" x 6'8"	14" x 8'0"	2'8" x 6'8" (70")	2'10" x 8'0"	2'10" x 6'8" (70")	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"		
		3'0" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"		

**CONCORDE™**



Smooth		Smooth		Mahogany		Mahogany		Mahogany		Mahogany	
<b>S579</b>	<b>S8579</b>	<b>S583SL</b>	<b>S8583SL</b>	<b>FCM911</b>	<b>FCM891</b>	<b>FCM6026</b>	<b>FCM6046</b>	<b>FCM911SL</b>	<b>FCM891SL</b>		
2'8" x 6'8"	2'8" x 8'0"	12" x 6'8"	12" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	12" x 6'8"	12" x 8'0"		
2'10" x 6'8"	2'10" x 8'0"	14" x 6'8"	14" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	14" x 6'8"	14" x 8'0"		
3'0" x 6'8"	3'0" x 8'0"			3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"				

**CONCORDE** Continues on next page.

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- ◆ WBDP Options
- ◆ WBDP / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options

Fiber-Classic & Smooth-Star



Oak

**FC911**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**81942P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**81985P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC911SL**  
  
 12" x 6'8"  
 14" x 6'8"

**81942PSL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S426**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S81942P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6026**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S86026**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S4316**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S84316**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6046**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S37**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S837**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S430SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S85920SL**  
  
 12" x 8'0"  
 14" x 8'0"

**KENSINGTON™**  



Mahogany

**FCM149**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM8149**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM6036**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6056**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM149SL**  
  
 12" x 6'8"  
 14" x 6'8"

**FCM867SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC149**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC8149**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC89701**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC149SL**  
  
 12" x 6'8"  
 14" x 6'8"

**FC8867SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S161**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S8149**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

**S6036**  
**6E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S86036**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S4320**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S84320**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6056**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S43**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S89701**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S161SL**  
**6**  
 12" x 6'8"  
 14" x 6'8"

**S867SL**  
**6**  
 12" x 8'0"  
 14" x 8'0"

**PEMBRIDGE™** ◆ ◆ ◆ ◆



Mahogany

**FCM6560**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM86560**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM6565**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6568**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6565SL**  
**6**  
 12" x 6'8"  
 14" x 6'8"

**FCM86560SL**  
**6**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC6560**  
**6E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FC86560**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC86536**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC6565SL**  
**6**  
 12" x 6'8"  
 14" x 6'8"

**FC86560SL**  
**6**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S6560**  
**6E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S86560**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6565**  
**6E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S86565**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S4323**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S84323**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6568**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**PEMBRIDGE** *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ◆◆ Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 12" sidelites.


Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 12" sidelites.


- WSDR Options
- WSDR / HVKZ Options
- Elevated 10" Bottom Rail Options

**PEMBRIDGE**    *Continued*

	
<b>Smooth</b>	<b>Smooth</b>
<b>S6536</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86536</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>S6565SL</b>  12" x 6'8" 14" x 6'8"	<b>S86560SL</b>  12" x 8'0" 14" x 8'0"

**AXIS** 

			
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM1654</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM81654</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1656</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1658</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>FCM1656SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM81654SL</b>  12" x 8'0" 14" x 8'0"		

				
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC1654</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC81654</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC81653</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1656SL</b>  12" x 6'8" 14" x 6'8"	<b>FC81654SL</b>  12" x 8'0" 14" x 8'0"
<b>S1654</b>  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81654</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1656</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81656</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

			
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S4311</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84311</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1658</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1653</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>S81653</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1656SL</b>  12" x 6'8" 14" x 6'8"	<b>S81654SL</b>  12" x 8'0" 14" x 8'0"	

**CALIX**   

	
<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM386</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8386</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FCM387</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM394</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM8386SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC386</b> 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC8386</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8392</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	<b>FC387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FC8386SL</b> 6 12" x 8'0" 14" x 8'0"			<b>S386</b> 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					<b>S8386</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S387</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8387</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4310</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84310</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S394</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				<b>S392</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				<b>S8392</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>S387SL</b> 6 12" x 6'8" 14" x 6'8"
				<b>S8386SL</b> 6 12" x 8'0" 14" x 8'0"

**LATITUDE** ◆ ❖ ❖



<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM8498SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8489</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8498SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8467</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**LATITUDE** Continues on next page.

- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)


- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 12" sidelites.
- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 12" sidelites.
- 6 WSDR Options
- 6 WSDR / HVKZ Options
- E Elevated 10" Bottom Rail Options



Smooth

S84322

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S8489

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S8498SL

   
12" x 8'0"  
14" x 8'0"



Mahogany

FCM65\_

   
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6022\_

   
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6042\_

   
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM8321\_

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM65\_SL

   
12" x 6'8"  
14" x 6'8"



Mahogany

FCM3487\_SL

   
12" x 8'0"  
14" x 8'0"



Oak

FC65\_

   
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC8321\_

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC832\_

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC63\_SL

   
12" x 6'8"  
14" x 6'8"



Oak

FC3487\_SL

   
12" x 8'0"  
14" x 8'0"



Smooth

S262\_

   
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S6022\_

   
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S6042\_

   
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S32\_

   
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S8321\_

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S86022\_

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S832\_

   
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

## PRIVACY & TEXTURED GLASS



Smooth

S263\_SL

12" x 6'8"  
14" x 6'8"



Smooth

S3487\_SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM62\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM862\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6021\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6041\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM104\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM62\_SL

12" x 6'8"  
14" x 6'8"

FCM862\_SL

12" x 8'0"  
14" x 8'0"



Oak

FC62\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

81929P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC104\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

81971P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC48\_SL

12" x 6'8"  
14" x 6'8"

81929P\_SL

12" x 8'0"  
14" x 8'0"



Smooth

S206\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S81929P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6021\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86021\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S4305\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84305\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6041\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S104\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S30\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S830\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S210\_SL

12" x 6'8"  
14" x 6'8"

S85910\_SL

12" x 8'0"  
14" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- WSDR Options
- WSDR / HWZ Options
- Elevated 10" Bottom Rail Options

# INTERNAL BLINDS

Mahogany		Mahogany		Mahogany	
<b>FCM678</b> ★▲▽◻◻ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8678</b> ★▲▽◻◻ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6035</b> ★▲▽◻◻ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6055</b> ★▲▽◻◻ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM116</b> ★▲▽◻◻E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM678SL</b> ★▲▽◻◻ 12" x 6'8" 14" x 6'8"
				<b>FCM8678SL</b> ★▲▽◻◻ 12" x 8'0" 14" x 8'0"	
					<b>FC678</b> ★▲▽◻◻E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					<b>FC8678</b> ★▲▽◻◻ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Oak		Oak		Smooth	
<b>FC116</b> ★▲▽◻◻E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC8971</b> ★▲▽◻◻ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC678SL</b> ★▲▽◻◻ 12" x 6'8" 14" x 6'8"	<b>FC8678SL</b> ★▲▽◻◻ 12" x 8'0" 14" x 8'0"	<b>S132</b> ★▲▽◻◻E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8132</b> ★▲▽◻◻ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>S6035</b> ★▲▽◻◻E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86035</b> ★▲▽◻◻E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>S4308</b> ★▲▽◻◻E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84308</b> ★▲▽◻◻ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth		Smooth	
<b>S6055</b> ★▲▽◻◻ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S131</b> ★▲▽◻◻E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S971</b> ★▲▽◻◻ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8971</b> ★▲▽◻◻ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
		<b>S132SL</b> ★▲▽◻◻ 12" x 6'8" 14" x 6'8"	<b>S8132SL</b> ★▲▽◻◻ 12" x 8'0" 14" x 8'0"

## SCREEN VENTED LITES\*\*

Smooth	
<b>S243</b> ★▲▽◻◻E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S6034</b> ★▲▽◻◻E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

\*Not available with Advanta lite frame.  
 \*\*Features a gliding operation and sash locking system.  
 Note: See page 277 for important product details that may help with your purchase decision.

## CLEAR GLASS WITH DIVIDED LITES



Smooth

S6054

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S137

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM65

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6022

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6042

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8675SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM65SL FCM7125SL

12" x 6'8"  
14" x 6'8"



Mahogany

FCM3487SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM1408

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8145

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM1405

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1406

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1405SL FCM8145SL

12" x 6'8"  
14" x 6'8"



Oak

FC8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC65

2'6" x 6'8"  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Contour or Flat White Grilles Between Glass (GBGF / GBGC)

Contour or Flat Almond Grilles Between Glass (GBGF / GBGC)

Contour or Flat Bronze Grilles Between Glass (GBGF / GBGC)

Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

Standard Lite Frame Available

WDRR Options

WDRR / HWYZ Options

Elevated 10" Bottom Rail Optl



Oak

**FC8318**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC8319**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC8320**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC832**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC8675SL**

12" x 8'0"  
14" x 8'0"



Oak

**FC63SL**

12" x 6'8"  
14" x 6'8"



Oak

**FC7125SL**

12" x 8'0"  
14" x 8'0"

**FC3487SL**

12" x 8'0"  
14" x 8'0"



Oak

**FC1408**

2'6" x 6'8"  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

**FC8145**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC1408SL**

12" x 6'8"  
14" x 6'8"

**FC8145SL**

12" x 8'0"  
14" x 8'0"



Smooth

**S8322**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S8326**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S84318**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S8323**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S8327**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S84313**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S8324**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S8328**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S84309**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S262**

2'6" x 6'8"  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

**S6022**

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S4307</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6042</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8321</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8325</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S84312</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8318</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8319</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S8320</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S32</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S832</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S115</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8675SL</b>  12" x 8'0" 14" x 8'0"	<b>S263SL</b>  12" x 6'8" 14" x 6'8"	<b>S7125SL</b>  12" x 8'0" 14" x 8'0"	<b>S3487SL</b>  12" x 8'0" 14" x 8'0"	<b>S1408</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8145</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S1405</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81405</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4321</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84321</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1406</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1407</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8144</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1405SL</b>  12" x 6'8" 14" x 6'8"	<b>S8145SL</b>  12" x 8'0" 14" x 8'0"

Low-E Glass (LE) Simulated Divided Lites (SDL) Flat or Contour White Grilles Between Glass (GBGF / GBGC)	Flat Almond Grilles Between Glass (GBGF) Flat Bronze Grilles Between Glass (GBGF) Flat or Contour Black Grilles Between Glass (GBGF / GBGC)	Fixed Grilles (FXG) Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites. Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	Standard Lite Frame Available WEDR Options WSDR / MVLZ Options Elevated 1 1/2" Bottom Rail Opt
----------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------

CLEAR GLASS



Mahogany		Mahogany		Mahogany		Mahogany		Mahogany		Oak	
<b>FCM62</b> ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM862</b> ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6021</b> ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6041</b> ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM670</b> ★▲▽◇ 2'6" x 6'8" (70")* 2'8" x 6'8" (70")* 2'10" x 6'8" (70")* 3'0" x 6'8" (70")*	<b>FCM62SL</b> ★▲▽◇ 12" x 6'8" 14" x 6'8"	<b>FCM862SL</b> ★▲▽◇ 12" x 8'0" 14" x 8'0"	<b>FC62</b> ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (70")* 2'10" x 6'8" (70")* 3'0" x 6'8" (70")*	<b>81929P</b> ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			



Oak		Oak		Oak		Smooth		Smooth		Smooth	
<b>FC670</b> ★▲▽◇ 2'6" x 6'8" (70")* 2'8" x 6'8" (70")* 2'10" x 6'8" (70")* 3'0" x 6'8" (70")*	<b>81971P</b> ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC48SL</b> ★▲▽◇ 12" x 6'8" 14" x 6'8"	<b>81929PSL</b> ★▲▽◇ 12" x 8'0" 14" x 8'0"	<b>S206</b> ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (70")* 2'10" x 6'8" (70")* 3'0" x 6'8" (70")*	<b>S81929P</b> ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6021</b> ★▲▽◇ 2'8" x 6'8" (70")* 2'10" x 6'8" (70")* 3'0" x 6'8" (70")*	<b>S86021</b> ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4315</b> ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84315</b> ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		




Smooth		Smooth		Smooth		Smooth		Smooth	
<b>S6041</b> ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S104</b> ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (70")* 2'10" x 6'8" (70")* 3'0" x 6'8" (70")*	<b>S105</b> ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (70")* 2'10" x 6'8" (70")* 3'0" x 6'8" (70")*	<b>S30</b> ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S830</b> ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S210SL</b> ★▲▽◇ 12" x 6'8" 14" x 6'8"	<b>S85910SL</b> ★▲▽◇ 12" x 8'0" 14" x 8'0"			

\*Not available with Advanta lite frame.  
 Note: See page 277 for important product details that may help with your purchase decision.  
 Right Page: Smooth-Star, Clear Glass, Door - S289, Finish - Onyx



## TRANSOMS

For transoms, see page 201.



### BLACKSTONE. ◆ ◆



Smooth

S6013

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SEDONA ◆ ◆



Smooth

S294

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SALINAS. ✕



Smooth

S6014

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### MAPLE PARK. ◆ ◆



Smooth

S6104

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SARATOGA. ◆ ◆



Smooth

S291

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### WELLESLEY. ◆ ◆ ◆



Smooth

S292

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### RISERVA. ✕



Smooth

S585

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### CONCORDE. ◆ ◆ ◆



Smooth

S430

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)

- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- Standard Lite Frame Available
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- Elevated 10" Bottom Rail Options




# Center Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

## BLACKSTONE. ◆ ◆

Oak	Oak	Smooth	Smooth
<b>FC80943</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86243</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9343</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83143</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## SEDONA. ◆ ◆

Oak	Oak	Smooth
<b>FC80952</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86252</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9352</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## SALINAS. ✕

Smooth	Oak	Oak	Smooth	Smooth
<b>S83152</b> ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC80953</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86253</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9353</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83153</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## MAPLE PARK. ◆ ◆

Oak	Oak
<b>FC80955</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86255</b> ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 📖 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available

**MAPLE PARK** ◆ ◆



**S9355**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83155**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**SARATOGA**™ ◆ ◆



**FC80954**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FC86254**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**S9354**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83154**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**WELLESLEY**™ ◆ ◆ ◆



**FC80949**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FC86249**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**S9349**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83149**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**RISERVA**® X



**FC507**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FC549**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**S507**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**CONCORDE**™ ◆ ◆ ◆



**S549**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**FC80947**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FC86247**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**S9347**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83147**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**KENSINGTON**™ ◆ ◆



**FC80942**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FC86242**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded**      **XC = Chord**      **XR = Rainglass**
- XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

**PEMBRIDGE™** ◆ ◆ ◆ ◆



Smooth

S9342

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S83142

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC6534

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC86533

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S6534

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S86533

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

**AXIS** ◆



Oak

FC1655

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC81649

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S1655

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S81649

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC393

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC8390

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S393

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

**CALIX** ◆ ◆ ◆ ◆

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

S8390


28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC809203

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC862203

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S93203

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S831203

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

◆ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

◆ Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

WBDP / HVHZ Options

## PRIVACY & TEXTURED GLASS

			
Oak	Oak	Smooth	Smooth
<b>FC80920_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9320_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83120_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## INTERNAL BLINDS

		
Oak	Oak	Smooth
<b>FC925</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8972</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S925</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## CLEAR GLASS WITH DIVIDED LITES

						
Smooth	Oak	Oak	Smooth	Smooth	Oak	Oak
<b>S8972</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC809203</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC862203</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S93203</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S831203</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1404</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8141</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## CLEAR GLASS

					
Smooth	Smooth	Oak	Oak	Smooth	Smooth
<b>S1404</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8141</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC80920</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9320</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83120</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

\*\*Available with Advanta flat lite frame only.

\*\*\*Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.


Right Page: Smooth-Star, Calix Glass, Door- S3540, Finish - Arctic Ice



## TRANSOMS

For transoms, see page 201.

### OPTIONAL DENTIL SHELVES\*



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

## SEDONA ◆◆



<b>S2650**</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82650**</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM604</b> SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S604</b> SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8604</b> SDL 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--------------------------------------------------------------------	---------------------------------------------------------------------	--------------------------------------------------------------------	------------------------------------------------------------------	-------------------------------------------------------------------

## MAPLE PARK ◆◆



<b>S2630***</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82630***</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM609</b> SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S609</b> SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8609</b> SDL 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---------------------------------------------------------------------	----------------------------------------------------------------------	--------------------------------------------------------------------	------------------------------------------------------------------	-------------------------------------------------------------------

## SARATOGA ◆◆



<b>FCM602</b> SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2660***</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82660***</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S602</b> SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8602</b> SDL 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--------------------------------------------------------------------	---------------------------------------------------------------------	----------------------------------------------------------------------	------------------------------------------------------------------	-------------------------------------------------------------------

## RISERVA ✕



<b>FCM508</b> SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2670***</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82670***</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--------------------------------------------------------------------	---------------------------------------------------------------------	----------------------------------------------------------------------

**RISERVA** Continues on next page.

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBDR / HVHZ Options

**RISERVA** ✕ *Continued*



Smooth

S508

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S8508

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

**PEMBRIDGE** ◆ ◆ ◆



Mahogany

FCM6520

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S2640\*

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S82640\*

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S6520

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S86520

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

**AXIS** ◆



Mahogany

FCM1650

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S2620\*

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S82620\*

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S1650

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S81650

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

**CALIX** ◆ ◆ ◆



Mahogany

FCM6975

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S3540\*

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S83540\*

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S6975

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S86975

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Mahogany

FCM605\_

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

FCM606\_

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

FCM607\_

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

FCM608\_

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S605\_

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S8605\_

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S606\_

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

S8606\_

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch  
XC = Chord

XJ = Chinchilla  
XR = Rainglass

XN = Granite

\*Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

**PRIVACY & TEXTURED GLASS**



Smooth

**S607**    
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8607**    
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S608**    
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8608**    
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

**FCM601**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S2610**     \*  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S82610**     \*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S601**    
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8600**    
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**



Mahogany

**FCM605**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM606**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM607**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM608**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S605**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8605**     
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S606**    
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8606**    
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**CLEAR GLASS**



Smooth

**S607**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8607**     
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S608**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8608**     
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

**FCM601**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S2610\***      
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S82610\***      
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S601**     
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8601**     
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

-  Black Nickel Caming (ID)
-  Brushed Nickel Caming (IC)
-  Brass Caming (IA)
-  Wrought Iron (IW)

-  Simulated Divided Lites (SDL)
-  Flat Lite Frame
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

-  Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

-  Standard Lite Frame Available
-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

# Minimal Lites


Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



## TRANSOMS

For transoms, see page 201.



### MAPLE PARK ◆◆

Mahogany		Oak		Smooth	
<b>FCM736</b>	<b>FCM8736</b>	<b>FC736</b>	<b>FC8736</b>	<b>S736</b>	<b>S8736</b>
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"

### SARATOGA™ ◆◆

Mahogany		Oak	
<b>FCM707</b>	<b>FCM8707</b>	<b>FC707</b>	<b>FC8707</b>
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"

### WELLESLEY™ ◆◆◆

Smooth		Mahogany		Oak		Smooth	
<b>S707</b>	<b>S8707</b>	<b>FCM721</b>	<b>FCM8721</b>	<b>FC721</b>	<b>FC8721</b>	<b>S721</b>	<b>S8721</b>
2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Concorde Glass, Door - FC917, Sidelite - FC910SL



Mahogany

FCM735

2'8" x 6'8"  
2'10" x 6'8" (70")  
3'0" x 6'8"

FCM8735

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC735

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC8735

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S735

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8735

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM745

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8745

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC745

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC8745

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S745

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8745

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM752

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8752

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC752

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC8752

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S752

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8752

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM704

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8704

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

CLEAR GLASS



Oak

FC704

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC8704

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S704

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8704

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM708

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8708

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC708

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC8708

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S708

2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8708

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Fixed Grilles (FXG)
- ◆ Standard Lite Frame Available
- E Elevated 10" Bottom Rail Options

**CONCORDE™** ◆ ◆ ◆ ◆



Oak

**FC917**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S454**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Oak

**FC23**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S255**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS**



Oak

**FC803**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S256**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

**S236**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8317**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S237**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

(Scalloped Lite Frame)

**PEMBRIDGE™** ◆ ◆ ◆ ◆



Mahogany

**FCM6570**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM86570**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC6570**

2'6" x 6'8" (7'0")\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC86570**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6570**

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S86570**

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**AXIS.◆**



Mahogany

**FCM1645**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM81645**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC1645**

2'6" x 6'8" (7'0")\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC81645**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S1645**

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S81645**

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass, Door - S296, Finish - Cypress

## PRIVACY & TEXTURED GLASS



Mahogany

FCM61\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC61\_

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC861\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S296\_

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S896\_

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

## CLEAR GLASS



Mahogany

FCM61

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC61

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC861

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




Smooth

S296

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S896

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



## Noise Reduction Doors

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8140STC

2'6" x 8'0"\*  
2'8" x 8'0"  
3'0" x 8'0"



Smooth

S141STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")



Smooth

S6063STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Fixed Grilles (FXG)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available

- E Elevated 10" Bottom Rail Options

# Solid Panel

Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



## TRANSOMS

For transoms, see page 201.



Mahogany

**FCM31**  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM220**  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM205**  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM755**  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM600**  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM60**  
 28" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM860**  
 28" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM1000**  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**FC31**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC809**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC755**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC862**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC60**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC860**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



Oak

**1000**

- 6E**
- 2'0" x 6'8"
- 2'4" x 6'8" **Δ**
- 2'6" x 6'8" **Δ** (7'0")
- 2'8" x 6'8" **Δ** (7'0")
- 2'10" x 6'8" **Δ** (7'0")
- 3'0" x 6'8" **Δ** (7'0")

**81000**

- 6**
- 2'0" x 8'0"
- 2'4" x 8'0"
- 2'6" x 8'0"
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S93**

- 6**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Smooth

**S45**

- 6**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Smooth

**S220**

- 6E**
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")



Smooth

**S1100**

- 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S81100**

- 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S3301**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S83301**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S3401L**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S83401L**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S3401R**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S83401R**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S3501L**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S83501L**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S3501R**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S83501R**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S3601L**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S83601L**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S3601R**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S83601R**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S5701**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S85701**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

**S5721**

- 2 6E**
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

**S85721**

- 2 6**
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"


**SOLID PANEL** *Continues on next page.*

- No Stile Lines
- 6** WBDR / HVHZ Options
- 2** Door Divider Bars (DDBF2)
- Δ** 6'6" Height Available
- 6** WBDR Options
- E** Elevated 10" Bottom Rail Options

**SOLID PANEL** *Continued*



Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.



**Privacy & Textured Glass Options**  
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

<b>XK = Reeded</b>	<b>XC = Chord</b>	<b>XR = Rainglass</b>
<b>XE = Satin Etch</b>	<b>XJ = Chinchilla</b>	<b>XN = Granite</b>

# Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

## BLACKSTONE. ◆ ■



**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ◆ ■



**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. ✕



**SART**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ◆ ■



**FWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA.™ ◆ ■



**19750T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19740T**  
3'0" Door Only

## WELLESLEY.™ ◆ ■ ◆



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19720T**  
3'0" Door Only

## RISERVA. ✕



**RSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## CONCORDE.™ ◆ ■ ◆



**CNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON.™ ◆ ■



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE.™ ◆ ■ ◆



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## AXIS. ◆



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## CALIX ◆ ■ ◆



**CXRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**CX30T**  
3'0" Door Only

## LATITUDE ◆ ■ ◆



**LTRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**LT30T**  
3'0" Door Only

## ECHELON ◆ ■ ◆



**ECRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**EC30T**  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied



### 19020T

◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



### 19220T

◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
◆  
3'0" Door Only



**19120T**  
◆  
12" & 14" Sidelite Only

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀️ Low-E Glass (LE)

2 Simulated Divided Lites (SDLF2)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

✕ Wrought Iron (1W)

6 WBDR Options

6 WBDR / HVHZ Options

⚡ 6'6" Height Available

E Elevated 10" Bottom Rail Options

# Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

## Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors – S118

Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx

## DOOR SELECTIONS



**Fiber-Classic<sup>®</sup>  
Mahogany  
Collection<sup>™</sup>**



**Fiber-Classic<sup>®</sup>  
Oak Collection<sup>™</sup>**



**Smooth-Star<sup>®</sup>**



**Profiles<sup>™</sup>  
& Traditions**

(Wood-grained images shown in Driftwood stain.)

### Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 32–33 for details.

### Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.


### Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

## GLASS SELECTIONS



Internal Blinds



Low-E / Clear

### Divided Lites

For details on divided lite options, see pages 112–113.



Simulated  
Divided  
Lites



Grilles  
Between  
Glass



Fixed  
Grilles

■ = Available

	Fiber-Classic	Smooth-Star	Profiles	Traditions
<b>Door Selections</b>				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
<b>Flush-Glazed Glass Selections</b>				
Internal Blinds		■		
Low-E Glass with and without Divided Lites	■	■		
Clear Glass with and without Divided Lites	■	■		
Privacy & Textured Glass with and without Divided Lites	■	■		
<b>Lip-Lite Glass Selections</b>				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
<b>Available Sizes</b>				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
<b>Additional Options</b>				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

# Flush-Glazed

## Internal Blinds




### AVAILABLE COLLECTIONS

- Smooth-Star.

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




## Colonial Style Divided Lites




### AVAILABLE COLLECTIONS

- Fiber-Classic. Oak
- Smooth-Star.

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




### Prairie Style Divided Lites




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



### Low-E / Clear Glass




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



# Lite Frames


## Internal Blinds




### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




## Colonial Style Divided Lites




### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




### Prairie Style Divided Lites




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



### Low-E / Clear Glass




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS




# Profiles™ Steel Doors

## Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Screen Vented Glass, Door - 1004HD  
Bottom: Profiles, Sedona Glass, Door - 996HD, Sidelite - 139SL



# Traditions Steel Doors

## Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions, Clear Glass, Door - TS118, Sidelites - 100SL  
Bottom: Traditions Door - TS210



# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.<sup>1</sup>

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232–235.

	Profiles	Traditions
■ = Available		
• = Not Applicable		
P = Paint		

## Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

## Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

## Glass Options

Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

## Frame Options

Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

## Additional Options

Finish	P	P
--------	---	---



## Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



## RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202–207.

5'0" Patio Opening = (2) 2'4" Doors  
6'0" Patio Opening = (2) 2'10" Doors

<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

<sup>2</sup>Decorative glass designs are shown in Profiles only.

<sup>3</sup>Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


# Decorative & Specialty Glass Designs<sup>2</sup>



Black Nickel      Brushed Nickel  
**Blackstone**<sup>®</sup>  
 Glass Privacy Rating: 7



Black Nickel      Brushed Nickel  
**Crystalline**<sup>™</sup>  
 Glass Privacy Rating: 7




Black Nickel      Brushed Nickel  
**Sedona**  
 Glass Privacy Rating: 7




Wrought Iron  
**Salinas**  
 Glass Privacy Rating: 10




Black Nickel      Brushed Nickel  
**Maple Park**<sup>®</sup>  
 Glass Privacy Rating: 6



Black Nickel      Brushed Nickel  
**Saratoga**<sup>™</sup>  
 Glass Privacy Rating: 7



Black Nickel      Brushed Nickel  
**Texas Star**  
 Glass Privacy Rating: 5



Black Nickel      Brass  
**Wellesley**<sup>™</sup>  
 Glass Privacy Rating: 6



Wrought Iron  
**Riserva**<sup>®</sup>  
 Glass Privacy Rating: 10



Black Nickel      Brass  
**Concorde**<sup>™</sup>  
 Glass Privacy Rating: 8



Black Nickel      Brushed Nickel  
**Kensington**<sup>™</sup>  
 Glass Privacy Rating: 8




Black Nickel      Brass<sup>3</sup>  
**Pembroke**<sup>™</sup>  
 Glass Privacy Rating: 7



Black Nickel  
**Axis**<sup>®</sup>  
 Glass Privacy Rating: 7



Black Nickel      Brass  
**Calix**  
 Glass Privacy Rating: 1



Black Nickel      Brass  
**Latitude**  
 Glass Privacy Rating: 2



Black Nickel      Brass  
**Echelon**  
 Glass Privacy Rating: 1

Also Available:  
**Internal Blinds**  
**Screen Vented**

## Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

## Privacy & Textured Glass



**Reeded (XK)**  
Glass Privacy Rating: 7



**Satin Etch (XE)**  
Glass Privacy Rating: 10



**Chord (XC)**  
Glass Privacy Rating: 10



**Chinchilla (XJ)**  
Glass Privacy Rating: 10



**Rainglass (XR)**  
Glass Privacy Rating: 8



**Granite (XN)**  
Glass Privacy Rating: 10

### Glass Privacy Rating Scale



Also Available:

**Divided Lites**  
**Clear Glass**



\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

# Full Lites

## BLACKSTONE. ◆ ◆



310

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

310SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## CRYSTALLINE™ ◆ ◆




916

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

916SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SEDONA ◆ ◆



139

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

139SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SALINAS. ✕



369

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

369SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## MAPLE PARK. ◆ ◆




1006

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

1006SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SARATOGA™ ◆ ◆



610

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

610SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## TEXAS STAR ◆ ◆



1029

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

1029SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## WELLESLEY™ ◆ ◆ ◆



620

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

620SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## RISERVA. ✕



571

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

TS572SL

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- 6 WBDP / HVHZ Options
- ◆ Standard Lite Frame Available

**CONCORDE™** ◆ ◆ ◆




- 1028**  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 416SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**KENSINGTON™** ◆ ◆ ◆



- 626**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 626SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**PEMBRIDGE™** ◆ ◆ ◆




- 6500HD**  
 2'4" x 6'8"\*\*\*  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 6500SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**AXIS◆**



- 1651HD**  
 2'4" x 6'8"\*\*\*  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 1651SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**CALIX◆ ◆ ◆**



- 2389HD**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 2389SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**LATITUDE◆ ◆ ◆**



- 2382HD**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 2382SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**ECHELON◆ ◆ ◆**



- 2385HD**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 2385SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



- 128**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 108**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")
- 6184 SL\*\***  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")
- 6185 SL\*\***  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")
- 6186 SL\*\***  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")
- 632 SL**  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

- XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

\*Not available with Advanta Lite Frame.

\*\*Not available with Reeded (XK) glass.

\*\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

## PRIVACY & TEXTURED GLASS



118

28" x 6'8" (70")\*
   
 210" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



100 SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")

## INTERNAL BLINDS



130

2'4" x 6'8"\*
   
 2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



130SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")

## CLEAR GLASS WITH DIVIDED LITES



1201

2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



1202

2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



1203

2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



128

2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



1200

2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



108

2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



1201SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")



1202SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")



1200SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")



632SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")



6184SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")

## CLEAR GLASS



6185SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")



6186SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")



198

2'6" x 6'8" (70")\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



198SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")



118

2'0" x 6'8"\*\*\*\*
   
 2'4" x 6'8"\*\*\*\*
   
 2'6" x 6'8" (70")\*\*\*\*
   
 2'8" x 6'8" (70")
   
 2'10" x 6'8" (70")
   
 3'0" x 6'8" (70")
   
 3'6" x 6'8" (70")



100SL

10" x 6'8"\*
   
 12" x 6'8" (70")
   
 14" x 6'8" (70")

Low-E Glass (LE)

Turtle Glass

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)

Flat Lite Frame

Standard Lite Frame Available


Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR / HVHZ Options

# 3/4 Lites


## BLACKSTONE. ♦ ♦



**1037HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1037SLHD**  
 12" x 6'8"  
 14" x 6'8"

## CRYSTALLINE.™ ♦ ♦



**1042HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**956SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SEDONA. ♦ ♦



**965HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**965SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SALINAS. ✕



**968HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**971SLHD**  
 12" x 6'8"  
 14" x 6'8"

## MAPLE PARK. ♦ ♦



**1009HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1009SLHD**  
 12" x 6'8"  
 14" x 6'8"


## SARATOGA.™ ♦ ♦



**1039HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1039SLHD**  
 12" x 6'8"  
 14" x 6'8"

## TEXAS STAR. ♦ ♦



**1040HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1040SLHD**  
 12" x 6'8"  
 14" x 6'8"


## WELLESLEY.™ ♦ ♦ ♦



**1041HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1041SLHD**  
 12" x 6'8"  
 14" x 6'8"

## RISERVA. ✕



**544HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**546SLHD**  
 12" x 6'8"  
 14" x 6'8"

## CONCORDE.™ ♦ ♦ ♦



**967HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**967SLHD**  
 12" x 6'8"  
 14" x 6'8"


## KENSINGTON.™ ♦ ♦



**03142HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**966SLHD**  
 12" x 6'8"  
 14" x 6'8"

## PEMBRIDGE.™ ♦ ♦ ♦



**6582HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**6580SLHD**  
 12" x 6'8"  
 14" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**



# Oval Lites

## BLACKSTONE.



**1025HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## WELLESLEY.™



**1022HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## CONCORDE.™



**1024HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## KENSINGTON.™



**630HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## PEMBRIDGE.™



**6578HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## CLEAR GLASS



**1020HD**  
  28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

# 1/2 Lites

## BLACKSTONE.



**309HD**  
  26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1001HD**  
  28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1117HD**  
  28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**311SLHD**  
  12" x 6'8" (70")  
 14" x 6'8" (70")

## SEDONA



**211HD**  
  26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**996HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1114HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**294SLHD**  
  12" x 6'8" (70")  
 14" x 6'8" (70")

## SALINAS.



**374HD**  
  26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1002HD**  
  28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1115HD**  
  28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**371SLHD**  
  12" x 6'8" (70")  
 14" x 6'8" (70")

## MAPLE PARK.



**1007HD**  
  28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1011HD**  
  28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1116HD**  
  28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1007SLHD**  
  12" x 6'8" (70")  
 14" x 6'8" (70")

\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

**SARATOGA™** ◆ ◆



**613HD**  
 ◆ ◆  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

**988HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**1112HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**615SLHD**  
 ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**TEXAS STAR ◆ ◆**



**1032HD**  
 ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

**1035HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**1111HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**WELLESLEY™** ◆ ◆ ◆



**623HD**  
 ◆ ◆  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

**989HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**1120HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**625SLHD**  
 ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**RISERVA® X**



**582HD**  
 ◆ ◆  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

**576HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**578HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**584SLHD**  
 ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**CONCORDE™** ◆ ◆ ◆



**426HD**  
 ◆ ◆  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

**999HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**1118HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**430SLHD**  
 ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**KENSINGTON™** ◆ ◆



**627HD**  
 ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

**631HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**1113HD**  
 ◆ ◆  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**628SLHD**  
 ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Wrought Iron (1W)
- ◆ Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBDP / HVHZ Options

**PEMBRIDGE**   




<b>6560HD</b>  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>6565HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>6568HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>6565SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

**AXIS** 



<b>1660HD</b>  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>1657HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1659HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1657SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------

**CALIX**   



<b>835HD</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>395HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>397HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>395SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**




<b>262HD</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>982HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1123HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>263SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

**PRIVACY & TEXTURED GLASS**



<b>206HD</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>980HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1101 HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>104</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>210SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------

**INTERNAL BLINDS**



<b>132HD</b>  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>984HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Advanta Lite Frame.

\*\*Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

## SCREEN VENTED LITES\*\*



**1121HD**  
      
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**131**  
      
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**132SLHD**  
     
 12" x 6'8" (70")  
 14" x 6'8" (70")



**243HD**  
  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**1004HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1102HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**137**  
   
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

## CLEAR GLASS WITH DIVIDED LITES



**262HD**  
      
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**982HD**  
     
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1123HD**  
     
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**115HD**  
      
 2'6" x 6'8" (70")  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**263SLHD**  
     
 12" x 6'8" (70")  
 14" x 6'8" (70")



**1408HD**  
     
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**1405HD**  
     
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1406HD**  
     
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## CLEAR GLASS



**1405SLHD**  
     
 12" x 6'8" (70")  
 14" x 6'8" (70")



**206HD**  
     
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**980HD**  
     
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1101HD**  
     
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**104**  
      
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**105**  
     
 2'6" x 6'8" (70")  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**210SLHD**  
     
 12" x 6'8" (70")  
 14" x 6'8" (70")

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)

-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)

-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)

-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

-  Standard Lite Frame Available
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

# Twin 1/2 Lites

## BLACKSTONE.™



311HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## SEDONA



294HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## SALINAS. X



371HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## MAPLE PARK.™



1008HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## SARATOGA.™



615HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## WELLESLEY.™



625HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## RISERVA. X



588HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## CONCORDE.™



430HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## KENSINGTON.™



628HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## PEMBRIDGE.™



6572HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## AXIS.™



1662HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## CALIX



396HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

## PRIVACY & TEXTURED GLASS



263HD

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")



289HD

28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

\*Not available with Advanta Lite Frame.

\*\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



**PRIVACY & TEXTURED GLASS**



**601\_HD\***  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



**605HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**606HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**607HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**608HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS**



**601HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**Minimal Lites**

**MAPLE PARK** ◆ ◆ ◆ ◆



**736HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**SARATOGA**™ ◆ ◆ ◆ ◆



**707HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**WELLESLEY**™ ◆ ◆ ◆ ◆



**721HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**CONCORDE**™ ◆ ◆ ◆ ◆



**735HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**PEMBRIDGE**™ ◆ ◆ ◆ ◆



**745HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**CLEAR GLASS WITH DIVIDED LITES**



**752HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**704HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**CLEAR GLASS**



**708HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**CONCORDE**™ ◆ ◆ ◆ ◆



**454HD**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

**CLEAR GLASS WITH DIVIDED LITES**



**255HD**  
 \* ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS**



**256HD**  
 \* ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS WITH DIVIDED LITES**



**236HD**  
 ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**237HD**  
 \* ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")  
 (Scalloped Lite Frame)

**PEMBRIDGE™**  
 ◆ ◆ ◆ ◆ ◆



**6570HD**  
 ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**6570SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**AXIS. ◆**



**1643HD**  
 ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1643SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**PRIVACY & TEXTURED GLASS**



**296HD**  
 ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**296SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**CLEAR GLASS**



**296HD**  
 \* ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**296SLHD**  
 \* ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**Solid Panel**



**969HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**978HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1005HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**205HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**203HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**210HD**  
 9  
 26" x 6'8" (70")  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**100**  
 9E  
 20" x 6'8"  
 24" x 6'8"  
 26" x 6'8" (70")  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")  
 36" x 6'8" (70")

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Fixed Grilles (FXG)
- ◆ Flat Lite Frame
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBDL / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options

# Full Lites

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



**TS128**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS108**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**6184 SL\***  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**6185 SL\***  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**6186 SL\***  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**632 SL**  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## PRIVACY & TEXTURED GLASS



**TS118**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**818**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

## PRIVACY & TEXTURED GLASS



**100 SL**  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**818 SL**  
  
 12" x 8'0"  
 14" x 8'0"

## INTERNAL BLINDS



**TS130**  
  
 2'4" x 6'8"\*\*\*  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**829**  
  
 2'6" x 8'0"\*\*\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**130SL**  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**829SL**  
  
 12" x 8'0"  
 14" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES



**TS1201**  
  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS1202**  
  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS1203**  
  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS128**  
  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS1200**  
  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS108**  
  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**828**  
  
 2'6" x 8'0"\*\*\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**808**  
  
 2'6" x 8'0"\*\*\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**1201SL**  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**1202SL**  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**1200SL**  
  
 10" x 6'8"\*\*\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

\*\*Not available with Advanta Lite Frame.

\*\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold.

							
<b>632SL</b>  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>828SL</b>  12" x 8'0" 14" x 8'0"	<b>6184SL</b>  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86184SL</b>  12" x 8'0" 14" x 8'0"	<b>6185SL</b>  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86185SL</b>  12" x 8'0" 14" x 8'0"	<b>6186SL</b>  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86186SL</b>  12" x 8'0" 14" x 8'0"

**CLEAR GLASS**

					
<b>TS198</b>  2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>198SL</b>  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>TS118</b>  2'0" x 6'8"**** 2'4" x 6'8"**** 2'6" x 6'8"**** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>818</b>  2'0" x 8'0"**** 2'6" x 8'0"**** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>100SL</b>  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>818SL</b>  12" x 8'0" 14" x 8'0"

**1/2 Lites**

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

		
<b>TS262</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS263_SL</b>  12" x 6'8" 14" x 6'8"

**PRIVACY & TEXTURED GLASS**

			
<b>TS206</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8206</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS104</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS210_SL</b>  12" x 6'8" 14" x 6'8"

-  Low-E Glass (LE)
-  Turtle Glass
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Standard Lite Frame Available
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

Profiles & Traditions Steel

**INTERNAL BLINDS**




**TS132**  
 \*♦♦♦♦♦6  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8132**  
 \*♦♦♦♦♦6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS131**  
 \*♦♦♦♦♦6E  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS132SL**  
 \*♦♦♦♦♦6  
 12" x 6'8"  
 14" x 6'8"

**SCREEN VENTED LITES\***



**TS243**  
 ♦E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS137**  
 ♦E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



**8322**  
 \*♦♦♦♦♦♦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**8323**  
 \*♦♦♦♦♦6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**8324**  
 \*♦♦♦♦♦♦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS262**  
 \*♦♦♦♦♦♦♦♦  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8321**  
 \*♦♦♦♦♦6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS115**  
 \*♦♦♦♦E  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS263SL**  
 \*♦♦♦♦♦♦♦♦  
 12" x 6'8"  
 14" x 6'8"

**CLEAR GLASS**



**TS1408**  
 \*♦♦♦♦♦♦♦♦  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8145**  
 \*♦♦♦♦♦♦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS1405SL**  
 \*♦♦♦♦♦♦♦♦  
 12" x 6'8"  
 14" x 6'8"

**TS206**  
 \*♦♦♦♦6  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8206**  
 \*♦♦♦6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS104**  
 \*♦♦♦♦6E  
 2'6" x 6'8"\*\*\*  
 2'8" x 6'8"  
 2'10" x 6'8" ⚠  
 3'0" x 6'8"

**TS105**  
 \*♦♦E  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" ⚠  
 3'0" x 6'8"

**TS210SL**  
 \*♦♦♦6  
 12" x 6'8"  
 14" x 6'8"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

\*Features a gliding operation and sash locking system.

\*\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

## Twin 1/2 Lites

### PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



**TS263**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### PRIVACY & TEXTURED GLASS



**TS289**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### CLEAR GLASS WITH DIVIDED LITES



**TS263**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS1411**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### CLEAR GLASS



**TS289**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



## Minimal Lites

### PRIVACY & TEXTURED GLASS




**TS296**  
  
 2'8" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 3'0" x 6'8"

**896**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS296\_SL**  
  
 12" x 6'8"  
 14" x 6'8"

### CLEAR GLASS WITH DIVIDED LITES



**TS752**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8752**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS704**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8704**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS255**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS236**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8317**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

**CLEAR GLASS WITH DIVIDED LITES**



**TS237**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 (Scalloped Lite Frame)

**CLEAR GLASS**



**TS708**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**8708**  
   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS256**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS296**  
    
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**896**  
    
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS296SL**  
    
 12" x 6'8"  
 14" x 6'8"


**Solid Panel**



**TS210**  
    
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**810**  
    
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS100**  
    
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**800**  
    
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

# Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

## BLACKSTONE. ♦ ::



**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ♦ ::



**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. ✕



**SART**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ♦ ::



**FWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA. ♦ ::



**19750T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19740T**  
3'0" Door Only

## WELLESLEY. ♦ :: ♦



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19720T**  
3'0" Door Only

## RISERVA. ✕



**RSRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## CONCORDE. ♦ :: ♦



**CNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON. ♦ ::



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE. ♦ :: ♦



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## AXIS. ♦



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## CALIX. ♦ :: ♦



**CXRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**CX30T**  
3'0" Door Only

## LATITUDE. ♦ :: ♦



**LTRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**LT30T**  
3'0" Door Only

## ECHELON. ♦ :: ♦



**ECRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**EC30T**  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied



**19020T**

☀  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19220T**

☀  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
☀  
3'0" Door Only



**19210T**  
☀  
12" & 14" Sidelite Only

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (ID)
- :: Brushed Nickel Caming (IC)
- ♦ :: Brass Caming (IA)

- ✕ Wrought Iron (IW)
- ♦ Fixed Grilles (FXG)
- ▭ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▭ Standard Lite Frame Available

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

# Fire Doors




**Intertek**

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

## Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.<sup>1</sup> Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star. 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.<sup>2</sup>



## 20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

### ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label. See page 235.

### For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) and other State WUI requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

### For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR) including the Gulf and Texas coast.

Note: Therma-Tru Fire-rated doors are approved for use in all Wildland Urban Interface (WUI) zones.

<sup>1</sup>To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

<sup>2</sup>Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).

Left: Smooth-Star Door - SSF120

# 20-Minute Fire-Rated Wood Edge – Fiberglass

## SMOOTH-STAR.



**SSF93**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF45**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF220**  
**6E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8220**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF1100**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF81100**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF120**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8120**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF200**  
**6**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8200**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF205**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8205**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF755**  
**6**  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF31**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF831**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF960**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF4800**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF84800**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF600**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8600**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF160**  
**6E**  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8160**  
**6**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF100**  
**6E**  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8100**  
**6E**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



## 20-Minute Fire-Rated Wood Edge – Steel

### PROFILES™



**969HD**  
■ **6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**978HD**  
■ **6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1005HD**  
■ **6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**205HD**  
■ **6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**203HD**  
■ **6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**210HD**  
■ **6**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**100**  
■ **6E**  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

### TRADITIONS



**TS210**  
■ **6**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"






**TS100**  
■ **6E**  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

■ No Stile Lines  
6 WBDR Options

6 WBDR / HVHZ Options  
E Elevated 10" Bottom Rail Options

Fire Doors

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches — Ari, Línea and Echo — the entrance becomes modern art.



<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Línea, Echelon Glass with Flat Lite Frame, Door - S81EC, Finish - Golden Wheat

Right Page: Pulse Ari, Satin Etch Glass, Door - S2XE, Finish - Indigo

## It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

### THE CREATIVITY IS UNLIMITED

#### Stain or paint the entrance any color.


These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



WBDR / HVHZ Options:  
Look for this icon to find door styles that can be configured for WBDR or HVHZ.<sup>1</sup>


## 1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



## 2 CHOOSE A MATERIAL

Each style is available in any of these material choices.




## 3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

### Privacy & Textured Glass


Available for all Pulse door styles.




Low-E also available.

### Decorative Glass

Available for Línea.



Available for Ari.



- 1 Blackstone
- 2 Crystalline
- 3 Sedona
- 4 Salinas
- 5 Saratoga
- 6 Riserva
- 7 Pembridge
- 8 Axis
- 9 Calix
- 10 Latitude
- 11 Echelon

Available for Echo.



## 4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame

Scrolled Profile Lite Frame

**ADVANTA**  
LITE FRAME

Our patented Advanta<sup>1</sup> lite frame now comes default with every Pulse<sup>®</sup> door system, unless otherwise noted.

<sup>1</sup>See your Therma-Tru seller for details on product availability.

## Pulse Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
<b>Doors</b>	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>Sidelites</b>	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

- Available in full-lite sidelites only.
- Available in Línea and Echo only.





Select styles are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.





# Ari

Note: Product images show exterior side of door.




# Línea

Note: Product images show exterior side of door.



**Wood-Grained Fiberglass:**  
Mahogany or Oak (Shown in Driftwood stain.)



**Smooth:**  
Fiberglass or Steel

## It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).


**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 277 for important product details that may help with your purchase decision.


Top: Pulse Ari, Saratoga Glass with Flat Lite Frame, Door - S2SG, Finish - Estuary



S1RBL | S81RBL | S1LSN | S1SN | S1RSN | S1LSA | S81LSA | S1SA | S81SA



S1RSA | S81RSA | S1LSG | S81LSG | S1SG | S81SG | S1RSG | S81RSG | S1LRS | S81LRS



S1RS | S81RS | S1RRS | S81RRS | S1LPB | S81LPB | S1PB | S81PB | S1RPB | S81RPB


LÍNEA *Continues on next page.*

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded      XC = Chord      XR = Rainglass  
 XE = Satin Etch      XJ = Chinchilla      XN = Granite


- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Scrolled & Flat Advanta Lite Frame
- 6 WBDR / HVHZ Options




S1LAX | S81LAX




S1AX | S81AX




S1RAX | S81RAX



S1LCX | S81LCX




S1CX | S81CX




S1RCX | S81RCX




S1LLT | S81LLT




S1LT | S81LT



S1RLT | S81RLT




S1LEC | S81LEC




S1EC | S81EC



S1REC | S81REC



S1L | S81L



S1 | S81




S1R | S81R

Pulse



**Wood-Grained Fiberglass:**  
Mahogany or Oak (Shown in Driftwood stain.)



**Smooth:**  
Fiberglass or Steel



**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

# Echo

Note: Product images show exterior side of door.



**ECHO** *Continues on next page.*

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Standard Lite Frame Available
-  Scrolled & Flat Advanta Lite Frame
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options



S811LPB  
◆ ◆ ◆ ◆ ◆ E



S811PB  
◆ ◆ ◆ ◆ ◆ E




S811RPB  
◆ ◆ ◆ ◆ ◆ E



S810LPB  
◆ ◆ ◆ ◆ ◆ E



S810PB  
◆ ◆ ◆ ◆ ◆ E




S810RPB  
◆ ◆ ◆ ◆ ◆ E




S4LAX | S84LAX  
◆ ◆ ◆ ◆ ◆



S4AX | S84AX  
◆ ◆ ◆ ◆ ◆



S4RAX | S84RAX  
◆ ◆ ◆ ◆ ◆



S5LAX | S85LAX  
◆ ◆ ◆ ◆ ◆



S5AX | S85AX  
◆ ◆ ◆ ◆ ◆



S5RAX | S85RAX  
◆ ◆ ◆ ◆ ◆



S86LAX  
◆ ◆ ◆ ◆ ◆




S86AX  
◆ ◆ ◆ ◆ ◆



S86RAX  
◆ ◆ ◆ ◆ ◆

Pulse



**Wood-Grained Fiberglass:**  
Mahogany or Oak (Shown in Driftwood stain.)

**Smooth:**  
Fiberglass or Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**



S9LAX  
◆▲E



S9AX  
◆▲E



S9RAX  
◆▲E



S8LAX  
◆▲E



S8AX  
◆▲E



S8RAX  
◆▲E




S811LAX  
◆▲E



S811AX  
◆▲E



S811RAX  
◆▲E




S810LAX  
◆▲E




S810AX  
◆▲E




S810RAX  
◆▲E




S4L  
S4LCL




S84L  
S84LCL




S4  
S4CL




S84  
S84CL




S4R  
S4RCL



S84R  
S84RCL



S5L  
S5LCL



S85L  
S85LCL

ECHO Continues on next page.

### Privacy & Textured Glass Options



Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded  
XE = Satin Etch


XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ▾ Standard Lite Frame Available
- ▲ Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options




Pulse

			<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
<p><b>Wood-Grained Fiberglass:</b> Mahogany or Oak (Shown in Driftwood stain.)</p>	<p><b>Smooth:</b> Fiberglass or Steel</p>		

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

# Sidelites

Note: Product images show exterior side of door.





**SIDELITES** Continue on next page.

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded  
 XC = Chord  
 XR = Rainglass  
 XE = Satin Etch  
 XJ = Chinchilla  
 XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- Standard Lite Frame Available
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options




**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- Standard Lite Frame Available



**Wood-Grained Fiberglass:**  
Mahogany or Oak (Shown in Driftwood stain.)



**Smooth:**  
Fiberglass or Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 277 for important product details that may help with your purchase decision.



# Finish Options

## Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.





## Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.


- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

**10 YEAR**  
LIMITED WARRANTY  
Classic Craft Finish  
Transferable

**10 YEAR**  
LIMITED WARRANTY  
Fiber-Classic,  
Smooth-Star, Pulse,  
Steel Finish

Professional Application

Durable Topcoat



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌲) symbol.



Finish Options

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with GBGs, Door - S2104, Finish - Golden Wheat

Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door - FC83XK, Finish - Acorn



## Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



### Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



### Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



### Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.




### Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



# PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Shown on Classic Craft Fir Grain.



Tumbleweed 

Acorn

Wildflower Honey

Rustic Clay

Barley

Mulberry

Autumn Harvest

New Earth

Driftwood

Raven

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](https://store.thermatru.com).

## PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



## COLOR MATCHES AVAILABLE

Explore other products from Fortune Brands Outdoors designed to match select colors shown here.

Look for the (🌲) symbol. See your Therma-Tru seller for details.



Alpine



Granite




Peregrine 🌲🌲



Onyx



Obsidian 🌲🌲



Indigo



Estuary 🌲



Arctic Ice 🌲



Cypress



Golden Wheat 🌲




Canyon 🌲




Ruby Red



Cabernet



Chestnut



Elk 🌲🌲

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](https://store.thermatru.com).

🌲 = Inspired by Yellowstone National Park.

Left Page: Smooth-Star, Calix Glass, Door - S2223, Finish - Golden Wheat

# SAME-DAY STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.



## ALL-INCLUSIVE KIT

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.<sup>1</sup> Visit [thermatru.com/samedaystain](http://thermatru.com/samedaystain) for ordering information and easy-to-follow instructions.

Shown on Classic Craft Fir Grain.



Light Oak



Natural Oak



Walnut



English Walnut



Mahogany



Cherry



Cedar

**5 YEAR**  
LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, visit [thermatru.com/finishing](http://thermatru.com/finishing) or ask your seller for more details.


<sup>1</sup>Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

# Door System Components

## PROVEN TO PERFORM, PROTECT AND PRESERVE

A Therma-Tru complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at [thermatru.com/parts](http://thermatru.com/parts).



# Composite Door Frame<sup>1</sup> featuring Tru-Guard™ Composite Technology



**TRU**  **GUARD**<sup>™</sup>  
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



## REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at [store.thermatru.com](https://store.thermatru.com).

<sup>1</sup>See your Therma-Tru seller for details on product availability.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>3</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](https://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

## AVAILABLE TEXTURES



 Ready to finish.

### Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry — no sanding or priming required.



 Ready to install.  
 Ready to finish.

### White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is — no painting required. Or finish with stain or paint to complement the entry — no sanding or priming required.

## THE ADVANTAGE IS CLEAR

Performance		
Resists Moisture and Humidity — Eliminates Risk of Swelling, Warping and Splitting		✓
Resists Mold, Fungus and Rot — Does Not Absorb or Retain Moisture		✓
Resists Insects — Helps Protect from Wood-Ingesting Insects		✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins. <sup>2</sup>		✓
Impact and 20-Minute Fire Code Compliant <sup>3</sup>		✓
Aesthetics		
Ready to Finish — No Sanding or Priming Required		✓
Ready-to-Install Option — No Finishing Required - White Smooth		✓
Universal Grain Complements a Wide Range of Wood Species — Buff Grained		✓
Screw Plugs Match Frame Material and Conceal External Fasteners		✓
Warranty		
Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft Door + Components		<b>Lifetime Transferable Full-System Rider</b>
Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse Fiberglass Door + Components		<b>10-Year Transferable Full-System Rider</b>
Composite Door Frame Only		

# Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

## Jambs



4-1/8"  
4-9/16"   
5-1/4"  
6-9/16"   
7-1/4"

## Mullions



2" Entry Narrow   
2-1/2" Entry Wide



2" Patio Narrow  
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.


## Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

## Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"  
2" x 7/32"




2-15/16" x 1-1/16" *Buff grained only.*  
2-15/16" x 3/8" *Buff grained only.*

## Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

## Storm Door Adaptor



4-9/16" Base Adaptor  
Face Adaptor  
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

## Screen Track Cap



1-13/32" x 9/16"

## Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

### Storm Door-Ready Mullions



4-9/16"  
6-9/16"



7/16" x 5/16" Cove Mould


### Transom Sills



4-9/16"  
6-9/16"

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.<sup>1</sup>

### Pendulum Impact Test



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

### CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.<sup>2</sup>



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.<sup>2</sup>



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.<sup>2</sup>

<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>2</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).

# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

## INSWING OPTIONS



**Composite Adjustable Sill (Premium)** ❖

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.<sup>1</sup>



**Hardwood Adjustable Sill**

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



**Basic Composite Adjustable Sill (Economy)**

- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.




**Value Composite Adjustable Sill (Economy)**

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.


## Inswing Sill Extenders




1"



2"




1-<sup>3</sup>/<sub>8</sub>"



3-<sup>1</sup>/<sub>4</sub>"

## OUTSWING OPTIONS



**Composite Outswing Sill (Premium)** ❖

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



**Aluminum Sill with Thermal Break**


- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



**Coastal Sill (For Coastal Regions)**

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

## Public Access Sill



**Public Access Sill with Thermal Break<sup>2</sup>**  
(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

<sup>1</sup>See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

<sup>2</sup>Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

<sup>3</sup>For full details on the Tru-Defense Warranty Rider, visit [thermatru.com/trudefense](http://thermatru.com/trudefense).

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

**SILL FINISHES**



Mill



Bronze

**CAP COLORS**




Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available

	Inswing Options			Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (ADA) <sup>2</sup>	
<b>Sill Finishes</b>									
Mill	■	■	■	■	■	■	■		■
Bronze	■	■	■	■	■	■			■
<b>Cap Colors</b>									
Lightwood	■		■	■					
Darkwood	■		■	■					
Hardwood		■							
<b>Sill Configurations</b>									
Single	■	■	■	■	■	■	■		■
French	■	■		■	■	■	■		■
Double Patio	■	■		■					
Triple Patio	■			■					
Lineal	■	■							
<b>Sidelite Configurations</b>									
Boxed Sidelites	■								
Single with Sidelites	■	■		■					
French with Sidelites	■								
Single Vented Sidelites	■								
French Vented Sidelites	■								
<b>Depths</b>									
4-9/16"	■		■	■		■	■		■
5-3/4"	■	■	■	■	■				
6-9/16"									■
7-3/4"	■	■	■		■				
<b>Substrates</b>									
Composite Extruded	■			■					
Composite Injection Molded	■		■						
Treated Pine		■			■	■	■		
<b>Other Options</b>									
Integrated Thermal Break	■	■	■	■	■				■
Screen Rail Available	■	■							
Sill Extenders Available	■	■	■	■					
Sill Covers Available	■	■	■	■					
Tru-Defense Eligible <sup>3</sup>	■			■					
With Anchor Holes					■	■	■		■
Without Anchor Holes	■	■	■	■	■				

Note: See your Thermo-Tru seller for details on available component and finish color combinations.

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

## INSWING OPTIONS



**Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep** ✚

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable

**Colors:**  
Bronze  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



**Inactive Door Bottom** ✚

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze

## OUTSWING OPTIONS



**Outswing Bottom Sweep**

**Sills:**  
Aluminum  
Coastal

**Color:**  
Bronze



**Inactive Door Bottom**

**Sills:**  
Composite Outswing

**Colors:**  
Bronze

## ADA / REPLACEMENT



**Bottom Sweep**

**Sills:**  
Public Access

**Color:**  
Bronze

## Sill Protection



**Sill Covers (Recommended)**

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 262 for availability.

Shown over composite adjustable sill.



**Sill Pan (Recommended)** ✚

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

## Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

### Classic Craft® 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access

### Fiber-Classic® / Smooth-Star® 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access

### Basic Pads



**Colors:**  
Bronze

**Sills:**  
Inswing  
Applications Only

## Weatherstrip

Provides two points of contact and a form-fitting barrier for extra protection against leaks.



### Medium-Reach Weatherstrip

**Colors:**  
Bronze  
White

**Doors:**  
Square Edge



### Long-Reach Weatherstrip

**Colors:**  
Bronze  
White

**Doors:**  
Bull Edge

## Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.



### Rain Deflector (Inswing)

**Colors:**  
Bronze  
White



### Rain Guard (Outswing)

**Colors:**  
Bronze  
White



Bottom of door;  
exterior view.

Rain Deflector

Bottom Sweep



Top of door;  
exterior view.

Jamb

Rain Guard

Weatherstrip

# Hardware

## Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

### GRIP-STYLE MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)

Side view of door.



#### Tongue

Heights:	Configurations:
6'8"	Inswing
7'0"	Outswing
8'0"	

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.



Exterior view of door.



Side view of door.

Engages at three critical points.

Exterior view of door.

## LEVER-STYLE MPLS ✦

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



### Tongue

Heights:  
6'6"  
6'8"  
7'0"  
8'0"

Configurations:  
Inswing  
Outswing



### Shootbolt

(For door systems with an astragal.)

Heights: Configurations:  
6'6" Inswing  
6'8" Outswing  
7'0"  
8'0"



## Vented Sidelite MPLS





**Tongue**  
(Included in vented sidelite units.)

Heights:  
6'6"  
6'8"  
8'0"

# Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



## FINISH OPTIONS



## FINISH OPTIONS



# Latch & Deadbolt Strike Plate



## ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

### Finish Options:

- Brushed Nickel
- Black Nickel
- Polished Chrome
- Oil-Rubbed Bronze
- Stainless Steel
- Zinc Dichomate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-½" screws fully engage with the frame of the house for added strength.

Standard vs. Adjustable Security Strike Plate



<sup>1</sup>To confirm code requirements in your jurisdiction, always check with your local building authority.  
 Note: See your Therma-Tru seller for available component options.

# Hinges

## Adjustable Hinge

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



## Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



## Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



## Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Classic-Craft® Ball-Bearing - Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



## Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.<sup>1</sup>



## HINGE FINISH OPTIONS



Bright Brass    Brushed Nickel    Black Nickel    Polished Chrome    Oil-Rubbed Bronze    Stainless Steel    Zinc Dichromate


■ = Available

Hinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing — Staggered Hole Pattern	Classic Craft Ball-Bearing — Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■				
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■		■		■
Polished Chrome	■	■	■	■	■		■		■
Oil-Rubbed Bronze	■	■	■	■	■	■	■		■
Stainless Steel		■	■	■	■		■	■	■
Zinc Dichromate		■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



## TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Oak Grain



Fir Grain

Aluminum



Bronze



White

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.





### STAINABLE / PAINTABLE ASTRAGAL ✚



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"  
**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Grain Options:**  
Oak  
Fir

**Weatherstrip:**  
Bronze

Shown in  
Oak grain with  
Driftwood stain.

### ALUMINUM ASTRAGAL ✚



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Finish Colors:**  
Bronze  
White

**Weatherstrip:**  
Bronze

Coastal option  
also available.

✚ Tru-Defense Eligible

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Left Page: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028  
Top: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

# Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote  
GBG Color Options



## DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



## PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.




## CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

# 3'6" Width Door Style Options

## CLASSIC CRAFT.

### 8'0" Door Styles




#### Glass Designs

Homeward	■		■			■	■
Arborwatch	■		■			■	■
Augustine	◆	◆	◆	◆	◆	◆	
Borrassa	◆	◆	◆	◆	◆	◆	
Lucerna	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

### KEY

- Classic Craft. Casual Styles
- ◆ Classic Craft. Traditional Styles
- ▲ Classic Craft. Modern Styles
- \* Smooth-Star.
- ▷ Profiles™ & Traditions


### 6'8" & 8'0" Solid-Panel Door Styles



## SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE.

### 6'8" & 8'0" Door Styles

#### All Pulse Styles




#### Glass Designs

Blackstone	*▷	*			*▷	*						
Crystalline	*▷	*			*▷	*						
Sedona	*▷		*▷	*	*▷	*						
Salinas	*▷	*			*▷	*						
Maple Park	*▷											
Saratoga	*▷		*▷	*	*▷	*						
Texas Star	*▷											
Wellesley	*▷	*										
Riserva	*▷	*	*▷	*	*▷	*						
Concorde	*▷	*										
Kensington	*▷											
Pembridge	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Axis	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Calix	*▷	*	*▷	*	*▷	*						
Latitude	*▷	*			*▷	*						
Echelon	*▷	*	*▷	*	*▷	*						
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Internal Blinds	*▷	*										
Divided Lites	*▷	*										
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Solid Panel											*▷	*

# 7'0" Height Door Style Options

Door Styles



Glass Designs

Blackstone	▼▲*▷	▲*▷	*		▷							
Crystalline	▼▲*▷											
Sedona	▼▲*▷	▲*▷	*		▷							
Salinas	▼▲*▷	▲*▷	*		▷							
Maple Park	▼▲*▷	▲*▷	*		▷			▲*▷				
Saratoga	▼▲*▷	▲*▷	*		▷		▼*	▲*▷				
Texas Star	▼▲*▷	▲*▷	*									
Wellesley	▼▲*▷	▲*▷	*		▷			▲*▷				
Riserva	▼▲*▷	▲*▷	*		▷							
Concorde	▼▲*▷	▲*▷	*		▷			▲*▷	▷			
Kensington	▼▲*▷	▲*▷	*		▷							
Pembridge	▼▲*▷	▲*▷	*		▷			▷		▲*▷		
Axis	▼▲*▷	▲*▷	*		▷					▲*▷		
Calix	▼▲*▷	▲*▷	*									
Latitude	▼▲*▷											
Echelon	▼▲*▷											
Privacy & Textured Glass	▼▲*▷	▲*▷	*	▼▲*▷	▷		▼*			▲*▷		
Internal Blinds	▼▲*▷	▲*▷	*	▼▲*▷								
Screen Vented		*▷	*	*▷								
Divided Lites	▼▲*▷	▲*▷	*		▷	*▷	▼*	▲*▷	▷		▷	
Clear	▼▲*▷	▲*▷	*	▼▲*▷	▷	*▷	▼*	▲*▷	▷	▲*▷		
Solid Panel												

# 6'6" Height Door Style Options

Door Styles




Glass Designs

Blackstone	▲*	▲*	
Crystalline	▲*	▲*	
Sedona	▲*	▲*	
Salinas	▲*	▲*	
Maple Park	▲*	▲*	
Saratoga	▲*	▲*	
Texas Star	▲*	▲*	
Wellesley	▲*	▲*	
Riserva	▲*	▲*	
Concorde	▲*	▲*	
Kensington	▲*	▲*	
Pembridge	▲*	▲*	
Axis	▲*	▲*	
Calix	▲*	▲*	
Latitude	▲*	▲*	
Echelon	▲*	▲*	
Privacy & Textured Glass	▲*	▲*	
Internal Blinds	▲*	▲*	
Screen Vented			
Divided Lites	▲*	▲*	
Clear	▲*	▲*	
Solid Panel			▲*▷

## KEY

- ▲ Classic Craft® Modern Styles
- ▼ Fiber-Classic® Mahogany™
- ▲ Fiber-Classic® Oak™
- \* Smooth-Star®
- ▷ Profiles™ & Traditions



		▼▲*D	D					
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D	▼*				
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D			D		
		▼▲*D	D			D		
		▼▲*D	D					
		▼▲*D						
		▼▲*D						
		▼▲*D	D	▼*	D			
		▼▲*D	D					
	D	▼▲*D	D	▼*				
		▼▲*D	D	▼*	D			
						*	▲*	▲▼▲*



Top: Smooth-Star, Maple Park Glass, Door – S6107  
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

# Entry & Patio Door System Product Details

Feature	Classic Craft	Fiber-Classic & Pulse Wood-Grained	Smooth-Star & Pulse Smooth	Profiles & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
<b>Skin Material</b>	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
<b>Skin Texture</b>	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
<b>Exterior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Interior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Panel – Top Rail</b>	Composite	Composite	Composite	Wood	Wood
<b>Panel – Bottom Rail</b>	Composite	Composite	Composite	Composite	Composite
<b>Lock Stile</b>	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
<b>Lock Block</b>	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
<b>Height Options</b>	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
<b>Width Options</b>	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
<b>Panel Options</b>	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
<b>Sidelite Options</b>	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
<b>Lite Frame Options</b>	SMC Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame
<b>Glass Options</b>	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
<b>Sill<sup>1</sup></b>	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
<b>Weatherstrip – Hinge</b>	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
<b>Weatherstrip – Lock</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Weatherstrip – Head</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Multi-Point Lock</b>	Recommended	Recommended	Recommended	–	–
<b>Security Strike Plate</b>	Recommended	Recommended	Recommended	Recommended	Recommended
<b>Hinges<sup>1</sup></b>	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
<b>Frame<sup>1</sup></b>	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
<b>Screens &amp; Screen Accessories Available</b> Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
<b>Residential Limited Warranty</b>	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/ AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/ BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [thermatru.com](http://thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

**Direct Set Sidelites** – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

**Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [thermatru.com](http://thermatru.com):

- Therma-Tru Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru Tru-Defense Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- PrismaGuard Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day Stain 5-Year Limited Warranty: Same-Day Stain and Topcoat for Use on Therma-Tru Fiberglass Door Systems and Fypon Stainable Polyurethane Products
- Therma-Tru Composite Door Frame featuring Tru-Guard Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Therma-Tru Composite Door Frame featuring Tru-Guard Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems

## Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [thermatru.com](http://thermatru.com):

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**

# Classic Craft®

Classic Craft	CCA2320XN	CCA3400XRSL	CCA8220XN	CCA82360XJ	CCA84940XJ
19020T	CCA2320XNSL	CCA3401SL	CCA8220XR	CCA82360XN	CCA84940XN
19200T	CCA2320XR	CCA3450SL	CCA8230	CCA82360XR	CCA84940XR
19210T	CCA2320XRSL	CCA3450XCSL	CCA82300	CCA82370	CCA84945
19220T	CCA2330	CCA3450XJSL	CCA82300SL	CCA82370XC	CCA87100
AB30T	CCA2330SL	CCA3450XNSL	CCA82300XC	CCA82370XE	CCA87100XR
ABRT	CCA2330XC	CCA3450XRSL	CCA82300XCSL	CCA82370XJ	CCA87111
CC040T	CCA2330XCSL	CCA3500SL	CCA82300XE	CCA82370XN	CCA87112
CC400T	CCA2330XE	CCA3500XCSL	CCA82300XESL	CCA82370XR	CCA87131
CC420T	CCA2330XESL	CCA3500XJSL	CCA82300XJ	CCA82380	CCA87132
CCA1100	CCA2330XJ	CCA3500XNSL	CCA82300XJSL	CCA82380XC	CCA87200
CCA1125	CCA2330XJSL	CCA3500XRSL	CCA82300XK	CCA82380XE	CCA87200XR
CCA1127	CCA2330XK	CCA3501SL	CCA82300XKSL	CCA82380XJ	CCA87300
CCA1133	CCA2330XKSL	CCA3560SL	CCA82300XN	CCA82380XK	CCA87300XR
CCA1145	CCA2330XN	CCA3560XCSL	CCA82300XNSL	CCA82380XN	CCA87400
CCA1147	CCA2330XNSL	CCA3560XJSL	CCA82300XR	CCA82380XR	CCA87400XR
CCA1149	CCA2330XR	CCA3560XNSL	CCA82300XRSL	CCA8240	CCA87600
CCA1150	CCA2330XRSL	CCA3560XRSL	CCA82300XC	CCA82400	CCA87600XR
CCA1158	CCA2340	CCA4900	CCA82300XJ	CCA82400SL	CCA89100
CCA1166	CCA2340SL	CCA4900XC	CCA82300XN	CCA82400XC	CCA9100
CCA1423SL	CCA2340XC	CCA4900XE	CCA82300XR	CCA82400XCSL	CCA9100SL
CCA210	CCA2340XCSL	CCA4900XJ	CCA8231	CCA82400XE	CCA9300
CCA210SL	CCA2340XE	CCA4900XN	CCA82310	CCA82400XESL	CCM1419
CCA210XC	CCA2340XESL	CCA4900XR	CCA82310SL	CCA82400XJ	CCM1424
CCA210XCSL	CCA2340XJ	CCA4905	CCA82310XC	CCA82400XJSL	CCM1465
CCA210XJ	CCA2340XJSL	CCA4910L	CCA82310XCSL	CCA82400XK	CCM1475
CCA210XJSL	CCA2340XK	CCA4910LXC	CCA82310XE	CCA82400XKSL	CCM1485
CCA210XN	CCA2340XKSL	CCA4910LXE	CCA82310XESL	CCA82400XN	CCM1495
CCA210XNSL	CCA2340XN	CCA4910LXJ	CCA82310XJ	CCA82400XNSL	CCM1842
CCA210XR	CCA2340XNSL	CCA4910LXN	CCA82310XJSL	CCA82400XR	CCM1843SL
CCA210XRSL	CCA2340XR	CCA4910LXR	CCA82310XK	CCA82400XRSL	CCM1844
CCA211	CCA2340XRSL	CCA4910R	CCA82310XKSL	CCA82400XC	CCM2000
CCA211SL	CCA2350	CCA4910RXC	CCA82310XN	CCA82400XJ	CCM200XC
CCA220	CCA2350XC	CCA4910RXE	CCA82310XNSL	CCA82400XN	CCM200XN
CCA220SL	CCA2350XE	CCA4910RXJ	CCA82310XR	CCA82400XR	CCM203
CCA220XC	CCA2350XJ	CCA4910RXN	CCA82310XRSL	CCA82410SL	CCM204
CCA220XCSL	CCA2350XN	CCA4910RXR	CCA82320	CCA82420SL	CCM2800
CCA220XJ	CCA2350XR	CCA4915L	CCA82320SL	CCA8260	CCM2800XC
CCA220XJSL	CCA2360	CCA4915R	CCA82320XC	CCA8260XC	CCM2800XE
CCA220XN	CCA2360XC	CCA4920L	CCA82320XCSL	CCA8260XJ	CCM2800XK
CCA220XNSL	CCA2360XE	CCA4920LXC	CCA82320XE	CCA8260XN	CCM2800XN
CCA220XR	CCA2360XJ	CCA4920LXE	CCA82320XESL	CCA8260XR	CCM2800XR
CCA220XRSL	CCA2360XN	CCA4920LXJ	CCA82320XJ	CCA84900	CCM2801
CCA230	CCA2360XR	CCA4920LXN	CCA82320XJSL	CCA84900XC	CCM2802
CCA2300	CCA2370	CCA4920LXR	CCA82320XK	CCA84900XE	CCM2803
CCA2300SL	CCA2370XC	CCA4920R	CCA82320XKSL	CCA84900XJ	CCM2804
CCA2300XC	CCA2370XE	CCA4920RXC	CCA82320XN	CCA84900XN	CCM2804XC
CCA2300XCSL	CCA2370XJ	CCA4920RXE	CCA82320XNSL	CCA84900XR	CCM2804XE
CCA2300XE	CCA2370XN	CCA4920RXJ	CCA82320XR	CCA84905	CCM2804XK
CCA2300XESL	CCA2370XR	CCA4920RXN	CCA82320XRSL	CCA84910L	CCM2804XN
CCA2300XJ	CCA2380	CCA4920RXR	CCA82330	CCA84910LXC	CCM2804XR
CCA2300XJSL	CCA2380XC	CCA4925L	CCA82330SL	CCA84910LXE	CCM2806
CCA2300XK	CCA2380XE	CCA4925R	CCA82330XC	CCA84910LXJ	CCM2806XC
CCA2300XKSL	CCA2380XJ	CCA4930	CCA82330XCSL	CCA84910LXN	CCM2806XE
CCA2300XN	CCA2380XK	CCA4930XC	CCA82330XE	CCA84910LXR	CCM2806XK
CCA2300XNSL	CCA2380XN	CCA4930XE	CCA82330XESL	CCA84910R	CCM2806XN
CCA2300XR	CCA2380XR	CCA4930XJ	CCA82330XJ	CCA84910RXC	CCM2806XR
CCA2300XRSL	CCA240	CCA4930XN	CCA82330XJSL	CCA84910RXE	CCM2812
CCA230XC	CCA2400	CCA4930XR	CCA82330XK	CCA84910RXL	CCM2812XC
CCA230XJ	CCA2400SL	CCA4935	CCA82330XKSL	CCA84910RXN	CCM2812XE
CCA230XN	CCA2400XC	CCA4940	CCA82330XN	CCA84910RXR	CCM2812XK
CCA230XR	CCA2400XCSL	CCA4940XC	CCA82330XNSL	CCA84915L	CCM2812XN
CCA231	CCA2400XE	CCA4940XE	CCA82330XR	CCA84915R	CCM2812XR
CCA2310	CCA2400XESL	CCA4940XJ	CCA82330XRSL	CCA84920L	CCM300
CCA2310SL	CCA2400XJ	CCA4940XN	CCA82340	CCA84920LXC	CCM300XC
CCA2310XC	CCA2400XJSL	CCA4940XR	CCA82340SL	CCA84920LXE	CCM300XN
CCA2310XCSL	CCA2400XK	CCA4945	CCA82340XC	CCA84920LXJ	CCM301CAL
CCA2310XE	CCA2400XKSL	CCA81100	CCA82340XCSL	CCA84920LXN	CCM301CALXC
CCA2310XESL	CCA2400XN	CCA81125	CCA82340XE	CCA84920LXR	CCM301CALXE
CCA2310XJ	CCA2400XNSL	CCA81127	CCA82340XESL	CCA84920R	CCM301CALXN
CCA2310XJSL	CCA2400XR	CCA81133	CCA82340XJ	CCA84920RXC	CCM301CALXR
CCA2310XK	CCA2400XRSL	CCA81145	CCA82340XJSL	CCA84920RXE	CCM301CAR
CCA2310XKSL	CCA240XC	CCA81147	CCA82340XK	CCA84920RXJ	CCM301CARXC
CCA2310XN	CCA240XJ	CCA81149	CCA82340XKSL	CCA84920RXN	CCM301CARXE
CCA2310XNSL	CCA240XN	CCA81150	CCA82340XN	CCA84920RXR	CCM301CARXN
CCA2310XR	CCA240XR	CCA81158	CCA82340XNSL	CCA84925L	CCM301CARXR
CCA2310XRSL	CCA2410SL	CCA81166	CCA82340XR	CCA84925R	CCM302
CCA2320	CCA2420SL	CCA81423SL	CCA82340XRSL	CCA84930	CCM302L
CCA2320SL	CCA260	CCA8210	CCA82350	CCA84930XC	CCM302LXC
CCA2320XC	CCA260XC	CCA8210XC	CCA82350XC	CCA84930XE	CCM302LXE
CCA2320XCSL	CCA260XJ	CCA8210XJ	CCA82350XE	CCA84930XJ	CCM302LXN
CCA2320XE	CCA260XN	CCA8210XN	CCA82350XJ	CCA84930XN	CCM302LXR
CCA2320XESL	CCA260XR	CCA8210XR	CCA82350XN	CCA84930XR	CCM302R
CCA2320XJ	CCA3400SL	CCA8211	CCA82350XR	CCA84935	CCM302RXC
CCA2320XJSL	CCA3400XCSL	CCA8220	CCA82360	CCA84940	CCM302RXC
CCA2320XK	CCA3400XJSL	CCA8220XC	CCA82360XC	CCA84940XC	CCM302RXN
CCA2320XKSL	CCA3400XNSL	CCA8220XJ	CCA82360XE	CCA84940XE	CCM302RXN

CCM303.....	63	CCM8301CARXN.....	76	CCR1851SL.....	65	CCR81515.....	71	CCV06020.....	81	CCV8100XRSL.....	85
CCM303L.....	79	CCM8301CARXR.....	76	CCR200.....	93	CCR81516.....	70	CCV06020XE.....	80	CCV8102SL.....	64
CCM303LXC.....	76	CCM8302L.....	78	CCR20020.....	77	CCR81518.....	70	CCV06022.....	80	CCV8103SL.....	64
CCM303LXE.....	76	CCM8302LXC.....	75	CCR20020XC.....	75	CCR81838.....	74	CCV06023.....	80	CCV8108SL.....	65
CCM303LXN.....	76	CCM8302LXE.....	75	CCR20020XN.....	75	CCR81839.....	74	CCV06028.....	80	CCV8111SL.....	62
CCM303LXR.....	76	CCM8302LXN.....	75	CCR20022.....	73	CCR81841.....	73	CCV10020.....	61	CCV81414.....	69
CCM303R.....	79	CCM8302LXR.....	75	CCR20023.....	72	CCR81845.....	74	CCV10022.....	55	CCV81415.....	69
CCM303RXC.....	76	CCM8302R.....	78	CCR20027.....	69	CCR81845A.....	74	CCV10023.....	55	CCV81418.....	62
CCM303RXE.....	76	CCM8302RXC.....	75	CCR20037.....	70	CCR81846.....	74	CCV10027.....	54	CCV81423SL.....	62
CCM303RXN.....	76	CCM8302RXE.....	75	CCR20037A.....	70	CCR81846A.....	74	CCV10028.....	55	CCV81512.....	71
CCM303RXR.....	76	CCM8302RXN.....	75	CCR200A.....	92	CCR81847.....	74	CCV100SL.....	61	CCV81515.....	71
CCM304.....	78	CCM8302RXR.....	75	CCR2025SL.....	67	CCR81851SL.....	65	CCV100SL.....	67	CCV81516.....	71
CCM304LXC.....	76	CCM8303L.....	79	CCR2025SL.....	61	CCR8200.....	93	CCV100SL.....	87	CCV81519.....	63
CCM304LXE.....	76	CCM8303LXC.....	76	CCR2025XCSL.....	66	CCR820020.....	77	CCV100XCSL.....	66	CCV81838.....	74
CCM304LXN.....	76	CCM8303LXE.....	76	CCR2025XESL.....	66	CCR820020XC.....	75	CCV100XCSL.....	85	CCV81839.....	74
CCM304LXR.....	76	CCM8303LXN.....	76	CCR2025XHSL.....	93	CCR820020XN.....	75	CCV100XESL.....	66	CCV81843.....	65
CCM304R.....	78	CCM8303LXR.....	76	CCR2025XJSL.....	66	CCR820022.....	73	CCV100XESL.....	85	CCV81846.....	74
CCM304RXC.....	76	CCM8303R.....	79	CCR2025XNSL.....	66	CCR820023.....	72	CCV100XESL.....	55	CCV81851SL.....	65
CCM304RXE.....	76	CCM8303RXC.....	76	CCR2025XRSL.....	66	CCR820027.....	69	CCV100XESL.....	63	CCV8205.....	93
CCM304RXN.....	76	CCM8303RXE.....	76	CCR205.....	93	CCR820028.....	72	CCV100XJSL.....	66	CCV820520.....	78
CCM304RXR.....	76	CCM8303RXN.....	76	CCR20520.....	77	CCR820030.....	77	CCV100XJSL.....	85	CCV820520XC.....	75
CCM305CAL.....	79	CCM8303RXR.....	76	CCR20520XC.....	75	CCR820030A.....	78	CCV100XNSL.....	54	CCV820520XN.....	75
CCM305CALXC.....	77	CCM8304L.....	79	CCR20520XN.....	75	CCR820030XC.....	75	CCV100XNSL.....	63	CCV820522.....	73
CCM305CALXE.....	77	CCM8304LXC.....	76	CCR20522.....	73	CCR820030XN.....	75	CCV100XNSL.....	66	CCV820523.....	72
CCM305CALXN.....	77	CCM8304LXE.....	76	CCR20523.....	72	CCR820032.....	73	CCV100XNSL.....	85	CCV820527.....	70
CCM305CALXR.....	77	CCM8304LXN.....	76	CCR20527.....	69	CCR820032A.....	73	CCV100XRSL.....	66	CCV820528.....	72
CCM305CAR.....	77	CCM8304LXR.....	76	CCR20537.....	70	CCR820037.....	70	CCV100XRSL.....	85	CCV820530.....	78
CCM305CARXC.....	79	CCM8304R.....	79	CCR20537A.....	70	CCR820037A.....	70	CCV103SL.....	55	CCV820530XC.....	75
CCM305CARXE.....	77	CCM8304RXC.....	76	CCR205A.....	92	CCR8200A.....	92	CCV103SL.....	64	CCV820530XN.....	75
CCM305CARXN.....	77	CCM8304RXE.....	76	CCR30020.....	61	CCR82035SL.....	67	CCV108SL.....	55	CCV820532.....	73
CCM305CARXR.....	77	CCM8304RXN.....	76	CCR30023.....	55	CCR82035XCSL.....	66	CCV108SL.....	65	CCV820537.....	70
CCM306CAL.....	79	CCM8304RXR.....	76	CCR30027.....	54	CCR82035XESL.....	66	CCV1414.....	69	CCV8220.....	93
CCM306CALXC.....	77	CCM8305CAL.....	79	CCR30028.....	55	CCR82035XHSL.....	93	CCV1415.....	69	CCV822020.....	78
CCM306CALXE.....	77	CCM8305CALXC.....	77	CCR3400SL.....	61	CCR82035XJSL.....	66	CCV1418.....	62	CCV822020XC.....	75
CCM306CALXN.....	77	CCM8305CALXE.....	77	CCR3400SL.....	67	CCR82035XNSL.....	66	CCV1423.....	54	CCV822020XN.....	75
CCM306CALXR.....	77	CCM8305CALXN.....	77	CCR3400XCSL.....	66	CCR82035XRSL.....	66	CCV1423SL.....	54	CCV822022.....	73
CCM306CAR.....	79	CCM8305CALXR.....	77	CCR3400XESL.....	66	CCR8205.....	93	CCV1423SL.....	62	CCV822023.....	72
CCM306CARXC.....	77	CCM8305CAR.....	79	CCR3400XHSL.....	55	CCR820520.....	77	CCV1423SL.....	83	CCV822027.....	70
CCM306CARXE.....	77	CCM8305CARXC.....	77	CCR3400XHSL.....	63	CCR820520XC.....	75	CCV1424.....	80	CCV822028.....	72
CCM306CARXN.....	77	CCM8305CARXE.....	77	CCR3400XJSL.....	66	CCR820520XN.....	75	CCV1512.....	71	CCV831.....	93
CCM306CARXR.....	77	CCM8305CARXN.....	77	CCR3400XNSL.....	54	CCR820522.....	73	CCV1515.....	71	CCV8950SL.....	67
CCM3300SL.....	67	CCM8305CARXR.....	77	CCR3400XNSL.....	63	CCR820523.....	72	CCV1516.....	71	CCV8950SL.....	87
CCM3302SL.....	64	CCM8306CAL.....	79	CCR3400XNSL.....	66	CCR820527.....	69	CCV1519.....	63	CCV8950XCSL.....	66
CCM3303SL.....	64	CCM8306CALXC.....	77	CCR3400XRSL.....	66	CCR820528.....	71	CCV1528.....	55	CCV8950XCSL.....	85
CCM60.....	93	CCM8306CALXE.....	77	CCR3407SL.....	55	CCR820530.....	77	CCV1838.....	74	CCV8950XHSL.....	93
CCM600.....	81	CCM8306CALXN.....	77	CCR3407SL.....	64	CCR820530A.....	78	CCV1839.....	74	CCV8950XJSL.....	66
CCM600XE.....	80	CCM8306CALXR.....	77	CCR3408SL.....	55	CCR820530AXC.....	75	CCV1843.....	65	CCV8950XJSL.....	85
CCM603.....	80	CCM8306CAR.....	79	CCR3408SL.....	65	CCR820530AXN.....	75	CCV1851.....	56	CCV8950XNSL.....	66
CCM612.....	80	CCM8306CARXC.....	77	CCR3412SL.....	55	CCR820530XC.....	75	CCV1851SL.....	56	CCV8950XRSL.....	85
CCM805027.....	62	CCM8306CARXE.....	77	CCR3412SL.....	64	CCR820530XN.....	75	CCV1851SL.....	65	CCV8950XRSL.....	66
CCM81418.....	62	CCM8306CARXN.....	77	CCR8000SL.....	67	CCR820532.....	73	CCV200.....	93	CCV8950XRSL.....	85
CCM81519.....	63	CCM8306CARXR.....	77	CCR8000XCSL.....	66	CCR820532A.....	73	CCV205.....	93	CCV89918.....	68
CCM82800.....	67	CCM890.....	92	CCR8000XRSL.....	66	CCR820537.....	70	CCV20520.....	78	CCV89919.....	68
CCM82800XC.....	65	CCM892.....	63	CCR8000XHSL.....	63	CCR820537A.....	70	CCV20520XC.....	75	CCV89922.....	62
CCM82800XE.....	65	CCM9923.....	62	CCR8000XJSL.....	66	CCR8205A.....	92	CCV20520XN.....	75	CCV9010SL.....	87
CCM82800XK.....	65	CCM9926.....	80	CCR8000XNSL.....	63	CCR8222.....	92	CCV20522.....	73	CCV9011SL.....	82
CCM82800XN.....	65	CCR040.....	93	CCR8000XNSL.....	66	CCR822214.....	69	CCV20523.....	72	CCV9020SL.....	87
CCM82800XR.....	65	CCR04020.....	77	CCR8000XRSL.....	66	CCR822215.....	71	CCV20527.....	70	CCV910.....	87
CCM82801.....	62	CCR04020XC.....	75	CCR8005.....	92	CCR822218.....	68	CCV20537.....	70	CCV910XC.....	85
CCM82802.....	64	CCR04020XN.....	75	CCR8005A.....	92	CCR822220.....	77	CCV220.....	93	CCV910XCSL.....	85
CCM82803.....	65	CCR04022.....	73	CCR8007SL.....	64	CCR822220XC.....	75	CCV22020.....	78	CCV910XJ.....	85
CCM82804.....	66	CCR04023.....	72	CCR8008SL.....	65	CCR822220XN.....	75	CCV22020XC.....	75	CCV910XJSL.....	85
CCM82804XC.....	65	CCR04027.....	69	CCR8040.....	93	CCR822222.....	73	CCV22020XN.....	75	CCV910XN.....	85
CCM82804XE.....	65	CCR04037.....	69	CCR804020.....	77	CCR822223.....	72	CCV22022.....	73	CCV910XNSL.....	85
CCM82804XK.....	65	CCR100.....	92	CCR804020XC.....	75	CCR822227.....	69	CCV22023.....	72	CCV910XR.....	85
CCM82804XN.....	65	CCR10022.....	55	CCR804020XN.....	75	CCR822228.....	72	CCV22027.....	70	CCV910XRSL.....	85
CCM82804XR.....	65	CCR100R.....	92	CCR804022.....	73	CCR82223.....	74	CCV3412SL.....	55	CCV911.....	82
CCM82806.....	66	CCR1414.....	68	CCR804023.....	72	CCR8225.....	92	CCV3412SL.....	64	CCV911SL.....	54
CCM82806XC.....	65	CCR1415.....	68	CCR804027.....	69	CCR8225SL.....	68	CCV4100.....	83	CCV911SL.....	62
CCM82806XE.....	65	CCR1417.....	68	CCR804028.....	71	CCR89918.....	68	CCV4100SL.....	83	CCV911SL.....	82
CCM82806XK.....	65	CCR1423.....	54	CCR804030.....	77	CCR89921.....	68	CCV4300.....	83	CCV920.....	86
CCM82806XN.....	65	CCR1423SL.....	54	CCR804030XC.....	75	CCR89925SL.....	62	CCV805020.....	67	CCV920XC.....	85
CCM82806XR.....	65	CCR1423SL.....	62	CCR804030XN.....	75	CCR9918.....	68	CCV805022.....	64	CCV920XCSL.....	85
CCM82815.....	66	CCR1511.....	71	CCR804032.....	73	CCR9919.....	68	CCV805023.....	64	CCV920XJ.....	85
CCM82815XC.....	65	CCR1511A.....	71	CCR804037.....	69	CCR9921.....	68	CCV805027.....	63	CCV920XJSL.....	85
CCM82815XE.....	65	CCR1512.....	71	CCR8100.....	92	CCR9925.....	54	CCV805028.....	65	CCV920XN.....	85
CCM82815XK.....	65	CCR1512A.....	71	CCR8100R.....	92	CCR9925SL.....	54	CCV8100SL.....	67	CCV920XNSL.....	85
CCM82815XN.....	65	CCR1514.....	71	CCR8102SL.....	64	CCR9925SL.....	62	CCV8100SL.....	87	CCV920XR.....	85
CCM82815XR.....	65	CCR1515.....	71	CCR81414.....	68	CCV050.....	93	CCV8100XCSL.....	66	CCV920XRSL.....	85
CCM8301CAL.....	79	CCR1516.....	70	CCR81415.....	68	CCV05020.....	67	CCV8100XCSL.....	85	CCV930.....	86
CCM8301CALXC.....	76	CCR1518.....	70	CCR81417.....	68	CCV05020XC.....	66	CCV8100XHSL.....	63	CCV930XC.....	85
CCM8301CALXE.....	76	CCR1528.....	55	CCR81423SL.....	62	CCV05020XN.....	66	CCV8100XJSL.....	66	CCV930XJ.....	85
CCM8301CALXN.....	76	CCR1838.....	74	CCR81511.....	71	CCV05022.....	64	CCV8100XJSL.....	85	CCV930XN.....	85
CCM8301CALXR.....	76	CCR1839.....	74	CCR81511A.....	71	CCV05023.....	64	CCV8100XNSL.....	63	CCV930XR.....	85
CCM8301CAR.....	79	CCR1841.....	73	CCR81512.....	71	CCV05027.....	63	CCV8100XNSL.....	66	CCV931.....	82
CCM8301CARXC.....	76	CCR1851.....	56	CCR81512A.....	71	CCV05028.....	65	CCV8100XNSL.....	85	CCV940.....	86
CCM8301CARXE.....	76	CCR1851SL.....	56	CCR81514.....	71	CCV060.....	93	CCV8100XRSL.....	66	CCV940XC.....	85

# Fiber-Classic® & Smooth-Star®

CCV940XJ.....85	Fiber-Classic & Smooth-	2050XCSSL.....116	81937P.....169	81981P.....171	FC1289SL.....148
CCV940XN.....85	Star.....	2050XE.....116	81937PSL.....169	81982P.....170	FC131SL.....152
CCV940XR.....85	1000.....199	2050XESL.....116	81938P.....171	81983P.....171	FC131XC.....152
CCV950SL.....61	1283.....150	2050XJ.....116	81938PSL.....171	81984P.....172	FC131XE.....152
CCV950SL.....67	1284.....147	2050XJSL.....116	81939P.....170	81985P.....174	FC131XJ.....152
CCV950SL.....87	1285.....147	2050XK.....116	81939PSL.....170	81986PSL.....134	FC131XK.....152
CCV950XCSL.....66	1286.....145	2050XKSL.....116	81940P.....171	81986SL.....134	FC131XN.....152
CCV950XCSL.....85	1289.....148	2050XN.....116	81940PSL.....171	85901SL.....154	FC131XR.....152
CCV950XESL.....66	2000.....122	2050XNSL.....116	81941P.....172	85919SL.....172	FC138.....147
CCV950XESL.....85	2009.....120	2050XR.....116	81941PSL.....172	AXRT.....201	FC138XC.....142
CCV950XHSL.....93	2010.....119	2050XRSL.....116	81942P.....174	BSRT.....201	FC138XE.....142
CCV950XJSL.....66	2050.....119	8000-18.....119	81942PSL.....174	CNRT.....201	FC138XJ.....142
CCV950XJSL.....85	8000.....122	8000XC.....119	81943P.....164	CX30T.....201	FC138XK.....142
CCV950XNSL.....66	81000.....199	8000XE.....119	81943PSL.....164	CXRT.....201	FC138XN.....142
CCV950XNSL.....85	81200.....150	8000XJ.....119	81943PX.....159	DRS2131SL.....150	FC138XR.....142
CCV950XRSL.....66	81208.....147	8000XK.....119	81943PXCSL.....159	DRS82131SL.....150	FC1400.....162
CCV950XRSL.....85	81225.....145	8000XN.....119	81943PXE.....159	EC30T.....201	FC1400SL.....162
CCV960.....87	81828.....147	8000XR.....119	81943PXESL.....159	ECRT.....201	FC1402.....162
CCV960XC.....85	2228225.....120	81200P.....150	81943PXJ.....159	FC10.....150	FC1404.....190
CCV960XJ.....85	2228316.....119	81200PSL.....150	81943PXJSL.....159	FC100.....132	FC1408.....182
CCV960XN.....85	12101SL.....150	81200PXC.....144	81943PXX.....159	FC1006.....134	FC1408SL.....182
CCV960XR.....85	12101XCSSL.....144	81200PXCSSL.....144	81943PXXSL.....159	FC100SL.....133	FC141.....144
CCV9918.....68	12101XESL.....144	81200PXE.....144	81943PXN.....159	FC101SL.....168	FC141SL.....145
CCV9919.....68	12101XJSL.....144	81200PXESL.....144	81943PXNSL.....159	FC101.....168	FC142.....135
CCV9922.....62	12101XKSL.....144	81200PXJ.....144	81943PXR.....159	FC1029.....135	FC142SL.....135
CCV9925.....54	12101XNSL.....144	81200PXJSL.....144	81943PXRSL.....159	FC104.....135	FC143.....154
CCV9926.....80	12101XRSL.....144	81200PXX.....144	81944P.....162	FC104SL.....136	FC143SL.....154
CCW1000.....90	12102SL.....147	81200PXXSL.....144	81944PSL.....162	FC104XC.....179	FC144.....171
CCW81000.....90	12102XCSSL.....143	81200PXN.....144	81945P.....161	FC104XE.....179	FC1442SL.....156
CCW8900L.....90	12102XESL.....143	81200PXNSL.....144	81945PXC.....158	FC104XJ.....179	FC147.....154
CCW8900R.....90	12102XJSL.....143	81200PXR.....144	81945PXE.....158	FC104XK.....179	FC147SL.....154
CCW8901L.....90	12102XKSL.....143	81200PXRSL.....144	81945PXJ.....158	FC104XN.....179	FC148.....138
CCW8901R.....90	12102XNSL.....143	81200SL.....150	81945PXX.....158	FC104XR.....179	FC148SL.....138
CCW8902L.....90	12102XRSL.....143	81200XC.....144	81945PXN.....158	FC105.....172	FC149.....174
CCW8902R.....91	1283XC.....144	81200XCSSL.....144	81945PXR.....158	FC105SL.....172	FC149SL.....174
CCW8903.....91	1283XE.....144	81200XE.....144	81946P.....161	FC108.....131	FC151.....166
CCW8904L.....91	1283XJ.....144	81200XESL.....144	81946PSL.....162	FC1089.....161	FC156.....155
CCW8904R.....91	1283XK.....144	81200XJ.....144	81946PXC.....158	FC1089SL.....161	FC16.....132
CCW8905.....91	1283XN.....144	81200XJSL.....144	81946PXCSL.....158	FC108SL.....131	FC160.....166
CCW8906L.....91	1283XR.....144	81200XK.....144	81946PXE.....158	FC109.....167	FC163.....165
CCW8906R.....91	1284XC.....142	81200XKSL.....144	81946PXESL.....158	FC109SL.....167	FC164.....164
CCW8907L.....91	1284XE.....142	81200XN.....144	81946PXJ.....158	FC10XC.....144	FC1645.....196
CCW8907R.....91	1284XJ.....142	81200XNSL.....144	81946XJSL.....158	FC10XE.....144	FC1646.....156
CCW900L.....90	1284XK.....142	81200XR.....144	81946PXX.....158	FC10XJ.....144	FC1646SL.....156
CCW900R.....90	1284XN.....142	81200XRSL.....144	81946PXXSL.....158	FC10XK.....144	FC1647.....156
CCW901L.....90	1284XR.....142	81208P.....147	81946PXN.....158	FC10XN.....144	FC1651.....139
CCW901R.....90	1285XC.....142	81208PSL.....147	81946PXNSL.....158	FC10XR.....144	FC1651SL.....139
CCW902L.....90	1285XE.....142	81208SL.....147	81946PXR.....158	FC113.....133	FC1652.....139
CCW902R.....91	1285XJ.....142	81225P.....144	81946PXRSL.....158	FC113SL.....133	FC1652SL.....139
CCW903.....91	1285XK.....142	81225PSL.....145	81947PSL.....162	FC114.....169	FC1654.....176
CCW904L.....91	1285XN.....142	81225SL.....145	81949PSL.....162	FC114SL.....169	FC1655.....189
CCW904R.....91	1285XR.....142	81800P.....132	81952P.....151	FC115.....152	FC1656SL.....176
CCW905.....91	1286SL.....145	81800PSL.....132	81952PSL.....151	FC115SL.....152	FC18.....147
CCW906L.....91	18101SL.....132	81800SL.....132	81953P.....151	FC116.....180	FC18SL.....147
CCW906R.....91	19020T.....201	81900PSL.....162	81953PSL.....152	FC1200.....147	FC18XC.....142
CCW907L.....91	19055T.....201	81918P.....131	81954P.....152	FC1200SL.....147	FC18XCSSL.....143
CCW907R.....91	19200T.....201	81918PSL.....131	81954PSL.....152	FC1201.....146	FC18XE.....142
DRS2131SL.....91	19210T.....201	81918SL.....131	81955P.....152	FC1201SL.....147	FC18XESL.....143
DRS82131SL.....91	19220T.....201	81919P.....133	81955PSL.....152	FC1202.....146	FC18XJ.....142
HW30T.....94	19520T.....201	81919PSL.....133	81956P.....153	FC1202SL.....147	FC18XJSL.....143
HWRT.....94	1964P.....159	81919SL.....133	81956PSL.....153	FC1203.....147	FC18XK.....142
LC30T.....94	19720T.....201	81921P.....135	81957P.....153	FC1204.....119	FC18XKSL.....143
LCET.....94	19730T.....201	81921PSL.....136	81957PSL.....153	FC1204SL.....120	FC18XN.....142
LCRT.....94	19740T.....201	81921SL.....136	81958P.....154	FC1205.....119	FC18XNSL.....143
LF30T.....94	19750T.....201	81928P.....137	81958PSL.....154	FC1205SL.....119	FC18XR.....142
LFET.....94	2000SL.....122	81928PSL.....137	81959P.....154	FC1205XC.....116	FC18XRSL.....143
LFRT.....94	2000XC.....119	81928SL.....137	81959PSL.....154	FC1205XE.....116	FC198.....148
ZHRT.....94	2000XCSSL.....119	81929P.....184	81960P.....155	FC1205XJ.....116	FC198SL.....148
	2000XE.....119	81929PSL.....184	81960PSL.....155	FC1205XK.....116	FC20042.....155
	2000XESL.....119	81929PXC.....179	81961P.....155	FC1205XN.....116	FC2101.....161
	2000XJ.....119	81929PXCSL.....179	81961PSL.....156	FC1205XR.....116	FC2101SL.....161
	2000XJSL.....119	81929PXE.....179	81964P.....159	FC1206.....119	FC2102.....161
	2000XK.....119	81929PXESL.....179	81964PSL.....159	FC1206SL.....119	FC2106.....161
	2000XKSL.....119	81929PXJ.....179	81968PSL.....133	FC1207.....119	FC2107.....161
	2000XN.....119	81929PXJSL.....179	81968P.....132	FC1207XC.....116	FC2108.....161
	2000XNSL.....119	81929PXX.....179	81968SL.....133	FC1207XE.....116	FC2213.....141
	2000XR.....119	81929PXXSL.....179	81971P.....184	FC1207XJ.....116	FC2213SL.....141
	2000XRSL.....119	81929PXN.....179	81971PXC.....179	FC1207XK.....116	FC2223.....140
	2009SL.....120	81929PXNSL.....179	81971PXE.....179	FC1207XN.....116	FC2223SL.....140
	2010XC.....116	81929PXR.....179	81971PXJ.....179	FC1207XR.....116	FC2233.....141
	2010XE.....116	81929PXRSL.....179	81971PXX.....179	FC1208.....147	FC2233SL.....142
	2010XJ.....116	81933P.....167	81971PXN.....179	FC1208SL.....147	FC23.....196
	2010XK.....116	81933PSL.....167	81971PXR.....179	FC1209.....146	FC2382.....141
	2010XN.....116	81935P.....168	81975P.....167	FC1209SL.....147	FC2382SL.....141
	2010XR.....116	81935PSL.....168	81977P.....168	FC1211.....146	FC2385.....141
	2050SL.....120	81936P.....168	81978P.....168	FC1211SL.....147	FC2385SL.....142
	2050XC.....116	81936PSL.....168	81980P.....169	FC1212.....147	FC2389.....140

FC2389SL.....	140	FC5710XRSL.....	117	FC691XJ.....	116	FC81654.....	176	FC85720XC.....	116	FC89701.....	174
FC241.....	132	FC5720.....	120	FC691XK.....	116	FC81654SL.....	176	FC85720XE.....	116	FC8971.....	180
FC31.....	198	FC5720SL.....	120	FC691XN.....	116	FC816SL.....	133	FC85720XJ.....	116	FC8972.....	190
FC310.....	131	FC5720XC.....	116	FC691XR.....	116	FC817.....	133	FC85720XK.....	116	FC900.....	134
FC32.....	164	FC5720XCCL.....	117	FC704.....	195	FC817SL.....	135	FC85720XN.....	116	FC900SL.....	134
FC32SL.....	164	FC5720XE.....	116	FC707.....	194	FC818SL.....	136	FC85720XR.....	116	FC901.....	170
FC32XC.....	159	FC5720XESL.....	117	FC708.....	195	FC82.....	161	FC8572SL.....	136	FC901SL.....	170
FC32XCCL.....	159	FC5720XJ.....	116	FC709.....	165	FC820.....	137	FC8573SL.....	136	FC902.....	153
FC32XE.....	159	FC5720XJSL.....	117	FC710.....	166	FC821.....	135	FC8574.....	136	FC902SL.....	153
FC32XESL.....	159	FC5720XK.....	116	FC7125SL.....	182	FC822.....	132	FC8579.....	173	FC905.....	134
FC32XJ.....	159	FC5720XKSL.....	117	FC713.....	165	FC82213.....	141	FC8581.....	173	FC905SL.....	134
FC32XJSL.....	159	FC5720XN.....	116	FC714.....	164	FC82213SL.....	141	FC8583SL.....	173	FC906.....	171
FC32XK.....	159	FC5720XNLSL.....	117	FC721.....	194	FC82223.....	140	FC860.....	198	FC906SL.....	171
FC32XKSL.....	159	FC5720XR.....	116	FC735.....	195	FC82223SL.....	140	FC861.....	197	FC907.....	153
FC32XN.....	159	FC5720XRSL.....	117	FC736.....	194	FC82233.....	141	FC861XC.....	197	FC907SL.....	153
FC32XNSL.....	159	FC572SL.....	136	FC745.....	195	FC82233SL.....	142	FC861XE.....	197	FC910.....	137
FC32XR.....	159	FC573SL.....	136	FC752.....	195	FC82382.....	141	FC861XJ.....	197	FC910SL.....	137
FC32XRSL.....	159	FC574.....	136	FC755.....	198	FC82382SL.....	141	FC861XK.....	197	FC911.....	174
FC3487SL.....	182	FC581.....	173	FC765.....	151	FC82385.....	141	FC861XN.....	197	FC911SL.....	174
FC3487XCSL.....	178	FC583SL.....	173	FC765SL.....	151	FC82385SL.....	142	FC861XR.....	197	FC912.....	155
FC3487XESL.....	178	FC60.....	198	FC766.....	164	FC82389.....	140	FC862.....	198	FC912SL.....	155
FC3487XJSL.....	178	FC6093.....	134	FC766XC.....	159	FC82389SL.....	140	FC86220.....	190	FC915.....	165
FC3487XKSL.....	178	FC6094.....	135	FC766XE.....	159	FC828.....	147	FC862203.....	190	FC916.....	165
FC3487XNSL.....	178	FC6095.....	137	FC766XJ.....	159	FC82XC.....	158	FC862203XC.....	189	FC917.....	196
FC3487XRSL.....	178	FC61.....	197	FC766XK.....	159	FC82XE.....	158	FC862203XE.....	189	FC92.....	161
FC369.....	133	FC61XC.....	197	FC766XN.....	159	FC82XJ.....	158	FC862203XJ.....	189	FC925.....	190
FC38.....	151	FC61XE.....	197	FC766XR.....	159	FC82XK.....	158	FC862203XK.....	189	FC92SL.....	162
FC386.....	177	FC61XJ.....	197	FC770.....	151	FC82XN.....	158	FC862203XN.....	189	FC92XC.....	158
FC387SL.....	177	FC61XK.....	197	FC772.....	151	FC82XR.....	158	FC862203XR.....	189	FC92XCCL.....	158
FC389.....	157	FC61XN.....	197	FC773.....	152	FC8310.....	161	FC86220XC.....	190	FC92XE.....	158
FC38SL.....	152	FC61XR.....	197	FC775.....	152	FC8310SL.....	162	FC86220XE.....	190	FC92XESL.....	158
FC393.....	189	FC62.....	184	FC776.....	153	FC8311.....	161	FC86220XJ.....	190	FC92XJ.....	158
FC4521.....	157	FC626.....	138	FC777.....	153	FC8311SL.....	161	FC86220XK.....	190	FC92XJSL.....	158
FC4521SL.....	157	FC62XC.....	179	FC778.....	154	FC8313.....	161	FC86220XN.....	190	FC92XK.....	158
FC4525.....	157	FC62XE.....	179	FC779.....	154	FC8313SL.....	161	FC86220XR.....	190	FC92XKSL.....	158
FC4525SL.....	157	FC62XJ.....	179	FC780.....	155	FC8316.....	161	FC86242.....	188	FC92XN.....	158
FC46SL.....	132	FC62XK.....	179	FC789.....	166	FC8318.....	182	FC86243.....	187	FC92XNSL.....	158
FC476.....	157	FC62XN.....	179	FC794.....	164	FC8319.....	182	FC86247.....	188	FC92XR.....	158
FC47SL.....	150	FC62XR.....	179	FC796.....	165	FC832.....	182	FC86249.....	188	FC92XRSL.....	158
FC47XCCL.....	144	FC63SL.....	182	FC797.....	165	FC8320.....	182	FC86252.....	187	FCM10.....	150
FC47XESL.....	144	FC63XCCL.....	178	FC798.....	166	FC8321.....	181	FC86253.....	187	FCM100.....	132
FC47XJSL.....	144	FC63XESL.....	178	FC803.....	196	FC8321XC.....	178	FC86254.....	188	FCM1000.....	198
FC47XKSL.....	144	FC63XJSL.....	178	FC808SL.....	131	FC8321XE.....	178	FC86255.....	187	FCM1006.....	134
FC47XNSL.....	144	FC63XKSL.....	178	FC809.....	198	FC8321XJ.....	178	FC86500.....	138	FCM101.....	168
FC47XRSL.....	144	FC63XNSL.....	178	FC80920.....	190	FC8321XK.....	178	FC86500SL.....	138	FCM101SL.....	168
FC48SL.....	184	FC63XRSL.....	178	FC809203.....	190	FC8321XN.....	178	FC86533.....	189	FCM1029.....	135
FC48XCCL.....	179	FC65.....	181	FC809203XC.....	189	FC8321XR.....	178	FC86536.....	175	FCM104.....	135
FC48XESL.....	179	FC6500.....	138	FC809203XE.....	189	FC8322.....	181	FC86550.....	138	FCM104XC.....	179
FC48XJSL.....	179	FC6500SL.....	138	FC809203XJ.....	189	FC8323.....	181	FC86550SL.....	138	FCM104XE.....	179
FC48XKSL.....	179	FC6534.....	189	FC809203XK.....	189	FC8324.....	181	FC86560.....	175	FCM104XJ.....	179
FC48XNSL.....	179	FC6550.....	138	FC809203XN.....	189	FC832XC.....	178	FC86560SL.....	175	FCM104XK.....	179
FC48XRSL.....	179	FC6550SL.....	138	FC809203XR.....	189	FC832XE.....	178	FC86570.....	196	FCM104XN.....	179
FC507.....	188	FC6560.....	175	FC80920XC.....	190	FC832XJ.....	178	FC86580.....	156	FCM104XR.....	179
FC529.....	155	FC6565SL.....	175	FC80920XE.....	190	FC832XK.....	178	FC86580SL.....	156	FCM105.....	172
FC5425.....	159	FC6570.....	196	FC80920XJ.....	190	FC832XN.....	178	FC8675SL.....	182	FCM105SL.....	172
FC5425SL.....	159	FC6576.....	166	FC80920XK.....	190	FC832XR.....	178	FC8678.....	180	FCM106.....	165
FC543.....	155	FC6577.....	166	FC80920XN.....	190	FC8386.....	177	FC8678SL.....	180	FCM108.....	131
FC545SL.....	155	FC6580.....	156	FC80920XR.....	190	FC8386SL.....	177	FC8685.....	120	FCM1089SL.....	160
FC549.....	188	FC6580SL.....	156	FC80942.....	188	FC8390.....	189	FC8685LXC.....	116	FCM109.....	167
FC5700.....	120	FC6582.....	156	FC80943.....	187	FC8392.....	177	FC8685LXE.....	116	FCM109SL.....	167
FC5700SL.....	120	FC65XC.....	178	FC80947.....	188	FC84521.....	157	FC8685LXJ.....	116	FCM10XC.....	143
FC5700XC.....	116	FC65XE.....	178	FC80949.....	188	FC84521SL.....	157	FC8685LXK.....	116	FCM10XE.....	143
FC5700XCCL.....	117	FC65XJ.....	178	FC80952.....	187	FC84525.....	157	FC8685LXN.....	116	FCM10XJ.....	143
FC5700XE.....	116	FC65XK.....	178	FC80953.....	187	FC84525SL.....	157	FC8685LXR.....	116	FCM10XK.....	143
FC5700XESL.....	117	FC65XN.....	178	FC80954.....	188	FC84527.....	158	FC8685LXR.....	120	FCM10XN.....	143
FC5700XJ.....	116	FC65XR.....	178	FC80955.....	187	FC84527SL.....	158	FC8685R.....	120	FCM10XN.....	143
FC5700XJSL.....	117	FC668.....	132	FC8095L.....	137	FC8489.....	177	FC8685RXC.....	116	FCM10XR.....	143
FC5700XK.....	116	FC670.....	184	FC812SL.....	134	FC8498.....	177	FC8685RXE.....	116	FCM110.....	164
FC5700XKSL.....	117	FC678.....	180	FC813SL.....	138	FC8498SL.....	177	FC8685RXJ.....	116	FCM113.....	133
FC5700XN.....	116	FC678SL.....	180	FC814.....	132	FC8529.....	155	FC8685RXK.....	116	FCM114.....	169
FC5700XNSL.....	117	FC685L.....	120	FC8141.....	190	FC8545SL.....	155	FC8685RXN.....	116	FCM114SL.....	169
FC5700XR.....	116	FC685LXC.....	116	FC8144.....	182	FC85700.....	120	FC8685RXR.....	116	FCM115.....	152
FC5700XRSL.....	117	FC685LXE.....	116	FC8145.....	182	FC85700C.....	116	FC8691.....	120	FCM115SL.....	152
FC571.....	136	FC685LXJ.....	116	FC8145SL.....	182	FC85700XC.....	116	FC8691XC.....	116	FCM116.....	180
FC5710.....	120	FC685LXK.....	116	FC8149.....	174	FC85700XJ.....	116	FC8691XE.....	116	FCM1200.....	145
FC5710SL.....	120	FC685LXN.....	116	FC814SL.....	133	FC85700XK.....	116	FC8691XJ.....	116	FCM1200SL.....	146
FC5710XC.....	116	FC685LXR.....	116	FC815SL.....	134	FC85700XN.....	116	FC8691XK.....	116	FCM1201.....	145
FC5710XCCL.....	117	FC685R.....	120	FC816.....	131	FC85700XR.....	116	FC8691XL.....	116	FCM1201SL.....	146
FC5710XE.....	116	FC685RXC.....	116	FC81645.....	196	FC8571.....	136	FC8704.....	195	FCM1202.....	145
FC5710XESL.....	117	FC685RXE.....	116	FC81646.....	156	FC85710.....	120	FC8707.....	194	FCM1202SL.....	146
FC5710XJ.....	116	FC685RXJ.....	116	FC81646SL.....	156	FC85710XC.....	116	FC8708.....	195	FCM1203.....	145
FC5710XJSL.....	117	FC685RXK.....	116	FC81649.....	189	FC85710XE.....	116	FC8721.....	194	FCM1204SL.....	119
FC5710XK.....	116	FC685RXN.....	116	FC81651.....	139	FC85710XJ.....	116	FC8735.....	195	FCM1205SL.....	119
FC5710XKSL.....	117	FC685RXR.....	116	FC81651SL.....	139	FC85710XK.....	116	FC8736.....	194	FCM1206SL.....	119
FC5710XN.....	116	FC691.....	120	FC81652.....	139	FC85710XN.....	116	FC8745.....	195	FCM1208.....	145
FC5710XNSL.....	117	FC691XC.....	116	FC81652SL.....	139	FC85710XR.....	116	FC8752.....	195	FCM1209.....	145
FC5710XR.....	116	FC691XE.....	116	FC81653.....	176	FC85720.....	120	FC8867SL.....	174	FCM1210SL.....	150
										FCM1210XCCL.....	144

Fiber-Classic® & Smooth-Star®  
Continued

FCM12101XESL.....	144	FCM18XK.....	142	FCM4812XJ.....	127	FCM6051.....	169	FCM6570.....	196	FCM765SL.....	151
FCM12101XJSL.....	144	FCM18XN.....	142	FCM4812XJSL.....	128	FCM6052.....	167	FCM6575.....	166	FCM789.....	165
FCM12101XKSL.....	144	FCM18XR.....	142	FCM4812XN.....	127	FCM6055.....	180	FCM6577.....	166	FCM800.....	166
FCM12101XNSL.....	144	FCM198.....	146	FCM4812XNSL.....	128	FCM6056.....	174	FCM6580SL.....	156	FCM8000SL.....	129
FCM12101XRSL.....	144	FCM2000SL.....	129	FCM4812XR.....	127	FCM605XC.....	192	FCM6582.....	156	FCM8000XCSSL.....	128
FCM12102SL.....	146	FCM2000XCSSL.....	128	FCM4812XRSL.....	128	FCM605XE.....	192	FCM655L.....	181	FCM8000XESL.....	128
FCM12102XCSSL.....	142	FCM2000XESL.....	128	FCM4813.....	128	FCM605XJ.....	192	FCM65XC.....	178	FCM8000XJSL.....	128
FCM12102XESL.....	142	FCM2000XJSL.....	128	FCM4813XC.....	127	FCM605XN.....	192	FCM65XCSSL.....	178	FCM8000XKSL.....	128
FCM12102XJSL.....	142	FCM2000XKSL.....	128	FCM4813XE.....	127	FCM605XR.....	192	FCM65XE.....	178	FCM8000XNSL.....	128
FCM12102XKSL.....	142	FCM2000XNSL.....	128	FCM4813XJ.....	127	FCM606.....	193	FCM65XESL.....	178	FCM8000XRSL.....	128
FCM12102XNSL.....	142	FCM2000XRSL.....	128	FCM4813XN.....	127	FCM606XC.....	192	FCM65XJ.....	178	FCM808SL.....	131
FCM12102XRSL.....	142	FCM2009SL.....	119	FCM4813XR.....	127	FCM606XE.....	192	FCM65XJSL.....	178	FCM809SL.....	137
FCM1211.....	145	FCM205.....	198	FCM4814.....	129	FCM606XJ.....	192	FCM65XK.....	178	FCM81000.....	198
FCM1212.....	145	FCM2050SL.....	129	FCM4814XC.....	127	FCM606XN.....	192	FCM65XKSL.....	178	FCM8101SL.....	161
FCM1283.....	150	FCM2050XCSSL.....	127	FCM4814XE.....	127	FCM606XR.....	192	FCM65XN.....	178	FCM8101XCSSL.....	158
FCM1283XC.....	143	FCM2050XESL.....	127	FCM4814XJ.....	127	FCM607.....	193	FCM65XNSL.....	178	FCM8101XESL.....	158
FCM1283XE.....	143	FCM2050XJSL.....	127	FCM4814XN.....	127	FCM6074.....	171	FCM65XR.....	178	FCM8101XJSL.....	158
FCM1283XJ.....	143	FCM2050XKSL.....	127	FCM4814XR.....	127	FCM6075.....	171	FCM65XRSL.....	178	FCM8101XKSL.....	158
FCM1283XK.....	143	FCM2050XNSL.....	127	FCM4816.....	129	FCM607XC.....	192	FCM668.....	132	FCM8101XNSL.....	158
FCM1283XN.....	143	FCM2050XRSL.....	127	FCM4816XC.....	127	FCM607XE.....	192	FCM670.....	184	FCM8101XRSL.....	158
FCM1283XR.....	143	FCM2101SL.....	160	FCM4816XE.....	127	FCM607XJ.....	192	FCM678.....	180	FCM8103SL.....	154
FCM1284.....	146	FCM2106.....	160	FCM4816XJ.....	127	FCM607XN.....	192	FCM678SL.....	180	FCM8105SL.....	151
FCM1284XC.....	142	FCM2107.....	160	FCM4816XN.....	127	FCM607XR.....	192	FCM6975.....	192	FCM8107SL.....	155
FCM1284XE.....	142	FCM2108.....	160	FCM4816XR.....	127	FCM608.....	193	FCM704.....	195	FCM8110SL.....	159
FCM1284XJ.....	142	FCM220.....	198	FCM508.....	191	FCM608XC.....	192	FCM707.....	194	FCM8114.....	132
FCM1284XK.....	142	FCM2213.....	140	FCM5425.....	159	FCM608XE.....	192	FCM708.....	195	FCM8114SL.....	132
FCM1284XN.....	142	FCM2223.....	140	FCM5425SL.....	159	FCM608XJ.....	192	FCM7125SL.....	181	FCM8115.....	144
FCM1285.....	145	FCM2233.....	141	FCM543.....	154	FCM608XN.....	192	FCM721.....	194	FCM8115SL.....	144
FCM1285XC.....	142	FCM2382.....	140	FCM545SL.....	154	FCM608XR.....	192	FCM735.....	195	FCM81200.....	150
FCM1285XE.....	142	FCM2382SL.....	140	FCM571.....	136	FCM609.....	191	FCM736.....	194	FCM81200SL.....	150
FCM1285XJ.....	142	FCM2385.....	141	FCM572SL.....	136	FCM6093.....	134	FCM745.....	195	FCM81200XC.....	143
FCM1285XK.....	142	FCM2385SL.....	141	FCM574.....	136	FCM6094.....	135	FCM7500.....	125	FCM81200XCSSL.....	144
FCM1285XN.....	142	FCM2389.....	140	FCM575.....	173	FCM6095.....	137	FCM7500SL.....	125	FCM81200XE.....	143
FCM1285XR.....	142	FCM2389SL.....	140	FCM577.....	173	FCM61.....	197	FCM7500SLXC.....	124	FCM81200XESL.....	144
FCM1286.....	144	FCM241.....	132	FCM583SL.....	173	FCM6107.....	170	FCM7500SLXE.....	124	FCM81200XJ.....	143
FCM1286SL.....	144	FCM31.....	198	FCM60.....	198	FCM6108.....	170	FCM7500SLXJ.....	124	FCM81200XJSL.....	144
FCM1289.....	146	FCM310.....	131	FCM600.....	198	FCM6124SL.....	146	FCM7500SLXN.....	124	FCM81200XK.....	143
FCM1289SL.....	146	FCM32.....	163	FCM601.....	193	FCM6124XCSSL.....	142	FCM7500SLXR.....	124	FCM81200XKSL.....	144
FCM131.....	152	FCM32SL.....	163	FCM601XC.....	193	FCM6124XESL.....	142	FCM7500XC.....	124	FCM81200XN.....	143
FCM131SL.....	152	FCM32XC.....	159	FCM601XE.....	193	FCM6124XJSL.....	142	FCM7500XE.....	124	FCM81200XNSL.....	144
FCM138.....	145	FCM32XCSSL.....	159	FCM601XJ.....	193	FCM6124XNSL.....	142	FCM7500XJ.....	124	FCM81200XR.....	143
FCM138XC.....	142	FCM32XE.....	159	FCM601XN.....	193	FCM6124XRSL.....	142	FCM7500XN.....	124	FCM81200XRSL.....	144
FCM138XE.....	142	FCM32XESL.....	159	FCM601XR.....	193	FCM6125SL.....	146	FCM7500XR.....	124	FCM81208P.....	146
FCM138XJ.....	142	FCM32XJ.....	159	FCM602.....	191	FCM6125XCSSL.....	142	FCM87500XC.....	124	FCM81208PSL.....	146
FCM138XK.....	142	FCM32XJSL.....	159	FCM6021.....	184	FCM6125XESL.....	142	FCM87500XE.....	124	FCM81208SL.....	146
FCM138XN.....	142	FCM32XK.....	159	FCM6021XC.....	179	FCM6125XJSL.....	142	FCM87500XJ.....	124	FCM81225.....	144
FCM138XR.....	142	FCM32XKSL.....	159	FCM6021XE.....	179	FCM6125XNSL.....	142	FCM87500XN.....	124	FCM81225SL.....	144
FCM1400SL.....	161	FCM32XN.....	159	FCM6021XJ.....	179	FCM6125XRSL.....	142	FCM87500XR.....	124	FCM812SL.....	134
FCM1402.....	161	FCM32XNSL.....	159	FCM6021XK.....	179	FCM6126SL.....	146	FCM7512.....	124	FCM813SL.....	138
FCM1405.....	181	FCM32XR.....	159	FCM6021XC.....	179	FCM6126XCSSL.....	142	FCM7512SL.....	124	FCM814.....	132
FCM1405SL.....	181	FCM32XRSL.....	159	FCM6021XE.....	179	FCM6126XESL.....	142	FCM7512XC.....	123	FCM8145.....	181
FCM1406.....	181	FCM3487SL.....	181	FCM6021XJ.....	179	FCM6126XJSL.....	142	FCM7512XCSSL.....	123	FCM8145SL.....	181
FCM1408.....	181	FCM3487XCSSL.....	178	FCM6022.....	181	FCM6126XNSL.....	142	FCM7512XE.....	123	FCM8149.....	174
FCM141.....	144	FCM3487XESL.....	178	FCM6022XC.....	178	FCM6126XRSL.....	142	FCM7512XESL.....	123	FCM814SL.....	133
FCM142.....	135	FCM3487XJSL.....	178	FCM6022XE.....	178	FCM61XC.....	197	FCM7512XJ.....	123	FCM815SL.....	134
FCM143.....	154	FCM3487XKSL.....	178	FCM6022XJ.....	178	FCM61XE.....	197	FCM7512XJSL.....	123	FCM816.....	131
FCM143SL.....	154	FCM3487XNSL.....	178	FCM6022XK.....	178	FCM61XJ.....	197	FCM7512XN.....	123	FCM81645.....	196
FCM144.....	171	FCM3487XNSL.....	178	FCM6022XN.....	178	FCM61XJ.....	197	FCM7512XNSL.....	123	FCM81646SL.....	156
FCM1442SL.....	155	FCM3487XRSL.....	178	FCM6022XR.....	178	FCM61XK.....	197	FCM7512XR.....	123	FCM81651.....	139
FCM147.....	154	FCM369.....	133	FCM6025.....	168	FCM61XN.....	197	FCM7512XRSL.....	123	FCM81651SL.....	139
FCM147SL.....	154	FCM38.....	151	FCM6026.....	173	FCM61XR.....	197	FCM752.....	195	FCM81652.....	139
FCM148.....	138	FCM386.....	176	FCM6029.....	170	FCM62.....	184	FCM7540.....	124	FCM81652SL.....	139
FCM149.....	174	FCM387.....	176	FCM6030.....	172	FCM6201SL.....	127	FCM7540SL.....	124	FCM81654.....	176
FCM149SL.....	174	FCM387SL.....	177	FCM6031.....	169	FCM6240SL.....	127	FCM7540XC.....	123	FCM81654SL.....	176
FCM151.....	165	FCM389.....	157	FCM6032.....	167	FCM626.....	138	FCM7540XCSSL.....	123	FCM8166SL.....	132
FCM156.....	155	FCM38SL.....	157	FCM6035.....	180	FCM626.....	138	FCM7540XE.....	123	FCM8167.....	133
FCM16.....	132	FCM394.....	177	FCM6036.....	174	FCM62SL.....	184	FCM7540XESL.....	123	FCM817SL.....	135
FCM160.....	166	FCM4521SL.....	157	FCM604.....	191	FCM62XC.....	179	FCM7540XJ.....	123	FCM81800SL.....	132
FCM163.....	165	FCM4525SL.....	157	FCM6041.....	184	FCM62XE.....	179	FCM7540XJSL.....	123	FCM81828.....	146
FCM164.....	164	FCM476.....	157	FCM6041XC.....	179	FCM62XESL.....	179	FCM7540XN.....	123	FCM81829.....	146
FCM1645.....	196	FCM4810SL.....	129	FCM6041XE.....	179	FCM62XJ.....	179	FCM7540XNSL.....	123	FCM818SL.....	135
FCM1646SL.....	156	FCM4810XC.....	128	FCM6041XJ.....	179	FCM62XJSL.....	179	FCM7540XR.....	123	FCM81900SL.....	161
FCM1647.....	156	FCM4810XCSSL.....	128	FCM6041XK.....	179	FCM62XK.....	179	FCM7540XRSL.....	123	FCM81918SL.....	131
FCM1650.....	192	FCM4810XE.....	128	FCM6041XN.....	179	FCM62XKSL.....	179	FCM755.....	198	FCM81919SL.....	133
FCM1651.....	139	FCM4810XESL.....	128	FCM6041XR.....	179	FCM62XN.....	179	FCM7560.....	124	FCM81921SL.....	135
FCM1651SL.....	139	FCM4810XJ.....	128	FCM6042.....	181	FCM62XNSL.....	179	FCM7560SL.....	124	FCM81928SL.....	137
FCM1652.....	139	FCM4810XJSL.....	128	FCM6042XC.....	178	FCM62XR.....	179	FCM7560XC.....	123	FCM81944SL.....	161
FCM1654.....	176	FCM4810XNSL.....	128	FCM6042XE.....	178	FCM62XRSL.....	179	FCM7560XCSSL.....	123	FCM81947SL.....	161
FCM1656.....	176	FCM4810XR.....	128	FCM6042XJ.....	178	FCM65.....	181	FCM7560XE.....	123	FCM81949SL.....	161
FCM1656SL.....	176	FCM4810XRSL.....	128	FCM6042XK.....	178	FCM6500.....	138	FCM7560XESL.....	123	FCM81968SL.....	132
FCM1658.....	176	FCM4812.....	128	FCM6042XK.....	178	FCM6500SL.....	138	FCM7560XJ.....	123	FCM81986SL.....	134
FCM18.....	145	FCM4812SL.....	129	FCM6044.....	168	FCM6520.....	192	FCM7560XJSL.....	123	FCM82.....	160
FCM18101SL.....	132	FCM4812XC.....	127	FCM6046.....	173	FCM6550.....	138	FCM7560XN.....	123	FCM820.....	137
FCM18XC.....	142	FCM4812XCSSL.....	128	FCM6049.....	170	FCM6560.....	175	FCM7560XNSL.....	123	FCM821.....	135
FCM18XE.....	142	FCM4812XE.....	127	FCM605.....	193	FCM6565.....	175	FCM7560XR.....	123	FCM822.....	132
FCM18XJ.....	142	FCM4812XESL.....	128	FCM6050.....	172	FCM6565SL.....	175	FCM7560XRSL.....	123	FCM82213.....	140
						FCM6568.....	175	FCM765.....	151	FCM82213SL.....	141

FCM82223.....	140	FCM8571.....	136	FCM8752.....	195	FC06188XRSL.....	143	S1207XE.....	117	S200.....	200
FCM82223SL.....	140	FCM8572SL.....	136	FCM87540.....	124	FC06189SL.....	148	S1207XJ.....	117	S2000.....	122
FCM82233.....	141	FCM8573SL.....	136	FCM87540XC.....	123	FC06189XCSSL.....	143	S1207XK.....	117	S2000SL.....	122
FCM82233SL.....	141	FCM8574.....	136	FCM87540XE.....	123	FC06189XESL.....	143	S1207XN.....	117	S2000SL.....	129
FCM82382.....	140	FCM8581.....	173	FCM87540XJ.....	123	FC06189XJSL.....	143	S1207XR.....	117	S2000SL-2C.....	121
FCM82382SL.....	140	FCM8583SL.....	173	FCM87540XN.....	123	FC06189XNSL.....	143	S1208.....	148	S2000SL-4C.....	121
FCM82385.....	141	FCM860.....	198	FCM87540XR.....	123	FC06189XRSL.....	143	S1208SL.....	149	S2000XC.....	119
FCM82385SL.....	141	FCM861.....	197	FCM87560.....	124	FC06190SL.....	148	S1209.....	148	S2000XCSSL.....	119
FCM82389.....	140	FCM861XC.....	197	FCM87560XC.....	123	FC06190XCSSL.....	143	S1209SL.....	149	S2000XCSSL.....	128
FCM82389SL.....	140	FCM861XE.....	197	FCM87560XE.....	123	FC06190XESL.....	143	S1211.....	148	S2000XCSSL-2C.....	117
FCM828.....	146	FCM861XJ.....	197	FCM87560XJ.....	123	FC06190XJSL.....	143	S1211SL.....	149	S2000XCSSL-4C.....	117
FCM82XC.....	158	FCM861XK.....	197	FCM87560XN.....	123	FC06190XNSL.....	143	S1212.....	148	S2000XE.....	119
FCM82XE.....	158	FCM861XN.....	197	FCM87560XR.....	123	FC06190XRSL.....	143	S128.....	148	S2000XESL.....	119
FCM82XJ.....	158	FCM861XR.....	197	FCM881SL.....	163	FC06575.....	166	S128XC.....	143	S2000XESL.....	128
FCM82XK.....	158	FCM862.....	184	FCM881XCSSL.....	159	FWRT.....	201	S128XE.....	143	S2000XESL-2C.....	117
FCM82XN.....	158	FCM86201SL.....	127	FCM881XESL.....	159	KNRT.....	201	S128XJ.....	143	S2000XESL-4C.....	117
FCM82XR.....	158	FCM86240.....	127	FCM881XJSL.....	159	LT30T.....	201	S128XK.....	143	S2000XJ.....	119
FCM8310SL.....	161	FCM86240SL.....	127	FCM881XKSL.....	159	LTRT.....	201	S128XN.....	143	S2000XJSL.....	119
FCM8311SL.....	160	FCM862SL.....	184	FCM881XNSL.....	159	PBRT.....	201	S128XR.....	143	S2000XJSL.....	128
FCM8313SL.....	160	FCM862XC.....	179	FCM881XRSL.....	159	RSRT.....	201	S130.....	145	S2000XJSL-2C.....	117
FCM8321.....	181	FCM862XCSSL.....	179	FCM882SL.....	151	S100.....	200	S130SL.....	145	S2000XJSL-4C.....	117
FCM8321XC.....	178	FCM862XE.....	179	FCM883SL.....	152	S1000.....	165	S131.....	180	S2000XK.....	119
FCM8321XE.....	178	FCM862XESL.....	179	FCM884SL.....	152	S1001.....	166	S132.....	180	S2000XKSL.....	119
FCM8321XJ.....	178	FCM862XJ.....	179	FCM885SL.....	154	S1006.....	134	S132SL.....	180	S2000XKSL.....	128
FCM8321XK.....	178	FCM862XJSL.....	179	FCM886.....	170	S100SL.....	150	S135.....	126	S2000XN.....	119
FCM8321XN.....	178	FCM862XK.....	179	FCM886SL.....	170	S100XCSSL.....	144	S137.....	181	S2000XNSL.....	119
FCM8321XR.....	178	FCM862XKSL.....	179	FCM887SL.....	153	S100XESL.....	144	S139.....	133	S2000XNSL.....	128
FCM8322.....	181	FCM862XN.....	179	FCM888.....	170	S100XJSL.....	144	S139SL.....	133	S2000XNSL-2C.....	117
FCM8323.....	181	FCM862XNSL.....	179	FCM888SL.....	171	S100XKSL.....	144	S140.....	150	S2000XNSL-4C.....	117
FCM8324.....	181	FCM862XR.....	179	FCM889SL.....	153	S100XNSL.....	144	S1400.....	163	S2000XR.....	119
FCM8386.....	176	FCM862XRSL.....	179	FCM890.....	137	S100XRSL.....	144	S1400SL.....	163	S2000XRSL.....	119
FCM8386SL.....	177	FCM863.....	167	FCM890SL.....	137	S1029.....	135	S1401.....	125	S2000XRSL.....	128
FCM84521SL.....	157	FCM863SL.....	167	FCM891.....	173	S104.....	184	S1401SL.....	125	S2000XRSL-2C.....	117
FCM84525SL.....	157	FCM864.....	168	FCM891SL.....	173	S104XC.....	179	S1402.....	163	S2000XRSL-4C.....	117
FCM84527SL.....	158	FCM864SL.....	168	FCM892SL.....	155	S104XE.....	179	S1404.....	190	S20042.....	156
FCM84810.....	129	FCM865.....	169	FCM893SL.....	134	S104XJ.....	179	S1405.....	183	S2009.....	121
FCM84810SL.....	129	FCM86500.....	138	FCM898.....	168	S104XK.....	179	S1405SL.....	183	S2009SL.....	121
FCM84810XC.....	128	FCM86500SL.....	138	FCM898SL.....	168	S104XN.....	179	S1406.....	183	S2010.....	120
FCM84810XCSSL.....	128	FCM86550.....	138	FCM899.....	171	S104XR.....	179	S1407.....	183	S2010SL.....	121
FCM84810XE.....	128	FCM86550SL.....	138	FCM899SL.....	171	S105.....	184	S1408.....	183	S2010SL.....	129
FCM84810XESL.....	128	FCM86560.....	175	FCM900.....	134	S108.....	148	S1409.....	126	S2010XC.....	117
FCM84810XJ.....	128	FCM86560SL.....	175	FCM901.....	170	S1089.....	162	S140STC.....	197	S2010XCSSL.....	117
FCM84810XJSL.....	128	FCM86570.....	196	FCM901SL.....	170	S1089SL.....	163	S140XC.....	144	S2010XCSSL.....	128
FCM84810XN.....	128	FCM86580SL.....	156	FCM902.....	153	S108XC.....	143	S140XE.....	144	S2010XJ.....	117
FCM84810XNSL.....	128	FCM865SL.....	169	FCM902SL.....	153	S108XE.....	143	S140XJ.....	144	S2010XESL.....	117
FCM84810XR.....	128	FCM866.....	172	FCM905.....	134	S108XJ.....	143	S140XK.....	144	S2010XESL.....	128
FCM84810XRSL.....	128	FCM866SL.....	172	FCM906.....	170	S108XK.....	143	S140XN.....	144	S2010XJ.....	117
FCM84812.....	128	FCM8675SL.....	181	FCM906SL.....	171	S108XN.....	143	S140XR.....	144	S2010XJSL.....	117
FCM84812SL.....	129	FCM8678.....	180	FCM907.....	153	S108XR.....	143	S141.....	148	S2010XJSL.....	128
FCM84812XC.....	127	FCM8678SL.....	180	FCM907SL.....	153	S1100.....	199	S1411.....	186	S2010XK.....	117
FCM84812XCSSL.....	128	FCM867SL.....	174	FCM910.....	137	S115.....	183	S141STC.....	197	S2010XKSL.....	117
FCM84812XE.....	128	FCM870.....	150	FCM911.....	173	S1170SL.....	149	S141XC.....	143	S2010XKSL.....	128
FCM84812XESL.....	127	FCM8704.....	195	FCM911SL.....	173	S1170XCSSL.....	143	S141XE.....	143	S2010XN.....	117
FCM84812XJ.....	127	FCM8707.....	194	FCM912.....	155	S1170XESL.....	143	S141XJ.....	143	S2010XNSL.....	117
FCM84812XJSL.....	128	FCM8708.....	195	FCM912SL.....	155	S1170XJSL.....	143	S141XK.....	143	S2010XNSL.....	128
FCM84812XN.....	127	FCM870SL.....	150	FCM915.....	165	S1170XKSL.....	143	S141XN.....	143	S2010XNSL.....	117
FCM84812XNSL.....	128	FCM870XC.....	143	FCM916.....	165	S1170XNSL.....	143	S141XR.....	143	S2010XRSL.....	117
FCM84812XR.....	127	FCM870XCSSL.....	144	FCM92SL.....	161	S1170XRSL.....	143	S1422SL.....	156	S2010XRSL.....	128
FCM84812XRSL.....	128	FCM870XE.....	143	FCM92XCSL.....	158	S118.....	150	S154.....	134	S205.....	200
FCM84813.....	128	FCM870XESL.....	144	FCM92XESL.....	158	S118XC.....	144	S154SL.....	134	S2050.....	120
FCM84813XC.....	127	FCM870XJ.....	143	FCM92XJSL.....	158	S118XE.....	144	S155.....	136	S2050XC.....	117
FCM84813XE.....	127	FCM870XJSL.....	144	FCM92XKSL.....	158	S118XJ.....	144	S155SL.....	136	S2050XE.....	117
FCM84813XJ.....	127	FCM870XK.....	143	FCM92XNSL.....	158	S118XK.....	144	S156.....	156	S2050XJ.....	117
FCM84813XN.....	127	FCM870XKSL.....	144	FCM92XRSL.....	158	S118XN.....	144	S160.....	138	S2050XK.....	117
FCM84813XR.....	127	FCM870XN.....	143	FC06184SL.....	148	S118XR.....	144	S160SL.....	138	S2050XN.....	117
FCM84814.....	129	FCM870XNSL.....	144	FC06184XCSSL.....	143	S120.....	200	S161.....	174	S2050XR.....	117
FCM84814XC.....	127	FCM870XR.....	143	FC06184XESL.....	143	S1200.....	148	S161SL.....	175	S206.....	184
FCM84814XE.....	127	FCM870XRSL.....	144	FC06184XJSL.....	143	S1200SL.....	149	S162.....	186	S206XC.....	179
FCM84814XJ.....	127	FCM871.....	131	FC06184XNSL.....	143	S1201.....	148	S163.....	166	S206XE.....	179
FCM84814XN.....	127	FCM871SL.....	131	FC06184XRSL.....	143	S1201SL.....	149	S1645.....	196	S206XJ.....	179
FCM84814XR.....	127	FCM872.....	132	FC06185SL.....	148	S1202.....	148	S1646.....	157	S206XK.....	179
FCM84816.....	129	FCM8721.....	194	FC06185XCSSL.....	143	S1202SL.....	149	S1646SL.....	157	S206XN.....	179
FCM84816XC.....	127	FCM872SL.....	132	FC06185XESL.....	143	S1203.....	148	S1647.....	156	S206XR.....	179
FCM84816XE.....	127	FCM873.....	133	FC06185XJSL.....	143	S1204.....	120	S1650.....	192	S210.....	200
FCM84816XJ.....	127	FCM8735.....	195	FC06185XNSL.....	143	S1204SL.....	121	S1651.....	139	S2100.....	127
FCM84816XN.....	127	FCM8736.....	194	FC06185XRSL.....	143	S1205.....	120	S1651SL.....	139	S2101.....	162
FCM84816XR.....	127	FCM873SL.....	133	FC06186SL.....	148	S1205SL.....	121	S1652.....	139	S2101SL.....	163
FCM84886SL.....	129	FCM874.....	135	FC06186XCSSL.....	143	S1205XC.....	117	S1652SL.....	139	S2102.....	162
FCM84886XCSSL.....	127	FCM8745.....	195	FC06186XESL.....	143	S1205XE.....	117	S1653.....	176	S2103.....	125
FCM84886XESL.....	127	FCM874SL.....	135	FC06186XJSL.....	143	S1205XJ.....	117	S1654.....	176	S2103SL.....	125
FCM84886XJSL.....	127	FCM87500.....	125	FC06186XNSL.....	143	S1205XK.....	117	S1655.....	189	S2103XC.....	123
FCM84886XKSL.....	127	FCM87512.....	124	FC06186XRSL.....	143	S1205XN.....	117	S1656.....	176	S2103XCSSL.....	124
FCM84886XNSL.....	127	FCM87512XC.....	123	FC06188SL.....	148	S1205XR.....	117	S1656SL.....	176	S2103XE.....	123
FCM84886XRSL.....	127	FCM87512XE.....	123	FC06188XCSSL.....	143	S1206.....	120	S1658.....	176	S2103XESL.....	124
FCM8498.....	177	FCM87512XJ.....	123	FC06188XESL.....	143	S1206SL.....	121	S1661.....	186	S2103XJ.....	123
FCM8498SL.....	177	FCM87512XN.....	123	FC06188XJSL.....	143	S1207.....	120	S198.....	149	S2103XJSL.....	124
FCM8545SL.....	154	FCM87512XR.....	123	FC06188XNSL.....	143	S1207XC.....	117	S198SL.....	150	S2103XK.....	123

Fiber-Classic® & Smooth-Star® *Continued*

S2103XN	123	S2620	192	S3400LXJ	118	S430SL	174	S5700XJ	117	S601XC	144
S2103XKSL	124	S262XC	178	S3400LXK	118	S430XC	179	S5700XJSL	118	S601XE	193
S2103XNSL	124	S262XE	178	S3400LXN	118	S430XE	179	S5700XK	117	S601XESL	144
S2103XR	123	S262XJ	178	S3400LXR	118	S430XJ	179	S5700XKSL	118	S601XJ	193
S2103XRSL	124	S262XK	178	S3400R	122	S430XK	179	S5700XN	117	S601XJSL	144
S2104	125	S262XN	178	S3400RXC	118	S430XN	179	S5700XNSL	118	S601XKSL	144
S2104SL	125	S262XR	178	S3400RXE	118	S430XR	179	S5700XR	117	S601XN	193
S2104XC	123	S2630	191	S3400RXJ	118	S4310	177	S5700XRSL	118	S601XNSL	144
S2104XC	124	S263SL	183	S3400RXK	118	S4311	176	S5701	199	S601XR	193
S2104XE	123	S263XCSL	179	S3400RXN	118	S4314	167	S5705	121	S601XRSL	144
S2104XESL	124	S263XESL	179	S3400RXX	118	S4315	184	S5705XC	117	S602	191
S2104XJ	123	S263XJSL	179	S3401L	199	S4316	174	S5705XE	117	S6021	184
S2104XJSL	124	S263XKSL	179	S3401R	199	S4320	175	S5705XJ	117	S6021XC	179
S2104XK	123	S263XNSL	179	S3487SL	183	S4321	183	S5705XK	117	S6021XE	179
S2104XN	123	S263XRSL	179	S3487XCSL	179	S4323	175	S5705XN	117	S6021XJ	179
S2104XKSL	124	S2640	192	S3487XESL	179	S4324	170	S5705XR	117	S6021XK	179
S2104XNSL	124	S2650	191	S3487XJSL	179	S4325	169	S571	137	S6021XN	179
S2104XR	123	S2660	191	S3487XKSL	179	S4326	173	S5710	121	S6021XR	179
S2104XRSL	124	S2670	191	S3487XNSL	179	S4327	171	S5710SL	122	S6022	182
S2105	125	S289	186	S3487XRSL	179	S4328	169	S5710XC	117	S6022XC	178
S2106	162	S289XC	186	S35	169	S4329	172	S5710XC	118	S6022XE	178
S2107	162	S289XE	186	S3500L	122	S4330	172	S5710XE	117	S6022XJ	178
S2108	162	S289XJ	186	S3500LXC	118	S45	199	S5710XESL	118	S6022XK	178
S2108SL	184	S289XK	186	S3500LXE	118	S4521	157	S5710XJ	117	S6022XN	178
S210XC	179	S289XN	186	S3500LXJ	118	S4521SL	157	S5710XJSL	118	S6022XR	178
S210XESL	179	S289XR	186	S3500LXK	118	S4525	157	S5710XK	117	S6025	169
S210XJSL	179	S291	185	S3500LXN	118	S4525SL	157	S5710XKSL	118	S6026	174
S210XKSL	179	S291SL	171	S3500LXR	118	S454	196	S5710XN	117	S6029	171
S210XNSL	179	S292	185	S3500R	122	S4570SL	131	S5710XNSL	118	S602SL	135
S210XRSL	179	S292SL	172	S3500RXC	118	S476	157	S5710XR	117	S6030	172
S211	168	S294	185	S3500RXC	118	S4800	200	S5710XRSL	118	S6031	169
S213	171	S294SL	169	S3500RXE	118	S4810	129	S5715	121	S6032	167
S214	172	S296	197	S3500RXK	118	S4810SL	129	S5715XC	117	S6034	180
S2150	126	S296XC	197	S3500RXN	118	S4810XC	128	S5715XE	117	S6035	180
S220	199	S296XE	197	S3500RXR	118	S4810XC	128	S5715XJ	117	S6036	175
S2200	126	S296XJ	197	S3501L	199	S4810XE	128	S5715XK	117	S604	191
S2200XC	124	S296XK	197	S3501R	199	S4810XESL	128	S5715XN	117	S6041	184
S2200XC	124	S296XN	197	S3540	192	S4810XJ	128	S5715XR	117	S6041XC	179
S2200XE	124	S296XR	197	S3600L	122	S4810XJSL	128	S5720	121	S6041XE	179
S2200XESL	124	S30	184	S3600LXC	118	S4810XN	128	S5720SL	122	S6041XJ	179
S2200XJ	124	S308SL	149	S3600LXE	118	S4810XNSL	128	S5720XC	117	S6041XK	179
S2200XK	124	S308XCSL	143	S3600LXJ	118	S4810XR	128	S5720XC	118	S6041XN	179
S2200XJSL	124	S308XESL	143	S3600LXK	118	S4810XRSL	128	S5720XE	117	S6041XR	179
S2200XKSL	124	S308XJSL	143	S3600LXN	118	S4812	129	S5720XESL	118	S6042	183
S2200XN	124	S308XKSL	143	S3600LXR	118	S4812SL	129	S5720XJ	117	S6042XC	178
S2200XNSL	124	S308XNSL	143	S3600R	122	S4812XC	128	S5720XJSL	118	S6042XE	178
S2200XR	124	S308XRSL	143	S3600RXC	118	S4812XC	128	S5720XK	117	S6042XJ	178
S2200XRSL	124	S30XC	179	S3600RXC	118	S4812XE	128	S5720XKSL	118	S6042XK	178
S2213	141	S30XE	179	S3600RXJ	118	S4812XESL	128	S5720XN	117	S6042XN	178
S2213SL	141	S30XJ	179	S3600RXK	118	S4812XJ	128	S5720XNSL	118	S6042XR	178
S2223	140	S30XK	179	S3600RXN	118	S4812XJSL	128	S5720XR	117	S6045	169
S2223SL	140	S30XN	179	S3600RXX	118	S4812XN	128	S5720XRSL	118	S6046	174
S2233	142	S30XR	179	S3601L	199	S4812XNSL	128	S5721	199	S6049	171
S2233SL	142	S31	200	S3601R	199	S4812XR	128	S5725	121	S604SL	133
S2250	125	S310	131	S369	133	S4812XRSL	128	S5725XC	117	S605	193
S2250XC	123	S32	183	S37	174	S4813	129	S5725XE	117	S6050	172
S2250XC	124	S3200	127	S386	177	S4813XC	128	S5725XJ	117	S6051	169
S2250XE	123	S3200SL	127	S387	177	S4813XE	128	S5725XK	117	S6052	167
S2250XESL	124	S3200XC	126	S387SL	177	S4813XJ	128	S5725XN	117	S6054	181
S2250XJ	123	S3200XC	126	S389	157	S4813XN	128	S5725XR	117	S6055	180
S2250XJSL	124	S3200XE	126	S392	177	S4813XR	128	S572SL	137	S6056	175
S2250XK	123	S3200XESL	126	S393	189	S4814	129	S573SL	137	S605SL	149
S2250XN	123	S3200XJ	126	S394	177	S4814XC	128	S574	136	S605XC	192
S2250XKSL	124	S3200XJSL	126	S398	186	S4814XE	128	S575	173	S605XC	143
S2250XNSL	124	S3200XK	126	S4070SL	137	S4814XJ	128	S577	173	S605XCSL	192
S2250XR	123	S3200XKSL	126	S41	171	S4814XN	128	S579	173	S605XESL	143
S2250XRSL	124	S3200XN	126	S416SL	137	S4814XR	128	S581	173	S605XJ	192
S236	196	S3200XNSL	126	S42	172	S4816	129	S583SL	173	S605XJSL	143
S237	196	S3200XR	126	S4200	126	S4816XC	128	S585	185	S605XN	192
S2382	141	S3200XRSL	126	S4200SL	127	S4816XE	128	S5870SL	136	S605XNSL	143
S2382SL	141	S32XC	178	S4200XC	126	S4816XJ	128	S600	200	S605XR	192
S2385	142	S32XE	178	S4200XC	126	S4816XN	128	S6000	167	S605XRSL	143
S2385SL	142	S32XJ	178	S4200XE	126	S4816XR	128	S6000SL	167	S606	193
S2389	140	S32XK	178	S4200XESL	126	S507	188	S6002	131	S6061	145
S2389SL	140	S32XN	178	S4200XJ	126	S508	192	S6002SL	131	S6062	149
S241	133	S32XR	178	S4200XJSL	126	S529	155	S6006	169	S6062SL	150
S243	180	S3300	122	S4200XK	126	S5425	159	S6006SL	170	S6063	148
S255	196	S3300XC	118	S4200XKSL	126	S5425SL	159	S6008	133	S6063STC	197
S256	196	S3300XE	118	S4200XN	126	S543	155	S6008SL	133	S6063XC	143
S2600	119	S3300XJ	118	S4200XNSL	126	S545SL	155	S6009	152	S6063XE	143
S2610	193	S3300XK	118	S4200XR	126	S549	188	S6009SL	153	S6063XJ	143
S2610XC	193	S3300XN	118	S4200XRSL	126	S5700	121	S601	193	S6063XK	143
S2610XE	193	S3300XR	118	S426	174	S5700SL	122	S6010	153	S6063XN	143
S2610XJ	193	S3301	199	S43	175	S5700XC	117	S6013	185	S6063XR	143
S2610XN	193	S3400L	121	S430	185	S5700XC	118	S6014	185	S606SL	149
S2610XR	193	S3400LXC	118	S4307	183	S5700XE	117	S601SL	150	S606XC	192
S262	182	S3400LXE	118	S4308	180	S5700XESL	118	S601XC	193	S606XC	143

S606XE	192	S6200XE	126	S7512XNSL	123	S81086XJSL	144	S82105XJ	123	S831203XC	189
S606XESL	143	S6200XESL	126	S7512XR	123	S81086XKSL	144	S82105XK	123	S831203XE	189
S606XJ	192	S6200XJ	126	S7512XRSL	123	S81086XNSL	144	S82105XN	123	S831203XJ	189
S606XJSL	143	S6200XJSL	126	S7512SL	164	S81086XRSL	144	S82105XR	123	S831203XK	189
S606XN	192	S6200XN	126	S751XCSL	159	S81100	199	S82106	125	S831203XN	189
S606XNSL	143	S6200XNSL	126	S751XESL	159	S81186SL	149	S82106XC	123	S831203XR	189
S606XR	192	S6200XN	126	S751XJSL	159	S8120	200	S82106XE	123	S83120XC	190
S606XRSL	143	S6200XNSL	126	S751XKSL	159	S81208	149	S82106XJ	123	S83120XE	190
S607	193	S6200XR	126	S751XNSL	159	S81225	145	S82106KK	123	S83120XJ	190
S6070	135	S6200XRSL	126	S751XRSL	159	S8132	180	S82106KN	123	S83120XK	190
S6070SL	135	S6201SL	127	S752	195	S8132SL	180	S82106XR	123	S83120XN	190
S6071	154	S6240	127	S7540	124	S814	132	S82107	125	S83120XR	190
S6071SL	154	S6240SL	127	S7540SL	124	S8140	150	S82107XC	123	S8313	162
S6072	154	S626	138	S7540XC	123	S81401	125	S82107XE	123	S8313SL	163
S6073	171	S6500	139	S7540XE	123	S81405	183	S82107XJ	123	S83142	189
S6074	171	S6500SL	139	S7540XJ	123	S81405STC	197	S82107XK	123	S83143	187
S6075	172	S6520	192	S7540XN	123	S8140XC	144	S82107XN	123	S83147	188
S6076	172	S6534	189	S7540XR	123	S8140XE	144	S82107XR	123	S83149	188
S607SL	149	S6536	176	S755	200	S8140XJ	144	S82200	126	S83152	187
S607XC	193	S6550	139	S7560	124	S8140XK	144	S82200XC	124	S83153	187
S607XCSSL	143	S6550SL	139	S7560SL	125	S8140XN	144	S82200XE	124	S83154	188
S607XE	193	S6560	175	S7540XCSSL	123	S8140XR	144	S82200XJ	124	S83155	188
S607XESL	143	S6565	175	S7540XESL	123	S8141	190	S82200XK	124	S8316	162
S607XJ	193	S6565SL	176	S7540XJSL	123	S8144	183	S82200XN	124	S8317	196
S607XJSL	143	S6568	175	S7540XNSL	123	S8145	183	S82200XR	124	S8318	183
S607XN	193	S6570	196	S7540XRSL	123	S8145SL	183	S82213	141	S8319	183
S607XNSL	143	S6572	186	S7560XC	123	S8149	174	S82213SL	141	S832	183
S607XR	193	S6575	166	S7560XCSSL	123	S814SL	132	S82223	140	S8320	183
S607XRSL	143	S6576	166	S7560XE	123	S815	132	S82223SL	140	S83200	127
S608	193	S6577	166	S7560XESL	123	S816	131	S82233	142	S83200SL	127
S6080	166	S6580	156	S7560XJ	123	S81645	196	S82233SL	142	S83200XC	126
S6082	165	S6580SL	156	S7560XJSL	123	S81646	157	S82250	125	S83200XCSSL	126
S6084	165	S6582	156	S7560XN	123	S81646SL	157	S822XC	158	S83200XE	126
S6085	164	S668	132	S7560XNSL	123	S81649	189	S822XE	158	S83200XESL	126
S608XC	193	S682	159	S7560XR	123	S81650	192	S822XJ	158	S83200XJ	126
S608XE	193	S685L	122	S7560XRSL	123	S81651	139	S822XK	158	S83200XJSL	126
S608XJ	193	S685LXC	118	S757SL	155	S81651SL	139	S822XN	158	S83200XK	126
S608XN	193	S685LXE	118	S758SL	152	S81652	139	S822XR	158	S83200XKSL	126
S608XR	193	S685LXJ	118	S770	166	S81652SL	139	S82382	141	S83200XN	126
S609	191	S685LXK	118	S771	164	S81653	176	S82382SL	141	S83200XNSL	126
S6090	137	S685LXN	118	S773	165	S81654	176	S82385	142	S83200XNSL	126
S6091	154	S685LXR	118	S774	165	S81654SL	176	S82385SL	142	S83200XRSL	126
S6091SL	154	S685R	122	S80	164	S81656	176	S82389	140	S8321	183
S6092	153	S685RXC	118	S8000	122	S817	133	S82389SL	140	S8321XC	178
S6092SL	153	S685RXE	118	S8000-12	121	S818	150	S82600	119	S8321XE	178
S6094	136	S685RXJ	118	S8000-18	121	S81828	149	S82610	193	S8321XJ	178
S6095	137	S685RXK	118	S8000-9	121	S818XC	144	S82610XC	193	S8321XK	178
S6093	134	S685RXN	118	S8000SL	126	S818XE	144	S82610XE	193	S8321XN	178
S6100	134	S685RXR	118	S8000SL	129	S818XJ	144	S82610XJ	193	S8321XR	178
S6100SL	134	S691	121	S8000XC	119	S818XK	144	S82610XN	193	S8322	182
S6101	170	S691XC	117	S8000XCSSL	124	S818XN	144	S82610XR	193	S8323	182
S6101SL	170	S691XE	117	S8000XCSSL	128	S818XR	144	S82620	192	S8324	182
S6102	153	S691XJ	117	S8000XE	119	S81929P	184	S82630	191	S8325	183
S6102SL	153	S691XK	117	S8000XESL	124	S81929PXC	179	S82640	192	S8326	182
S6103	153	S691XN	117	S8000XESL	128	S81929PXE	179	S82650	191	S8327	182
S6104	185	S691XR	117	S8000XJ	119	S81929PXJ	179	S82660	191	S8328	182
S6106	170	S6975	192	S8000XJSL	124	S81929PK	179	S82670	191	S832XC	178
S6107	170	S704	195	S8000XJSL	128	S81929PXN	179	S828	149	S832XE	178
S6108	170	S707	194	S8000XK	119	S81929PXR	179	S829	145	S832XJ	178
S6124SL	149	S708	195	S8000XKSL	128	S81933P	167	S829SL	145	S832XK	178
S6124XCSSL	143	S709	166	S8000XN	119	S81935P	168	S82SL	163	S832XN	178
S6124XESL	143	S7125SL	183	S8000XKSL	124	S81936P	168	S82XC	158	S832XR	178
S6124XJSL	143	S721	194	S8000XNSL	124	S81937P	169	S82XCSSL	158	S833	169
S6124XNSL	143	S735	195	S8000XNSL	128	S81938P	171	S82XE	158	S83300	122
S6124XRSL	143	S736	194	S8000XR	119	S81940P	171	S82XESL	158	S83300XC	118
S6125SL	149	S745	195	S8000XRSL	124	S81941P	172	S82XJ	158	S83300XE	118
S6125XCSSL	143	S7500	125	S8000XRSL	128	S81942P	174	S82XJSL	158	S83300XJ	118
S6125XESL	143	S7500SL	125	S807	186	S81983	172	S82XK	158	S83300XK	118
S6125XJSL	143	S7500SLXC	124	S807XC	186	S82	162	S82XKSL	158	S83300XN	118
S6125XNSL	143	S7500SLXE	124	S807XE	186	S820	137	S82XN	158	S83300XR	118
S6125XRSL	143	S7500SLXJ	124	S807XJ	186	S8200	199	S82XNSL	158	S83301	199
S6126SL	149	S7500SLXN	124	S807XK	186	S8201	200	S82XR	158	S83400L	121
S6126XCSSL	143	S7500SLXR	124	S807XN	186	S8202SL	163	S82XRSL	158	S83400LXC	118
S6126XESL	143	S7500XC	124	S807XR	186	S8204SL	163	S830	184	S83400LXE	118
S6126XJSL	143	S7500XE	124	S808	149	S8207SL	163	S830XC	179	S83400LXJ	118
S6126XNSL	143	S7500XJ	124	S808SL	149	S821	136	S830XE	179	S83400LXK	118
S6126XRSL	143	S7500XN	124	S80XC	159	S82103	125	S830XJ	179	S83400LXN	118
S6128SL	145	S7500XR	124	S80XE	159	S82103XC	123	S830XK	179	S83400LXR	118
S6130SL	132	S7512	124	S80XJ	159	S82103XE	123	S830XN	179	S83400R	122
S6131SL	134	S7512SL	125	S80XK	159	S82103XJ	123	S830XR	179	S83400RXC	118
S6132SL	138	S7512XC	123	S80XN	159	S82103XK	123	S831	200	S83400RXC	118
S6134SL	133	S7512XCSSL	123	S80XR	159	S82103XN	123	S8310	162	S83400RXJ	118
S6135SL	135	S7512XE	123	S810	200	S82103XR	123	S8310SL	163	S83400RXK	118
S6200	126	S7512XESL	123	S81000	200	S82104	125	S8311	162	S83400RXN	118
S6200SL	127	S7512XJ	123	S81086SL	150	S82105	125	S8311SL	163	S83400RXR	118
S6200XC	126	S7512XJSL	123	S81086XCSSL	144	S82105XC	123	S83120	190	S83401L	199
S6200XCSSL	126	S7512XN	123	S81086XESL	144	S82105XE	123	S831203	190	S83401R	199

Fiber-Classic® & Smooth-Star® *Continued*

S83500L.....	122	S84586SL.....	132	S85228XJSL.....	118	S85892.....	131	S8605XR.....	192	S87500.....	125
S83500LXC.....	118	S8467.....	177	S85228XKSL.....	118	S85892SL.....	131	S8606.....	193	S87500XC.....	124
S83500LXE.....	118	S84800.....	200	S85228XNSL.....	118	S85893.....	133	S8606SL.....	149	S87500XE.....	124
S83500LXJ.....	118	S84810.....	129	S85228XRSL.....	118	S85893SL.....	133	S8606XC.....	192	S87500XJ.....	124
S83500LXK.....	118	S84810SL.....	129	S85229SL.....	122	S85895.....	137	S8606XE.....	192	S87500XN.....	124
S83500LXN.....	118	S84810XC.....	128	S85229XCSSL.....	118	S85895SL.....	137	S8606XJ.....	192	S87500XR.....	124
S83500LXR.....	118	S84810XCSSL.....	128	S85229XESL.....	118	S85896.....	136	S8606XN.....	192	S87512.....	124
S83500R.....	122	S84810XE.....	128	S85229XJSL.....	118	S85896SL.....	136	S8606XR.....	192	S87512XC.....	123
S83500RXC.....	118	S84810XESL.....	128	S85229XKSL.....	118	S85897.....	170	S8607.....	193	S87512XE.....	123
S83500RXE.....	118	S84810XJ.....	128	S85229XNSL.....	118	S85898.....	153	S86074.....	171	S87512XJ.....	123
S83500RXJ.....	118	S84810XJSL.....	128	S85229XRSL.....	118	S85898SL.....	153	S8607SL.....	149	S87512XN.....	123
S83500RXK.....	118	S84810XN.....	128	S85230SL.....	200	S85901.....	154	S8607XC.....	193	S87512XR.....	123
S83500RXN.....	118	S84810XNSL.....	128	S8529.....	155	S85902.....	155	S8607XE.....	193	S8752.....	195
S83500RXR.....	118	S84810XR.....	128	S8545SL.....	155	S85902SL.....	155	S8607XJ.....	193	S87540.....	124
S83501.....	199	S84810XRSL.....	128	S85700.....	121	S85905.....	167	S8607XN.....	193	S87540XC.....	123
S83501R.....	199	S84812.....	129	S85700SL.....	200	S85907.....	168	S8607XR.....	193	S87540XE.....	123
S83540.....	192	S84812SL.....	129	S85700XC.....	117	S85908.....	171	S8608.....	193	S87540XJ.....	123
S83600L.....	122	S84812XC.....	128	S85700XCSSL.....	200	S85909.....	172	S8608XC.....	193	S87540XN.....	123
S83600LXC.....	118	S84812XCSSL.....	128	S85700XE.....	117	S85910SL.....	184	S8608XE.....	193	S87540XR.....	123
S83600LXE.....	118	S84812XE.....	128	S85700XESL.....	200	S85910XCSSL.....	179	S8608XJ.....	193	S87560.....	124
S83600LXJ.....	118	S84812XESL.....	128	S85700XJ.....	117	S85910XESL.....	179	S8608XN.....	193	S87560XC.....	123
S83600LXK.....	118	S84812XJ.....	128	S85700XJSL.....	200	S85910XJSL.....	179	S8608XR.....	193	S87560XE.....	123
S83600LXN.....	118	S84812XJSL.....	128	S85700XK.....	117	S85910XKSSL.....	179	S8609.....	191	S87560XJ.....	123
S83600LXR.....	118	S84812XN.....	128	S85700XKSL.....	200	S85910XNSL.....	179	S86107.....	170	S87560XN.....	123
S83600R.....	122	S84812XNSL.....	128	S85700XN.....	117	S85910XRSL.....	179	S86200.....	126	S87560XR.....	123
S83600RXC.....	118	S84812XR.....	128	S85700XNSL.....	200	S85912SL.....	167	S86200SL.....	127	S880.....	164
S83600RXE.....	118	S84812XRSL.....	128	S85700XR.....	117	S85914SL.....	168	S86200XC.....	126	S880SL.....	164
S83600RXJ.....	118	S84813.....	129	S85700XRSL.....	200	S85915SL.....	169	S86200XCSSL.....	126	S880XC.....	159
S83600RXK.....	118	S84813XC.....	128	S85701.....	199	S85916SL.....	170	S86200XE.....	126	S880XCSSL.....	159
S83600RXN.....	118	S84813XE.....	128	S85705.....	121	S85917SL.....	171	S86200XESL.....	126	S880XE.....	159
S83600RXR.....	118	S84813XJ.....	128	S85705XC.....	117	S85918SL.....	170	S86200XJ.....	126	S880XESL.....	159
S83601L.....	199	S84813XN.....	128	S85705XE.....	117	S85920SL.....	174	S86200XJSL.....	126	S880XJ.....	159
S83601R.....	199	S84813XR.....	128	S85705XJ.....	117	S85922SL.....	172	S86200XK.....	126	S880XJSL.....	159
S837.....	174	S84814.....	129	S85705XK.....	117	S85924SL.....	149	S86200XKSL.....	126	S880XK.....	159
S8386.....	177	S84814XC.....	128	S85705XN.....	117	S85925SL.....	149	S86200XN.....	126	S880XKSL.....	159
S8386SL.....	177	S84814XE.....	128	S85705XR.....	117	S85926SL.....	149	S86200XNSL.....	126	S880XN.....	159
S8387.....	177	S84814XJ.....	128	S8571.....	137	S85927SL.....	131	S86200XR.....	126	S880XNSL.....	159
S8390.....	189	S84814XN.....	128	S85710.....	121	S85928SL.....	145	S86200XRSL.....	126	S880XR.....	159
S8392.....	177	S84814XR.....	128	S85710SL.....	200	S85930SL.....	137	S86201SL.....	127	S880XRSL.....	159
S84200.....	126	S84816.....	129	S85710XC.....	117	S85931SL.....	133	S86240.....	127	S881.....	162
S84200SL.....	127	S84816XC.....	128	S85710XCSSL.....	200	S85932SL.....	135	S86240SL.....	127	S881SL.....	163
S84200XC.....	126	S84816XE.....	128	S85710XE.....	117	S85934SL.....	136	S86500.....	139	S881XC.....	158
S84200XCSSL.....	126	S84816XJ.....	128	S85710XESL.....	200	S8600.....	200	S86500SL.....	139	S881XCSSL.....	158
S84200XE.....	126	S84816XN.....	128	S85710XJ.....	117	S8600XC.....	193	S86520.....	192	S881XE.....	158
S84200XESL.....	126	S84816XR.....	128	S85710XJSL.....	200	S8600XE.....	193	S86533.....	189	S881XESL.....	158
S84200XJ.....	126	S84886SL.....	125	S85710XK.....	117	S8600XJ.....	193	S86536.....	176	S881XJ.....	158
S84200XJSL.....	126	S84886SLSL.....	129	S85710XKSL.....	200	S8600XN.....	193	S86550.....	139	S881XJSL.....	158
S84200XK.....	126	S84886XCSSL.....	123	S85710XN.....	117	S8600XR.....	193	S86550SL.....	139	S881XK.....	158
S84200XKSL.....	126	S84886XCSSL.....	128	S85710XNSL.....	200	S8601.....	193	S86560.....	175	S881XKSL.....	158
S84200XN.....	126	S84886XESL.....	123	S85710XR.....	117	S8601SL.....	150	S86560SL.....	176	S881XN.....	158
S84200XNSL.....	126	S84886XESL.....	128	S85710XRSL.....	200	S8601XCSSL.....	144	S86565.....	175	S881XNSL.....	158
S84200XR.....	126	S84886XJSL.....	123	S85715.....	121	S8601XESL.....	144	S86570.....	196	S881XR.....	158
S84200XRSL.....	126	S84886XJSL.....	128	S85715XC.....	117	S8601XJSL.....	144	S86580.....	156	S881XRSL.....	158
S84305XC.....	179	S84886XKSL.....	123	S85715XE.....	117	S8601XKSL.....	144	S86580SL.....	156	S882.....	162
S84305XE.....	179	S84886XKSL.....	128	S85715XJ.....	117	S8601XNSL.....	144	S8675SL.....	183	S887.....	152
S84305XJ.....	179	S84886XNSL.....	123	S85715XK.....	117	S8601XRSL.....	144	S867SL.....	175	S887SL.....	152
S84305XK.....	179	S84886XNSL.....	128	S85715XN.....	117	S8602.....	191	S8682.....	159	S888.....	152
S84305XN.....	179	S84886XRSL.....	123	S85715XR.....	117	S86021.....	184	S8682SL.....	159	S888SL.....	152
S84305XR.....	179	S84886XRSL.....	128	S85720.....	121	S86021XC.....	179	S8685.....	122	S891.....	153
S84308.....	180	S8489.....	178	S85720SL.....	200	S86021XE.....	179	S8685LXC.....	118	S891SL.....	153
S84309.....	182	S8498.....	177	S85720XC.....	117	S86021XJ.....	179	S8685LXE.....	118	S892.....	154
S84310.....	177	S8498SL.....	178	S85720XCSSL.....	200	S86021XK.....	179	S8685LXJ.....	118	S89200.....	126
S84311.....	176	S8508.....	192	S85720XE.....	117	S86021XN.....	179	S8685LXK.....	118	S89200XC.....	126
S84312.....	183	S85225SL.....	122	S85720XESL.....	200	S86021XR.....	179	S8685LXN.....	118	S89200XE.....	126
S84313.....	182	S85225XCSSL.....	119	S85720XJ.....	117	S86022XC.....	178	S8685LXR.....	118	S89200XJ.....	126
S84314.....	167	S85225XESL.....	119	S85720XJSL.....	200	S86022XE.....	178	S8685RXC.....	118	S89200XC.....	126
S84315.....	184	S85225XJSL.....	119	S85720XK.....	117	S86022XJ.....	178	S8685RXE.....	118	S89200XK.....	126
S84316.....	174	S85225XKSL.....	200	S85720XKSL.....	200	S86022XK.....	178	S8685RXJ.....	118	S89200XN.....	126
S84318.....	182	S85225XNSL.....	119	S85720XN.....	117	S86022XN.....	178	S8685RXX.....	118	S89200XR.....	126
S84319.....	168	S85225XRSL.....	119	S85720XNSL.....	200	S86022XR.....	178	S8685RXN.....	118	S892SL.....	154
S84320.....	175	S85226SL.....	121	S85720XR.....	117	S86025.....	169	S8691.....	121	S893.....	170
S84321.....	183	S85226XCSSL.....	117	S85720XRSL.....	200	S86026.....	174	S8691XC.....	117	S894SL.....	151
S84322.....	178	S85226XESL.....	117	S85721.....	199	S86027.....	168	S8691XE.....	117	S895.....	153
S84323.....	175	S85226XJSL.....	117	S85725.....	121	S86029.....	171	S8691XJ.....	117	S895SL.....	153
S84324.....	170	S85226XKSL.....	117	S85725XC.....	117	S86025L.....	134	S8691XE.....	117	S896.....	197
S84325.....	169	S85226XNSL.....	117	S85725XE.....	117	S86030.....	172	S8691XJ.....	117	S896XC.....	197
S84326.....	173	S85226XRSL.....	117	S85725XJ.....	117	S86031.....	169	S8691XK.....	117	S896XE.....	197
S84327.....	171	S85227SL.....	122	S85725XK.....	117	S86032.....	167	S8691XN.....	117	S896XJ.....	197
S84328.....	169	S85227XCSSL.....	118	S85725XN.....	117	S86035.....	180	S8691XR.....	117	S896XK.....	197
S84329.....	172	S85227XESL.....	118	S85725XR.....	117	S86036.....	175	S86975.....	192	S896XN.....	197
S84330.....	172	S85227XJSL.....	118	S85725XSL.....	137	S8604.....	191	S8704.....	195	S896XR.....	197
S84521.....	157	S85227XKSL.....	118	S8573SL.....	137	S8605.....	193	S8707.....	194	S897.....	200
S84521SL.....	157	S85227XNSL.....	118	S8574.....	136	S8605SL.....	149	S8708.....	195	S89701.....	175
S84525.....	157	S85227XRSL.....	118	S8575.....	173	S8605XC.....	192	S8721.....	194	S8971.....	180
S84525SL.....	157	S85228SL.....	122	S8579.....	173	S8605XE.....	192	S8735.....	195	S8972.....	190
S84527.....	158	S85228XCSSL.....	118	S8581.....	173	S8605XJ.....	192	S8736.....	194	S898.....	163
S84527SL.....	158	S85228XESL.....	118	S8583SL.....	173	S8605XN.....	192	S8745.....	195	S898SL.....	163

# Steel

S90	164	Steel	104XC	220	19720T	231	371HD	222	6186SL	215
S902	156	100.	104XE	220	19730T	231	371SLHD	218	6186SL	227
S902SL	156	104.	104XJ	220	19740T	231	374HD	218	6186XCSL	214
S90SL	126	105.	104XK	220	19750T	231	391HD	217	6186XCSL	226
S90XC	159	108.	104XN	220	198SL	215	391SLHD	217	6186XESL	214
S90XE	159	118.	104XR	220	198SL	227	395HD	220	6186XESL	226
S90XJ	159	128.	1089SLHD	217	203HD	225	395SLHD	220	6186XJSL	214
S90XK	159	130.	108XC	214	205HD	225	396HD	222	6186XJSL	226
S90XN	159	131.	108XE	214	206HD	221	397HD	220	6186XNSL	214
S90XR	159	137.	108XJ	214	206HDXC	220	416SL	214	6186XNSL	226
S91	152	139.	108XK	214	206HDXE	220	426HD	219	6186XRSL	214
S912	155	198.	108XN	214	206HDJ	220	430HD	222	6186XRSL	226
S916	132	310.	108XR	214	206HDJK	220	430SLHD	219	620SL	213
S916SL	132	369.	1101HD	221	206HDJN	220	454HD	224	623HD	219
S91SL	152	571.	1101XCHD	220	206HDJR	220	4572SLHD	217	625HD	222
S92	162	610.	1101XEHD	220	2109HD	217	469HD	217	625SLHD	219
S9200	126	620.	1101XJHD	220	210HD	225	469SLHD	217	626SL	214
S9200XC	126	626.	1101XKHD	220	210SLHD	221	508HD	223	627HD	219
S9200XE	126	800.	1101XNHD	220	210SLHDXC	220	5425SL	217	628HD	222
S9200XJ	126	808.	1101XRHD	220	210SLHDXE	220	544HD	216	628SLHD	219
S9200XK	126	810.	1102HD	221	210SLHDJ	220	546SLHD	216	630HD	218
S9200XN	126	818.	1111HD	219	210SLHDJK	220	576HD	219	631HD	219
S9200XR	126	828.	1112HD	219	210SLHDJN	220	578HD	219	632SL	215
S925	190	829.	1113HD	219	210SLHDJR	220	582HD	219	632SL	227
S92SL	125	896.	1114HD	218	2110HD	217	584SLHD	219	632XCSL	214
S92XC	158	916.	1115HD	218	2111HD	217	588HD	222	632XCSL	226
S92XE	158	1006.	1116HD	218	211HD	218	601HD	224	632XESL	214
S92XJ	158	1028.	1117HD	218	236HD	225	601XCHD	224	632XESL	226
S92XK	158	1029.	1118HD	219	237HD	225	601XEHD	224	632XJSL	214
S92XN	158	1200.	1120HD	219	2382HD	214	601XJHD	224	632XJSL	226
S92XR	158	1201.	1121HD	221	2382SL	214	601XNHD	224	632XKSL	214
S93	199	1202.	1123HD	221	2385HD	214	601XRHD	224	632XKSL	226
S9320	190	1203.	1123HDXC	220	2385SL	214	602HD	223	632XNSL	214
S93203	190	5425.	1123HDXE	220	2389HD	214	604HD	223	632XNSL	226
S93203XC	189	8132.	1123HDJ	220	2389SL	214	605HD	224	632XRSL	214
S93203XE	189	8145.	1123HDJK	220	243HD	221	605HDXC	223	632XRSL	226
S93203XJ	189	8206.	1123HDJN	220	255HD	225	605HDXE	223	6500HD	214
S93203XK	189	8317.	1123HDXR	220	256HD	225	605HDJ	223	6500SL	214
S93203XN	189	8321.	115HD	221	262HD	221	605HDXN	223	6520HD	223
S93203XR	189	8322.	118XC	215	262HDXC	220	605HDXR	223	6560HD	220
S9320XC	190	8323.	118XE	215	262HDXE	220	606HD	224	6565HD	220
S9320XE	190	8324.	118XJ	215	262HDJ	220	606HDXC	223	6565SLHD	220
S9320XJ	190	8704.	118XK	215	262HDJK	220	606HDXE	223	6568HD	220
S9320XK	190	8708.	118XN	215	262HDJN	220	606HDJ	223	6570HD	225
S9320XN	190	8752.	118XR	215	262HDXR	220	606HDXN	223	6570SLHD	225
S9320XR	190	03142HD	1200SL	215	263HD	223	606HDXR	223	6572HD	222
S9342	189	1001HD	1200SL	226	263HDXC	222	607HD	224	6578HD	218
S9343	187	1002HD	1201SL	215	263HDXE	222	607HDXC	223	6580SLHD	216
S9347	188	1004HD	1201SL	226	263HDJ	222	607HDXE	223	6582HD	216
S9349	188	1005HD	1202SL	215	263HDJK	222	607HDJ	223	6720HDXCSL	217
S9352	187	1006SL	1202SL	226	263HDXN	222	607HDXN	223	6720HDXESL	217
S9353	187	1007HD	128XC	214	263HDXR	222	607HDXR	223	6720HDJSL	217
S9354	188	1007SLHD	128XE	214	263SLHD	221	608HD	224	6720HDXKSL	217
S9355	188	1008HD	128XJ	214	263SLHDXC	220	608HDXC	223	6720HDXNSL	217
S95	152	1009HD	128XK	214	263SLHDXE	220	608HDXE	223	6720HDXRSL	217
S960	200	1009SLHD	128XN	214	263SLHDJ	220	608HDJ	223	6720SLHD	217
S97	155	100SL	128XR	214	263SLHDJK	220	608HDXN	223	6975HD	223
S971	180	100SL	130SL	215	263SLHDJN	220	608HDXR	223	704HD	224
S972	167	100XCSL	130SL	226	263SLHDXR	220	609HD	223	707HD	224
S973	170	100XCSL	132HD	220	289HD	223	610SL	213	708HD	224
S975	151	100XESL	132SLHD	221	289HDXC	222	613HD	219	721HD	224
S975SL	151	100XESL	139SL	213	289HDXE	222	615HD	222	735HD	224
S977	152	100XJSL	1400SLHD	217	289HDJ	222	615SLHD	219	736HD	224
S979	151	100XJSL	1403HD	217	289HDJK	222	6184SL	215	745HD	224
S981	152	100XKSL	1405HD	221	289HDXN	222	6184SL	227	752HD	224
S982	153	100XKSL	1405SLHD	221	289HDXR	222	6184XCSL	214	818SL	227
S983	154	100XNSL	1406HD	221	294HD	222	6184XCSL	226	818XC	226
S992	166	100XNSL	1408HD	221	294SLHD	218	6184XESL	214	818XCSL	226
S997	165	100XRSL	1411HD	223	296HD	225	6184XESL	226	818XE	226
S999	165	100XRSL	1643HD	225	296HDXC	225	6184XJSL	214	818XESL	226
SART	201	1011HD	1643SLHD	225	296HDXE	225	6184XJSL	226	818XJ	226
		1020HD	1644HD	217	296HDJ	225	6184XNSL	214	818XJSL	226
		1022HD	1644SLHD	217	296HDJK	225	6184XNSL	226	818XK	226
		1024HD	1650HD	223	296HDXN	225	6184XRSL	214	818XKSL	226
		1025HD	1651HD	214	296HDXR	225	6184XRSL	226	818XN	226
		1029SL	1651SL	214	296SLHD	225	6185SL	215	818XNSL	226
		1032HD	1657HD	220	296SLHDXC	225	6185SL	227	818XR	226
		1035HD	1657SLHD	220	296SLHDXE	225	6185XCSL	214	818XRSL	226
		1037HD	1659HD	220	296SLHDJ	225	6185XCSL	226	8206XC	227
		1037SLHD	1660HD	220	296SLHDJK	225	6185XESL	214	8206XE	227
		1039HD	1662HD	222	296SLHDJN	225	6185XESL	226	8206XJ	227
		1039SLHD	19020T	231	296SLHDXR	225	6185XJSL	214	8206XK	227
		1040HD	19055T	231	309HD	218	6185XJSL	226	8206XN	227
		1040SLHD	19200T	231	310SL	213	6185XNSL	214	8206XR	227
		1041HD	19210T	231	311HD	222	6185XNSL	226	828SL	227
		1041SLHD	19220T	231	311SLHD	218	6185XRSL	214	829SL	226
		1042HD	19520T	231	369SL	213	6185XRSL	226	8321XC	227



S81LEC.....	242	S84RXR.....	245	S8LCL.....	246
S81LLT.....	242	S84XCSL.....	248	S8LPB.....	243
S81LPB.....	241	S84XESL.....	248	S8LXC.....	246
S81LRS.....	241	S84XJSL.....	248	S8LXE.....	246
S81LSA.....	241	S84XKSL.....	248	S8LXJ.....	246
S81LSG.....	241	S84XNSL.....	248	S8LXK.....	246
S81LT.....	242	S84XRSL.....	248	S8LXN.....	246
S81LXC.....	242	S8572SL.....	247	S8LXR.....	246
S81LXE.....	242	S85927SL.....	247	S8PB.....	243
S81LXJ.....	242	S85931SL.....	247	S8RAX.....	245
S81LXK.....	242	S85932SL.....	247	S8RCL.....	246
S81LXN.....	242	S85AX.....	244	S8RPB.....	243
S81LXR.....	242	S85AXSL.....	248	S8RXC.....	246
S81PB.....	241	S85CL.....	246	S8RXE.....	246
S81RAX.....	242	S85CLSL.....	248	S8RXJ.....	246
S81RBL.....	241	S85LAX.....	244	S8RXK.....	246
S81RBS.....	240	S85LCL.....	245	S8RXN.....	246
S81RCL.....	242	S85LPB.....	243	S8RRR.....	246
S81RCX.....	242	S85LXC.....	245	S8XC.....	246
S81REC.....	242	S85LXE.....	245	S8XE.....	246
S81RLT.....	242	S85LXJ.....	245	S8XJ.....	246
S81RPB.....	241	S85LXK.....	245	S8XK.....	246
S81RRS.....	241	S85LXN.....	245	S8XN.....	246
S81RS.....	241	S85LXR.....	245	S8XR.....	246
S81RSA.....	241	S85PB.....	243	S9AX.....	245
S81RSG.....	241	S85PBSL.....	247	S9AXSL.....	248
S81RXC.....	242	S85RAX.....	244	S9CL.....	246
S81RXE.....	242	S85RCL.....	246	S9CLSL.....	248
S81RXJ.....	242	S85RPL.....	243	S9LAX.....	245
S81RXK.....	242	S85RXC.....	246	S9LCL.....	246
S81RXN.....	242	S85RXE.....	246	S9LPB.....	243
S81RXR.....	242	S85RXJ.....	246	S9LXC.....	246
S81SA.....	241	S85RXK.....	246	S9LXE.....	246
S81SG.....	241	S85RXN.....	246	S9LXJ.....	246
S81XC.....	242	S85RXR.....	246	S9LXK.....	246
S81XE.....	242	S85XC.....	246	S9LXN.....	246
S81XJ.....	242	S85XCSL.....	248	S9LXR.....	246
S81XK.....	242	S85XE.....	246	S9PB.....	243
S81XN.....	242	S85XESL.....	248	S9PBSL.....	247
S81XR.....	242	S85XJ.....	246	S9RAX.....	245
S82382SL.....	247	S85XJSL.....	248	S9RCL.....	246
S82385SL.....	247	S85XK.....	246	S9RPB.....	243
S82389SL.....	247	S85XKSL.....	248	S9RXC.....	246
S83AX.....	240	S85XN.....	246	S9RXE.....	246
S83CL.....	240	S85XNSL.....	248	S9RXJ.....	246
S83CX.....	240	S85XR.....	246	S9RXK.....	246
S83EC.....	240	S85XRSL.....	248	S9RXN.....	246
S83PB.....	240	S86500SL.....	247	S9RXR.....	246
S83PS.....	240	S86AX.....	244	S9XC.....	246
S83SG.....	240	S86AXSL.....	248	S9XCSSL.....	248
S83SN.....	240	S86CL.....	246	S9XE.....	246
S83XC.....	240	S86CLSL.....	248	S9XESL.....	248
S83XE.....	240	S86LAX.....	244	S9XJ.....	246
S83XJ.....	240	S86LCL.....	246	S9XJSL.....	248
S83XK.....	240	S86LPB.....	243	S9XK.....	246
S83XN.....	240	S86LXC.....	246	S9XKSL.....	248
S83XR.....	240	S86LXE.....	246	S9XN.....	246
S84586SL.....	247	S86LXJ.....	246	S9XNSL.....	248
S84AX.....	244	S86LXK.....	246	S9XR.....	246
S48XC.....	245	S86LXN.....	246	S9XRSL.....	248
S84AXSL.....	248	S86LXR.....	246		
S48XE.....	245	S86PB.....	243		
S48XJ.....	245	S86PBSL.....	247		
S48XK.....	245	S86RAX.....	244		
S48XN.....	245	S86RCL.....	246		
S48XR.....	245	S86RPB.....	243		
S84CL.....	245	S86RXC.....	246		
S84CLS.....	248	S86RXE.....	246		
S84LAX.....	244	S86RXJ.....	246		
S84LCL.....	245	S86RXK.....	246		
S84LPB.....	243	S86RXN.....	246		
S84LXC.....	245	S86RXR.....	246		
S84LXE.....	245	S86XC.....	246		
S84LXJ.....	245	S86XCSL.....	248		
S84LXK.....	245	S86XE.....	246		
S84LXN.....	245	S86XESL.....	248		
S84LXR.....	245	S86XJ.....	246		
S84PB.....	243	S86XJSL.....	248		
S84PBSL.....	247	S86XK.....	246		
S84RAX.....	244	S86XKSL.....	248		
S84RCL.....	245	S86XN.....	246		
S84RPB.....	243	S86XNSL.....	248		
S84RXC.....	245	S86XR.....	246		
S84RXE.....	245	S86XRSL.....	248		
S84RXJ.....	245	S8AX.....	245		
S84RXK.....	245	S8CL.....	246		
S84RXN.....	245	S8LAX.....	245		



Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn  
 Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed



# Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

## Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at [thermatru.com/inspiration](http://thermatru.com/inspiration).



## Advancement Center

Learn about Therma-Tru products and programs on our online training platform at [brainshark.com/thermatru](http://brainshark.com/thermatru).



## Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru — the expert in fiberglass door systems — and OSI® — the expert in construction sealants. Get started today at [thermatru.com/installer](http://thermatru.com/installer).

## Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at [thermatru.widencollective.com/login](http://thermatru.widencollective.com/login).



## Trade Professionals Online

Find everything from selling tools and training materials to technical information at [thermatru.com/professionals](http://thermatru.com/professionals).



## Design Your Door

Homeowners can research and design a door with their own personal touch — all from the convenience of home. To get started, visit [thermatru.com/design-your-door](http://thermatru.com/design-your-door).





DOORS • DECORATIVE & SPECIALTY GLASS • FINISHING • SYSTEM COMPONENTS

# THERMA-TRU® DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)

1 Horizon Way  
Deerfield, IL 60015



#thermatru



Cover / Back Cover: Classic Craft Mahogany Grain  
Flush-Glazed ¾-Lite, Clear Glass with SDLs,  
Door – CCM2806-SDLF6LE, Finish – Barley

©2026 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2026 SHERIDAN / JAN 2026 O25-39280